

Klartext Keramik

Interview mit Prof. Dr. Daniel Edelhoff

Literaturliste

2. Interviewfrage

Beuer F., Schweiger J., Eichberger M., Kappert H.F., Gernet W., Edelhoff D.: High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings - a new fabrication mode for all-ceramic restorations. Dent Mat 2009;25(1):121-128.

Heintze SD, Rousson V. Survival of zirconia- and metal-supported FDPs - A systematic review. Int J Prosthodont 2010;23:accepted.

Sailer I, Gottnerb J, Kanelb S, Hammerle CH. Randomized controlled clinical trial of zirconia-ceramic and metal-ceramic posterior fixed dental prostheses: a 3-year follow-up. Int J Prosthodont 2009;22(6):553-60.

Schweiger J., Beuer, F., Edelhoff, D.: Digital Workflow – Teil 1. Vom intraoralen Scan bis zur Modellherstellung. Quintessenz Zahntechnik 2010;36(9):1172-1179.

Schweiger J., Beuer, F., Edelhoff, D.: Digital Workflow – Teil 2. Vom CAD/CAM-Prozess bis zur digitalen Verblendung. Quintessenz Zahntechnik 2010;36(10):im Druck.

4. Interviewfrage

Reichenbach G, Rezac A, Gernet W, Beuer F. Load-bearing capacity of zirconia crowns after endodontic access. J Dent Res 88 2009 Spec Iss. C IADR-Abstract 88

Wood KC, Berzins DW, Luo Q, Thompson GA, Toth JM, Nagy WW. Resistance to fracture of two all-ceramic crown materials following endodontic access. J Prosthet Dent 2006;95:33-41. Fracture load intact: 2,432 N, after trepanation & repair 2,075 N

5. Interviewfrage

Kappert H. F., Krah M.: Keramiken - eine Übersicht. Quintessenz Zahntech 2001;27(6): 668-704.

6. Interviewfrage

Ahlers O, Möller K (2010) Labortechnische Herstellung von Repositions-Onlays und –Veneers. Langzeitprovisorische Restauration der Okklusion im Rahmen der Wiederherstellung einer physiologischen Kiefer- und Kondylenposition. Quintessenz Zahntech 36:498-511.

Edelhoff, D., Brix, O.: Komposit trifft auf Vollkeramik. Quintessenz Zahntechnik 2009;35(6):702-706.

Edelhoff, D., Güth, J.-F., Schweiger, J., Maier B., Beuer, F.: Neue Materialien und Konzepte zur Vorbehandlung komplexer Fälle in der festsitzenden Prothetik. DFZ wissen kompakt 2010;4:3-16.

7. Interviewfrage

Esquivel-Upshaw J., Rose W., Oliveira E.R., Anusavice K.J.. In Vivo Analysis of Wear in Ceramic Crowns and Their Enamel Antagonists. IADR 2009, Abstract #1009.

Etman MK, Woolford M, Dunne S. Quantitative measurement of tooth and ceramic wear: in vivo study. Int J Prosthodont 2008;21:245-52.

Etman MK, Woolford MJ. Three-year clinical evaluation of two ceramic crown systems: a preliminary study. J Prosthet Dent 2010;103:80-90.

Heintze SD, Cavalleri A, Forjanic M, Zellweger G, Rousson V. Wear of ceramic and antagonist—a systematic evaluation of influencing factors in vitro. Dent Mater. 2008;24(4):433-49.

Xu HH, Smith DT, Jahanmir S, Romberg E, Kelly JR, Thompson VP, Rekow ED. Indentation damage and mechanical properties of human enamel and dentin. J Dent Res 1998;77:472-80.

8. Interviewfrage

Ilie N, Hickel R. Correlation between ceramics translucency and polymerization efficiency through ceramics. Dent Mater. 2008 ;24(4):908-14.

9. Interviewfrage

Edelhoff, D., Öczan, M.: To what extent does the longevity of fixed-dental-prostheses depend on the function of the cement? Working Group 4 materials:cementation. Clinical Oral Implants Research 2007;18(Suppl. 3):193-204.

10. Interviewfrage

Guess PC, Zavanelli RA, Silva NR, Bonfante EA, Coelho PG, Thompson VP. Monolithic CAD/CAM Lithium Disilicate Versus Veneered Y-TZP Crowns:

Comparison of Failure Modes and Reliability After Fatigue. *Int J Prosthodont.* 2010;23(5):434-42.