

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 09/10, S. 54-59

Thema: Verbindungselemente in der Gero-Implantologie

Autor: Dr. med. dent Arne F. Boeckler, Halle (Saale)

Literaturliste:

1. Akaltan F., Can G. Retentive characteristics of different magnetic systems. *J Prosthet Dent* 1995; 74; 422-427
2. Benzing U R, Gall H, Weber H. Biomechanical aspects of two different implant-prosthetic concepts for edentulous maxillae. *Int J Oral Maxillofac Implants* 1995; 10; 2: 188-198
3. Besimo C E., Guarneri A. In vitro retention force changes of prefabricated attachments for overdentures. *J Oral Rehabil* 2003; 30; 7: 671-678
4. Besimo C H, Gruber G, Fluhler M. Retention force changes in implant-supported titanium telescope crowns over long-term use in vitro. *J Oral Rehabil* 1996; 23; 6: 372-378
5. Boeckler A, Schubert J, Senke A, Setz J. Implantatprothetische Rehabilitation zahnloser Lippen-Kiefer-Gaumen-Spalträger mit galvanisierten Mesostrukturen. *Implantologie* 2005; 13; 1: 61-73
6. Boeckler A, Morton D, Ehring C, Setz JM. Mechanical Properties of Magnetic Attachments for Removable Prosthesis on Teeth and Implants. *J Prosthodont* 2008; 17; 8: 608-615
7. Cekic C, Akca K, Cehreli M C. Effects of attachment design on strains around implants supporting overdentures. *Quintessence Int* 2007; 38; 6: e291-e297
8. Chan M F, Johnston C, Howell R A. A retrospective study of the maintenance requirements associated with implant stabilised mandibular overdentures. *Eur J Prosthodont Restor Dent* 1996; 4; 1: 39-43
9. Chan M F, Johnston C, Howell R A, Cawood J I. Prosthetic management of the atrophic mandible using endosseous implants and overdentures: a six year review. *Br Dent J* 1995; 179; 9: 329-337
10. Chung K H, Chung C Y, Cagna D R, Cronin R J, Jr. Retention characteristics of attachment systems for implant overdentures. *J Prosthodont* 2004; 13; 4: 221-226
11. den Dunnen A C, Slagter A P, de Baat C, Kalk W. Professional hygiene care, adjustments and complications of mandibular implant-retained overdentures: a three-year retrospective study. *J Prosthet Dent* 1997; 78; 4: 387-390

12. Dolder E. Bar-joint prosthesis of mandibula. SSO Schweiz Monatsschr Zahnheilkd 1953; 63; 4: 339-376
13. Doukas D, Michelinakis G, Smith P W, Barclay C W. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: 6-month fatigue retention values. Int J Prosthodont 2008; 21; 2: 152-154
14. Geertman M E, Slagter A P, van Waas M A, Kalk W. Comminution of food with mandibular implant-retained overdentures. J Dent Res 1994; 73; 12: 1858-1864
15. Gillings B. Magnetic retention for complete and partial overdentures. Part I. J Prosthet Dent 1981; 45; 484-491
16. Goodacre C J, Bernal G, Rungcharassaeng K, Kan J Y. Clinical complications with implants and implant prostheses. J Prosthet Dent 2003; 90; 2: 121-132
17. Heckmann S M, Winter W, Meyer M, Weber H P, Wichmann M G. Overdenture attachment selection and the loading of implant and denture-bearing area. Part 2: A methodical study using five types of attachment. Clin Oral Implants Res 2001; 12; 6: 640-647
18. Kimoto K, Garrett N R. Effect of mandibular ridge height on masticatory performance with mandibular conventional and implant-assisted overdentures. Int J Oral Maxillofac Implants 2003; 18; 4: 523-530
19. Kramer A, Weber H, Benzing U. Implant and prosthetic treatment of the edentulous maxilla using a bar-supported prosthesis. Int J Oral Maxillofac Implants 1992; 7; 2: 251-255
20. Krennmaier G, Weinlander M, Krainhofner M, Piehslinger E. Implant-supported mandibular overdentures retained with ball or telescopic crown attachments: a 3-year prospective study. Int J Prosthodont 2006; 19; 2: 164-170
21. Longoni S, Sartori M, Ariello F, Anzani M, Baldoni M. Passive definitive fit of bar-supported implant overdentures. Implant Dent 2006; 15; 2: 129-134
22. Michelinakis G, Barclay C W, Smith P W. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: initial retention values. Int J Prosthodont 2006; 19; 5: 507-512
23. Naert I, Quirynen M, Hooghe M, van Steenberghe D. A comparative study of splinted and unsplinted Branemark implants in mandibular overdenture therapy. J Prosthet Dent 1994; 71; 486-492
24. Naert I, Alsaadi G, Quirynen M. Prosthetic aspects and patient satisfaction with two-implant-retained mandibular overdentures: a 10-year randomized clinical study. Int J Prosthodont 2004; 17; 4: 401-410

25. Payne A, Solomons Y. The prosthodontic maintenance requirements of mandibular mucosa and implant supported overdentures: a review of the literature. *Int J Prosthodont* 2000; 13; 3: 238-243
26. Riley M, Walmsley A, Harris I. Magnets in prosthetic dentistry. *J Prosthet Dent* 2001; 86; 2: 137-142
27. Riley M, Williams A, Speight J, Walmsley A, Harris I. Investigations into the failure of dental magnets. *Int J Prosthodont* 1999; 12; 249-254
28. Rosch R, Mericske-Stern R. Zirconia and removable partial dentures. *Schweiz Monatsschr Zahnmed* 2008; 118; 10: 959-974
29. Sadowsky S J. Mandibular implant-retained overdentures: A literature review. *J Prosthet Dent* 2001; 86; 5: 468-473
30. Sadowsky S J, Caputo A A. Effect of anchorage systems and extension base contact on load transfer with mandibular implant-retained overdentures. *J Prosthet Dent* 2000; 84; 3: 327-334
31. Setz I, Lee S H, Engel E. Retention of prefabricated attachments for implant stabilized overdentures in the edentulous mandible: an in vitro study. *J Prosthet Dent* 1998; 80; 3: 323-329
32. Svetlize C A, Bodereau E F, Jr. Comparative study of retentive anchor systems for overdentures. *Quintessence Int* 2004; 35; 6: 443-448
33. Torsello F, Torresanto V, rcoli C, ordaro L. Evaluation of the marginal precision of one-piece complete arch titanium frameworks fabricated using five different methods for implant-supported restorations. *Clin Oral Implants Res* 2008; 19; 8: 772-779
34. Trakas T, Michalakis K, Kang K, Hirayama H. Attachment systems for implant retained overdentures: a literature review. *Implant Dent* 2006; 15; 1: 24-34
35. Watson G K, Payne A G, Purton D G, Thomson W M. Mandibular overdentures: professional time for prosthodontic maintenance during the first year of service using three different implant systems. *Int J Prosthodont* 2002; 15; 4: 379-384
36. Watson R M, Jemt T, Chai J, Harnett J, Heath M R, Hutton J E, Johns R B, Lithner B, McKenna S, McNamara D C, Naert I, Taylor R. Prosthodontic treatment, patient response, and the need for maintenance of complete implant-supported overdentures: an appraisal of 5 years of prospective study. *Int J Prosthodont* 1997; 10; 4: 345-354
37. Weber H, Frank G. Spark erosion procedure: a method for extensive combined fixed and removable prosthodontic care. *J Prosthet Dent* 1993; 69; 2: 222-227
38. Weigl P, Hahn L, Lauer H C. Advanced biomaterials used for a new telescopic retainer for removable dentures: Part I. *J Biomed Mater Res* 2000; 53; 4: 320-336

39. Weigl P., Lauer H C. Advanced biomaterials used for a new telescopic retainer for removable dentures: Part II. *J Biomed Mater Res* 2000; 53; 4: 337-347
40. Wenz H J., Lehmann K M. A telescopic crown concept for the restoration of the partially edentulous arch: the Marburg double crown system. *Int J Prosthodont* 1998; 11; 6: 541-550
41. Winkler S, Piermatti J, Rothman A, Siomas G. An overview of the O-ring implant overdenture attachment: clinical reports. *J Oral Implantol* 2002; 28; 2: 82-86
42. Zitzmann N U., Marinello C P. Implant-supported removable overdentures in the edentulous maxilla: clinical and technical aspects. *Int J Prosthodont* 1999; 12; 5: 385-390