

**Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 03/10**

**Autor: Dr. Jan Hajt6, M6nchen**

**Thema: Korrekte Modellierung von Zirkoniumdioxidger6sten**

1. L6thy H, Filser F, Gauckler LJ, Sch6rer P.: High reliable zirconia bridges by direct ceramic machining process (DCM). J Dent Res 1998;77:1045.
2. Filser F, Kocher P, Weibel F, L6thy H, Sch6rer P, Gauckler LJ.: Reliability and strength of all-ceramic dental restorations fabricated by direct ceramic machining (DCM). Int J Comput Dent 2001; 4:89–106.
3. Zembic I, L6thy H, Schumacher M, Sch6rer P, H6mmerle C H F: 2- and 3-year results of zirconia posterior fixed partial dentures, made by direct ceramic machining (DCM). European Cells and Materials. Abstracts of the 8th General Meeting of the Swiss Society for Biomaterials. Centre M6dical Universitaire G6neve 3: 38. 2002
4. Pospiech, P., Nothdurft, F. : Long-term behavior of Zirconia based bridges : Three years results. J Dent Res 83, #230, 2004
5. Bornemann G, Rinke S, H6ls A.: Prospective clinical trial with conventionally luted zirconium-based fixed partial dentures—18 month results J Dent Res 2003; 82(Spec Iss B):842.
6. Vult von Steyern P, Carlson P, Nilner K.: All-ceramic fixed partial dentures designed according to the DC-Zirkon technique. A 2-year clinical study. J Oral Rehabil. 2005 Mar;32(3):180-187.
7. Molin MK, Karlsson SL.: Five-year clinical prospective evaluation of zirconia-based Denzir 3-unit FPDs. Int J Prosthodont. 2008 May-Jun;21(3):223-227.
8. Edelhoff D, Beuer F, Weber V, Johnen C.: HIP zirconia fixed partial dentures--clinical results after 3 years of clinical service. Quintessence Int. 2008 Jun;39(6):459-471.

9. Beuer F, Edelhoff D, Gernet W, Sorensen JA.: Three-year clinical prospective evaluation of zirconia-based posterior fixed dental prostheses (FDPs). *Clin Oral Investig.* 2009 Dec;13(4):445-451.
10. Raigrodski AJ, Chiche GJ, Potiket N, Hochstedler JL, Mohamed SE, Billiot S, Mercante DE.: The efficacy of posterior three-unit zirconium-oxide-based ceramic fixed partial dental prostheses: a prospective clinical pilot study. *J Prosthet Dent.* 2006 Oct;96(4):237-44.
11. Tinschert J, Schulze KA, Natt G, Latzke P, Heussen N, Spiekermann H.: Clinical behavior of zirconia-based fixed partial dentures made of DC-Zirkon: 3-year results. *Int J Prosthodont.* 2008 May-Jun;21(3):217-222.
12. Sailer I, Fehér A, Filser F, Gauckler LJ, Lüthy H, Hämmerle CH.: Five-year clinical results of zirconia frameworks for posterior fixed partial dentures. *Int J Prosthodont.* 2007 Jul-Aug;20(4):383-388.
13. Eschbach S, Wolfart S, Bohlsen F, Kern M.: Short Communication: Clinical Evaluation of All-Ceramic Posterior Three-Unit FDPs Made of In-Ceram Zirconia. *Int J Prosthodont.* 2009 Sep-Oct;22(4):490-492.
14. Sailer I, Gottnerb J, Kanelb S, Hammerle CH.: Randomized Controlled Clinical Trial of Zirconia-Ceramic and Metal-Ceramic Posterior Fixed Dental Prostheses: A 3-year Follow-up. *Int J Prosthodont.* 2009 Nov-Dec;22(6):553-60.
15. Pjetursson, B.E., Brägger, U., Lang, N.P. & Zwahlen, M.: Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported fixed dental prostheses and single crowns (SCs). *Clinical Oral Implants Research.* 2007;18 (Suppl. 3): 97–113.
16. Reitemeier B, Hänsel K, Kastner C, Walter MH.: Prospektive Studie zur Bewährung metallkeramischer Kronen unter Praxisbedingungen: 8-Jahresergebnisse. *Dtsch Zahnärztl Z.* 2007 Feb;62(2):104-109.

17. Ozcan M.: Fracture reasons in ceramic-fused-to-metal restorations. *J Oral Rehabil.* 2003 Mar;30(3):265-9.
18. Psoch A, Stadler A, Setz M: Bewährung von Keramikverblendungen gefräster Titanrestorationen nach zwölf Monaten Tragezeit. *Dtsch Zahnärztl Z.* 2006 ;61(5):229-232.
19. Kerschbaum T, Faber FJ, Noll FJ, Keiner M, Hürther W, Schumacher S, Keller E: Komplikationen von Cercon-Restorationen in den ersten fünf Jahren. *Dtsch Zahnärztl Z.* 2009 ;64(2):81-89.
20. Marchack BW, Futatsuki Y, Marchack CB, White SN.: Customization of milled zirconia copings for all-ceramic crowns: a clinical report. *J Prosthet Dent.* 2008 Mar;99(3):169-73.
21. Proos KA, Swain MV, Ironside J, Steven GP.: Influence of core thickness on a restored crown of a first premolar using finite element analysis. *Int J Prosthodont.* 2003 Sep-Oct;16(5):474-80.
22. Kolbeck C, Rosentritt M, Handel G: Performance of Metal- and Zirconia-based Crowns with Different Core Designs, *J Dent Res* 88 (Spec Iss B):74. 2009
23. Rosentritt M, Steiger D, Behr M, Handel G, Kolbeck C.: Influence of substructure design and spacer settings on the in vitro performance of molar zirconia crowns. *J Dent.* 2009 Dec;37(12):978-83.
24. Studart AR, Filser F, Kocher P, Gauckler LJ.: In vitro lifetime of dental ceramics under cyclic loading in water. *Biomaterials.* 2007 Jun;28(17):2695-2705.
25. Studart AR, Filser F, Kocher P, Gauckler LJ.: Fatigue of zirconia under cyclic loading in water and its implications for the design of dental bridges. *Dent Mater.* 2007 Jan;23(1):106-14.
26. Lüthy H, Filser F, Loeffel O, Schumacher M, Gauckler LJ, Hämmerle CH.: Strength and reliability of four-unit all-ceramic posterior bridges. *Dent Mater.* 2005 Oct;21(10):930-7.

27. Tinschert J, Natt G, Mautsch W, Augthun M, Spiekermann H.: Fracture resistance of lithium- disilicate-, alumina-, and zirconia-based three-unit fixed partial dentures: a laboratory study. *Int J Prosthodont.* 2001;14:231–238.
28. Sundh A, Molin M, Sjögren G. Fracture resistance of yttrium oxide partially-stabilized zirconia all-ceramic bridges after veneering and mechanical fatigue testing. *Dent Mater.* 2005;21:476–482.
29. Hauptmann H, Reusch B: Investigation of Connector Cross-sections for 4-unit Zirconia Oxide Bridges. *J Dent Res* 82 (Spec Iss B):0273, 2003
30. Technisches Produktprofil, Lava. 2004. 3M ESPE AG, Seefeld, Germany
31. Tinschert J: Persönliche Mitteilung.
32. IPS e.max® ZirCAD, Wissenschaftliche Dokumentation. 2005. Ivoclar Vivadent AG Forschung und Entwicklung, Wissenschaftlicher Dienst, Schaan Liechtenstein
33. [http://ag-keramik.eu/mediapool/72/724628/data/ZrO2\\_Bearbeitung.pdf](http://ag-keramik.eu/mediapool/72/724628/data/ZrO2_Bearbeitung.pdf)
34. Pospiech P, Tinschert J, Raidgorsky A: Keramik–Vollkeramik. Ein Kompendium für die keramikgerechte Anwendung vollkeramischer Systeme in der Zahnmedizin. 2004. 3M ESPE AG, Seefeld, Germany