

## Literatur

*Ein Konzept zur Laser unterstützten Periimplantitis-Behandlung*

*Dr. med. dent. Gérald Mettraux*

*PN Parodontologie Nachrichten 6/2010*

Coffelt DW, Cobb CM, MacNeill S, Rapley JW, Killoy WJ: Determination of energy density threshold for laser ablation of bacteria. An in vitro study.

J Clin Periodontol. 1997 Jan;24(1):1-7.

Deppe H, Horch HH, Henke J, Donath K: Per-implant care of failing implants with the carbon dioxide laser..

Int J Oral Maxillofac Implants. 2001 Sep-Oct;16(5):659-67.

Deppe H, Horch HH, Neff A: Conventional versus CO<sub>2</sub> laser-assisted treatment of peri-implant defects with the concomitant use of pure-phase beta-tricalcium phosphate: a 5-year clinical report.

Int J Oral Maxillofac Implants. 2007 Jan-Feb;22(1):79-86.

Hauser-Gerspach I, Stübinger S, Meyer: Bactericidal effects of different laser systems on bacteria adhered to dental implant surfaces: an in vitro study comparing zirconia with titanium.

J Clin Oral Implants Res. 2010 Mar;21(3):277-83. Epub 2010 Jan 13.

Kato T, Kusakari H, Hoshino E: Efficacy of carbon dioxide laser against bacteria-contaminated titanium implant and subsequent cellular adhesion to irradiated area.. Lasers Surg Med. 1998;23(5):299-309.

Lindhe J, Meyle J; Group D of European Workshop on Periodontology: Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology.

J Clin Periodontol. 2008 Sep;35(8 Suppl):282-5..

Renvert S, Roos-Jansåker AM, Claffey N: Non-surgical treatment of peri-implant mucositis and peri-implantitis: a literature review.

J Clin Periodontol. 2008 Sep;35(8 Suppl):305-15. Review.

Romanos G, Crespi R, Barone A, Covani U : Osteoblast attachment on titanium disks after laser irradiation..

Int J Oral Maxillofac Implants. 2006 Mar-Apr;21(2):232-6.

Romanos GE, Nentwig GH: Regenerative therapy of deep peri-implant infrabony defects after CO<sub>2</sub> laser implant surface decontamination..

Int J Periodontics Restorative Dent. 2008 Jun;28(3):245-55.

Sculean A, Schwarz F, Becker J: Anti-infective therapy with an Er:YAG laser: influence on peri-implant healing.

Expert Rev Med Devices. 2005 May;2(3):267-76.

Stübinger S, Etter C, Miskiewicz M, Homann F, Saldamli B, Wieland M, Sader R: Surface Alterations of Polished and Sandblasted and Acid-Etched Titanium Implants after Er:YAG, Carbon Dioxide, and Diode Laser Irradiation..

Int J Oral Maxillofac Implants. 2010 Jan-Feb;25(1):104-11.