

Literatur

Mikroinvasive Kariestherapie

Dr. Sebastian Paris & PD Dr. Hendrik Meyer-Lückel, MPH

Ekstrand KR, Bakhshandeh A, Martignon S: Treatment of Proximal Superficial Caries Lesions on Primary Molar Teeth with Resin Infiltration and Fluoride Varnish versus Fluoride Varnish Only: Efficacy after 1 Year. *Caries Res*, 44: 41-46 (2010).

Going RE, Loesche WJ, Grainger DA, Syed SA: The viability of microorganisms in carious lesions five years after covering with a fissure sealant. *J Am Dent Assoc*, 97: 455-462 (1978).

Handelman SL, Washburn F, Wopperer P: Two-year report of sealant effect on bacteria in dental caries. *J Am Dent Assoc*, 93: 967-970 (1976).

Hintze H, Wenzel A, Danielsen B, Nyvad B: Reliability of visual examination, fibre-optic transillumination, and bite-wing radiography, and reproducibility of direct visual examination following tooth separation for the identification of cavitated carious lesions in contacting approximal surfaces. *Caries Res*, 32: 204-209 (1998).

Kidd EAM, Fejerskov O. Prevention of dental caries and the control of disease progression: concepts of preventive non-operative treatment. In: Fejerskov O und Kidd EAM, (eds.): *Dental Caries*. Blackwell Munksgaard Oxford S. 167-169 (2003).

Kidd EAM, van Amerongen JP. The role of operative treatment. In: Fejerskov O und Kidd EAM, (eds.): *Dental caries: The disease and its clinical management*. Blackwell Munksgaard Oxford S. 245-250 (2003).

Martignon S, Ekstrand KR: 1-year radiographic results of infiltrating, sealing and giving flossing instructions: Proximal lesions in young adults. *Caries Res*, (Abstract submitted) (2010).

Mejare I, Kallestaal C, Stenlund H, Johansson H: Caries development from 11 to 22 years of age: A prospective radiographic study. Prevalence and distribution. *Caries Res*, 32: 10-16 (1998).

Mejare I, Stenlund H, Zelezny-Holmlund C: Caries incidence and lesion progression from adolescence to young adulthood: a prospective 15-year cohort study in Sweden. *Caries Res*, 38: 130-141 (2004).

Mertz-Fairhurst EJ, Schuster GS, Fairhurst CW: Arresting caries by sealants: results of a clinical study. *J Am Dent Assoc*, 112: 194-197 (1986).

Mertz-Fairhurst EJ, Schuster GS, Williams JE, Fairhurst CW: Clinical progress of sealed and unsealed caries. Part I: Depth changes and bacterial counts. *J Prosthet Dent*, 42: 521-526 (1979).

Meyer-Lückel H: Mikroinvasive Behandlung der Karies durch Kunststoffinfiltration. Habilitationsschrift, Berlin, 2008

Meyer-Lueckel H, Fejerskov O, Paris S: Neuartige Therapiemöglichkeiten bei approximaler Karies. *Deutsch Zahnaerztl Z*, 64: 292-299 (2009).

Meyer-Lueckel H, Paris S: Improved resin infiltration of natural caries lesions. *J Dent Res*, 1112-1116 (2008).

Meyer-Lueckel H, Paris S, Kielbassa AM: Surface layer erosion of natural caries lesions with phosphoric and hydrochloric acid gels. *Caries Res*, 41: 223-230 (2007).

Nyvad B: Diagnosis versus detection of caries. *Caries Res*, 38: 192-198 (2004).

Paris S, Bitter K, Renz H, Hopfenmuller W, Meyer-Lueckel H: Validation of two dual fluorescence techniques for confocal microscopic visualization of resin penetration into enamel caries lesions. *Microsc Res Tech*, 72: 489-494 (2009).

Paris S, Meyer-Lueckel H: Masking of labial enamel white spot lesions by resin infiltration-A clinical report. *Quintessence Int*, 40: 713-718 (2009).

Paris S, Meyer-Lueckel H: Resin Infiltration of Caries Lesions: An Efficacy Randomized Trial. *J Dent Res*, (under review) (2010).

Paris S, Meyer-Lueckel H, Kielbassa AM: Resin infiltration of natural caries lesions. *J Dent Res*, 86: 662-666 (2007).

Pitts NB, Rimmer PA: An in vivo comparison of radiographic and directly assessed clinical caries status of posterior approximal surfaces in primary and permanent teeth. *Caries Res*, 26: 146-152 (1992).