

Literaturliste

Knochenabbau bei Periimplantitis: Die Rolle des RANK/RANKL-Systems

Implantologie Journal 5/2008, S. 40 ff, Handbuch Implantologie

1. Esposito M, Hirsh J, Lekholm U, Thomsen P (1999) Differential diagnosis and treatment strategies for biologic complications and failing oral implants: A review of the literature. In J Oral Maxillofac Implants 14: 473-90
2. Quirynen M, De Soete M, van Steenberghe D (2002) Infectious risks for oral implants: a review of the literature. Clin Oral Impl Res 13: 1-19
3. Roos-Jansåker A-M, Lindahl C, Renvert H, Renvert S (2006) Nine-to fourteen-year follow-up of implant treatment. Part II: presence of peri-implant lesions. J Clin Periodontol 33: 290-5
4. Behneke A, Behneke N: Recall und Nachsorge. In: Koeck B, Wagner W (Hrsg.) Implantologie. Praxis der Zahnheilkunde Bd. 13. München, Jena, Urban & Fischer 2004, 316-51
5. Romeo E, Ghisolfi M, Carmagnola D (2004) Peri-implant diseases. A sytematic review of the literature. Minerva Stomatol 53: 215-30
6. Klinge B, Hultin M, Berglundh T (2005) Peri-implantitis. Dent Clin N A 49: 661-76
7. Schwarz F, Becker J (2007a) Ätiologische Faktoren für die Entstehung periimplantärer Infektionen. Implantologie 15: 141-50
8. Schwarz F, Becker J: Periimplantäre Entzündungen. Ätiologie, Pathogenese, Diagnostik und aktuelle Therapiekonzepte. Berlin etc., Quintessenz 2007b
9. Kozlovsky A, Tal H, Laufer B-Z, Leshem R, Rohrer MD, Weinreb M, Artzi Z (2007) Impact of implant overloading on the peri-implant bone in inflamed and non-inflamed peri-implant mucosa. Clin Oral Impl Res 18: 601-10
10. Hultin M, Gustafsson A, Hallström H, Johansson L-A, Ekfeldt A, Klinge B (2002) Microbiological findings and host response in ptients with peri-implantitis. Clin Oral Implnats Res 13: 349-58
11. Sigusch BW, Höft HD, Rabold GC, Pfister W (2006) Profile parodontal-pathogener Bakterien bei Implantatpatienten. ZWR 115: 547-51
12. Konttinen YT, Ma J, Lappalainen R, Laine P, Kitti U, Santavirta S, Teronen O (2006) Immunohistochemical evaluation of inflammatory mediators in failing implants. Int J Periodontics Restorative Dent 26: 135-41
13. Berglundh T, Gislason O, Lekholm U, Sennerby L, Lindhe J (2004) Histopathological observations of human periimplantitis lesions. J Clin Periodontol 31: 341-7

14. Bullon P, Fiorini M, Goteri G, Rubini C, Battino M (2004) Immunohistochemical analysis of soft tissues in implants with healthy and peri-implantitis condition, and aggressive periodontitis. *Clin Oral Implants Res* 15: 553-9
15. Cornelini R, Artese L, Rubini C, Fiorini M, Ferrero G, Santinelli A, Piattelli A (2001) Vascular endothelial growth factor and microvessel density around healthy and failing implants. *Int J Oral Maxillofac Implants* 16: 389-93
16. Borsani E, Salgarello S, Mensi M, Boninsegna R, Stacchiotti A, Rezzani R, Sapelli P, Bianchi R, Rodella LF (2005) Histochemical and immunohistochemical evaluation of gingival collagen and metalloproteinases in peri-implantitis. *Acta histochem* 107: 231-40
17. Rauner M, Sipos W, Pietschmann P (2007) Osteoimmunology. *Int Arch Allergy Immunol* 143: 31-48
18. Götz W (2003a) Wurzelresorption: Die biologischen Grundlagen eines bedrohlichen Symptoms. *Quintessenz* 54: 725-34
19. Götz W (2003b) Die Pathogenese der Wurzelresorptionen. Neue Ansätze für Therapien ? *Quintessenz* 54: 815-26
20. Krishnan V, Davidovitch Z (2006) Cellular, molecular, and tissue-level reactions to orthodontic force. *Am J Orthod Dentofacial Orthop* 129: 469e.1-460e.32
21. Taubman MA, Valverde P, Han X, Kawai T (2005) Immune response: The key to bone resorption in periodontal disease. *J Periodontol* 76, Suppl: 2044-41
22. Panagakos FS, Aboyoussef H, Dondero R, Jandlinski JJ (1996) Detection and measurement of inflammatory cytokines in implant crevicular fluid: a pilot study. *Int J Oral Maxillofac Implants* 11: 794-9
23. Murata M, Tatsumi, Kato Y, Suda S, Nunokawa Y, Kobayashi Y, Takeda H, Araki H, Shin K, Okuda K, Miyata T, Yoshie H (2002) Osteoclastin, deoxyypyridinoline and interleukin-1beta in peri-implant crevicular fluid of patients with peri-implantitis. *Clin Oral Implants Res* 13 : 637-43
24. Schubert U, Kleber BM, Strietzel FP, Dorfling P (2001) CrossLaps and beta-glucuronidase in peri-implant and gingival crevicular fluid. *Int J Oral Maxillofac Implants* 16: 252-8
25. Wada T, Nakasima T, Hiroshi N, Penninger JM (2006) RANKL-RANK signaling in osteoclastogenesis and bone disease. *Trends Mol Med* 12 : 17-25
26. Baud'huin M, Lamoureux F, Duplomb L, Rédini F, Heymann D (2007) RANKL, RANK, osteoprotegerin : key partners of osteoimmunology and vascular diseases. *Cell Mol Life Sci* 64: 2334-50
27. Blair JM, Zjou H, Seibel MJ, Dunstan CR (2006) Mechanisms of disease: roles of OPG, RANKL and RANK in the pathophysiology of skeletal metastasis. *Nat Clin Pract Oncol* 3: 41-9

28. Vega D, Malalouf NM, Sakhaee K (2007) The role of receptor activator of nuclear factor- κ B (RANK)/RANK ligand/osteoprotegerin: Clinical Implications. *J Clin Endocrinol Metabol* 92: 4514-21
29. Schwarz EM, Ritchlin CT (2007) Clinical development of anti-RANKL therapy. *Arthritis Res Ther* 9, Suppl 1: S1-7
30. Dunn MD, Park CH, Kostenuik PJ, Kapila S, Giannobile WV (2007) Local delivery of osteoprotegerin inhibits mechanically mediated bone modeling in orthodontic tooth movement. *Bone* 41: 446-55
31. Wise GE, Lumpkin SJ, Huang H, Zhang Q (2000) Osteoprotegerin and osteoclast differentiation factor in tooth eruption. *J Dent Res* 79: 1937-42
32. Lossdörfer S, Götz W, Jäger A (2002) Immunohistochemical localization of receptor activator of nuclear factor kappaB (RANK) and its ligand (RANKL) in human deciduous teeth. *Calcif Tissue Int* 71: 45-52
33. Fukushima H, Kajiya H, Takada K, Okamoto F, Okabe K (2003) Expression and role of RANKL in periodontal ligament cells during physiological root-resorption in human deciduous teeth. *Eur J Oral Sci* 111: 346-52
34. Wada N, Maeda H, Tanabe K, Tsuda E, Yano K, Nakamuta H, Akamine A (2001) Periodontal ligament cells secrete the factor that inhibits osteoclastic differentiation and function: the factor is osteoprotegerin/osteoclastogenesis inhibitory factor. *J Periodont Res* 36: 56-63
35. Kanzaki H, Chiba M, Shimizu Y, Mitani H (2002) Periodontal ligament cells under stress induce osteoclastogenesis by receptor activator of nuclear factor κ B ligand up-regulation via prostaglandin E_2 synthesis. *J Bone Miner Res* 17: 210-20
36. Low E, Zoellner H, Kharbanda OP, Darendeliler MA (2005) Expression of mRNA for osteoprotegerin and receptor activator of nuclear factor kappa b ligand (RANKL) during root resorption induced by the application of heavy orthodontic forces on rat molars. *Am J Orthod Dentofacial Orthop* 128: 497-503
37. Kumamoto H, Ooya K (2004) Expression of parathyroid hormone-related protein (PTHrP), osteoclast differentiation factor (ODF)/receptor activator of nuclear factor- κ B ligand (RANKL) and osteoclastogenesis inhibitory factor (OCIF)/ osteoprotegerin (OPG) in ameloblastomas. *J Oral Pathol Med* 33: 46-52
38. Tay JYY, Bay BH, Yeo JF, Harris M, Meghji S, Dheen ST (2004) Identification of RANKL in osteolytic lesions of the facial skeleton. *J Dent Res* 83: 349-53
39. Nagasawa T, Kiji M, Yashiro R, Hormde D, He L, Kunze M, Suda T, Koshy G, Kobayashi H, Oda S, Nita H, Ishikawa I (2007) Role of receptor activator of nuclear factor- κ B ligand (RANKL) and osteoprotegerin in periodontal health and disease. *Periodontology* 2000 43: 65-84

40. Crotti T, Smith MD, Hirsch R, Soukoulis S, Wedon H, Capone M, Ahern MJ, Haynes D (2003) Receptor activator NF κ B ligand (RANKL) and osteoprotegerin (OPG) protein expression in periodontitis. *J Periodontol Res* 38: 380-7
41. Mogi M, Ootogoto J, Ota N, Togari A (2004) Differential expression of RANKL and osteoprotegerin in gingival crevicular fluid of patients with periodontitis. *J Dent Res* 83: 166-9
42. Jin Q, Cirelli JA, Park CH, Sugai JV, Taba jr M, Kostenuik PJ, Giannobile WV (2007) RANKL inhibition through osteoprotegerin blocks bone loss in experimental periodontitis. *J Periodontol* 78 : 1300-8
43. Haynes DR, Crotti TN, Potter AE, Loric M, Atkins GJ, Howie DW, Findlay DM (2001) The osteoclastogenic molecules RANKL and RANK are associated with periprosthetic osteolysis. *J Bone Joint Surg* 83-B: 902-11
44. Mandelin J, Li T-F, Liljeström M, Kroon ME, Hanemaaijer R, Santavirta S, Konttinen YT (2003) Imbalance of RANKL/RANK/OPG system in interface tissue in loosening of total hip replacement. *J Bone Joint Surg* 85-B: 1196-1201
45. Choi MG, Koh HS, Kluess D, O'Connor D, Mathur A, Truskey GA, Rubin J, Zhou DXF, Sung K-LP (2005) Effects of titanium particle size on osteoblast functions *in vitro* and *in vivo*. *PNAS* 102: 4578-83
46. Arıkan F, Buduneli N, Kütükçüler N (2008) Osteoprotegerin levels in peri-implant crevicular fluid. *Clin Oral Impl Res*, im Druck
47. Kim Y-D, Kim S-S, Hwang D-S, Kim S-G, Kwon Y-H, Shin S-H, Kim U-K, Kim J-R, Chung I-K (2007) Effect of low-level laser treatment after installation of dental titanium implant – Immunohistochemical study of RANKL, RANK, OPG: An experimental study in rats. *Lasers Surg Med* 39: 441-50
48. Schierano G, Bellone G, Cassarino E, Pagano M, Preti G, Emanuelli G (2003) Transforming growth factor- β and interleukin 10 in oral implant sites in humans. *J Dent Res* 82: 428-32
49. Lossdörfer S, Schwartz Z, Wang L, Lohmann CH, Turner JD, Wieland M, Cochran DL, Boyan BD (2004) Microrough implant surface topographies increase osteogenesis by reducing osteoclast formation and activity. *J Biomed Mater Res A* 70: 361-9
50. Monov G, Strbac GD, Baron M, Kandler B, Watzek G, Gruber R (2006) Soluble RANKL in crevicular fluid of dental implants : A pilot study. *Clin Implant Dent Rel Res* 8: 135-41
51. Bostancı N, İlgenli T, Emingil G, Afacan B, Han B, Töz H, Berdeli A, Attila G, McKay IJ, Hughes FJ, Belibasakis GN (2007) Differential expression of receptor activator of nuclear factor- κ B ligand and osteoprotegerin mRNA in periodontal diseases. *J Periodontal Res* 42: 287-93