

Voraussetzung oder Widerspruch?

Von Rot-Weiß-Ästhetik und minimalinvasiver Implantologie

Dr. Georg Taffet

Implantologie Journal 3/2010

Literatur

Abrahamsson I et al.: Peri-implant tissues at submerged and non-submerged titanium implants. J Clin Periodontol. - Sep 1999; 26: Bd. 9: 600-607.

Abrahamsson I et al.: The periimplant hard and soft tissues at different implant systems. A comparative study in the dog. Clin Oral Implants. Res. 1996; 7: Bd. 3: 212-219.

Aghaloo T, Moy P: Which hard tissue augmentation techniques are the most successful in furnishing. Int J Oral Maxillofac Implants. 2007: 49-70.

Belser Urs et al.: ITI Treatment Guide, Implant Therapy in the Esthetic Zone, Single-Tooth Replacements. Quintessenz Berlin. 2006: Bd. 1: 3: 21-31.

Berglundh T, Lindhe J: Dimension of the periimplant mucosa. Biological width revisited. J Clin Periodontol. Oct 1996; 23: Bd. 10: 971-973.

Broggini N et al.: Peri-implant inflammation defined by the implant-abutment interface. J Dent Res. Mai 2006. 5: Bd. 85. 473-478.

Broggini N et al.: Persistent acute inflammation at the implant-abutment interface. J Dent Res. März 2003: 3: Bd. 82: 232-237.

Campello L D, Camarra J R: Flapless implant surgery: a 10-year clinical retrospective analysis. Int J Oral Maxillofac Implants. Mar-Apr 2002. 17: Bd. 2: 271-276.

Chang M et al.: Esthetic outcome of implant supported single-tooth replacements assessed by the patient and the prosthodontists. Int J Prosthodont. Jul-Aug 1999; 4: Bd. 12: 335-341.

Cochran D L et al.: Biologic width around titanium implants:a histometric analysis of the implanto-gingival junction around unloaded and loaded nonsubmerged implants in the canine mandible. Feb 1997; 68: Bd. 2: 186-98.

Fraedani Mauro: Ästhetische Sanierungen mit festsitzender Prothetik, Ästhetische Analyse. Quintessenz Berlin. 2005: Bd. 1: 137-200 und 243-264.

Fürhauser R et al.: Evaluation of soft tissue around single-tooth implant crowns: the pink esthetic score. Clin Oral Implants Res. Dec 2005: 6: Bd. 16: 639-644.

Garg Arun: Bone. Quintessenz Berlin: 2004.

Gargiulo A W, Wenz F M, Orban B: Dimensions and relations of the dentogingival junction in humans. J Periodontol. 1961: Bd. 32: 261-267.

GR Samorodnitzky-Naveh, Geiger S B, Levin L: Patients' satisfaction with dental esthetics. J Am Dent Assoc. Jun 2007: 6: Bd. 136. 805-808.

Hahn Wolfram: Weichgewebemanagement und Weichgewebeästhetik in der Implantologie. Balingen: Spitta Verlag, 2006: 13.

Hämmerle C, Chen S T, Wilson T J: Konsensuserklärung und empfohlene klinische Verfahren zum einsetzen von Implantaten in Extraktionsalveolen Implantologie. Quintessenz Berlin: Dez 2006: 14: Bd. 4: 335-338.

Hermann J S et al.: Biologic Width around one- and two piece titanium implants. Clin Oral Implants Res. Dec 2001: 12: Bd. 6: 559-571.

Hermann J S et al.: Biologic width around titanium implants. A physiologically formed and stable dimension over time. Clin Oral Implants Res. Feb 2000: 11: Bd. 1: 1-11.

Hermann JS, Cochran DL: Biologische Prinzipien in der oralen Implantologie Implantologie. 2005: 2: Bd. 13: 109-123.

Jung RE et al.: A systematic review of the 5-year survival and complication rates of implant-supported single crowns. Clin Oral Implants Res. Feb 2008: 2: Bd. 19: 119-130.

Kinsel R P, Lamb R E. Gingival esthetics for immediately restored dental implants: prosthodontic and surgical procedures. Int J Oral Maxillofac Implants. Sep-Oct 2003: 18: Bd. 5: 760-1.

Lamb R E, Kinsel R P: Tissue-directed placement of dental implants in the esthetic zone for long-term. Int J Oral Maxillofac Implants. Nov-Dec 2005: 20: Bd. 6: 913-922.

Lang NP, Wilson TG, Corbet EF: Biological complications with dental implants: their prevention, diagnosis and treatment. Clin Oral Implants Res. 2000: Suppl 1: Bd. 11: 146-155.

Leblebicioglu B, Rawal S und Mariotti A: A review of the functional and esthetic requirements for dental implants: J Am Dent Assoc. März 2007: 3: Bd. 138: 321-329.

Magne P, Belser U: Adhäsiv befestigte Keramikrestaurationen - biomimetische Sanierungen im Frontzahnbereich. Quintessenz Verlag, Berlin: 2002.

Nevins M, Mellonig J T: Implantattherapie - Erfolgreiche klinische Methoden, Band 2. Quintessenz Berlin: 1999.

Persson L G et al.: Bacterial colonization on internal surfaces of Branemark system implant components. Clin Oral Implants Res. Jun 1996: 2: Bd. 7: 90-95.

Quirynen M, van Steenberghe D: Bacterial colonisation of the internal part of two-stage implants. An in vivo study. Clin Oral Implants Res. Sep 1993; 3: Bd. 4: 158-161.

Rufenacht, Claude: Grundsätze der ästhetischen Integration. Quintessenz Berlin: 2000.

Sclar A G: Preserving alveolar ridge anatomy following tooth removal in conjunction with immediate implant placement. A Bio-Col Technique. Atlas Oral Maxillofac Surg Clin North Am. Sep 1999; 7: Bd. 2: 39-59.

Sclar Anthony G: Weichgewebe und Ästhetik in der Implantologie. Quintessenz Berlin: 2004.

Smiler D G: Bone grafting: materials and modes of action. Pract Periodontics Aesthet Dent. May 1996; 17: Bd. 2: 413-416.

Smiler D, Soltan M: The bone-grafting decision tree: a systematic methodology for achieving new bone. Implant Dent. Jun 2006; 15-2: 122-128.

Zipprich H et al.: Erfassung, Ursachen und Folgen von Mikrobewegungen am Implantat-Abutment-Interface. Implantologie. 2007; 1: Bd. 15: 31-46.