

## Die Sofortversorgung: schnell, ästhetisch und langzeitstabil

*Dr. Thomas Hanser, Prof. Dr. Fouad Khoury/Olsberg*

Oralchirurgie Journal 1/2010

### Literatur:

1. **Abrahamsson, I, Berglundh, T, Sekino, S, and Lindhe, J:** Tissue reactions to abutment shift: an experimental study in dogs. Clin Implant Dent Relat Res; 2003, 5 (2): 82-88
2. **Brunski, JB:** Avoid pitfalls of overloading and micromotion of intraosseous implants. Dent Implantol Update; 1993, 4 (10): 77-81
3. **Degidi, M, Piattelli, A, Gehrke, P, and Carinci, F:** Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. The International journal of oral & maxillofacial implants; 2006, 21 (5): 763-768
4. **Degidi, M, Scarano, A, Iezzi, G, and Piattelli, A:** Histologic analysis of an immediately loaded implant retrieved after 2 months. The Journal of oral implantology; 2005, 31 (5): 247-254
5. **Di Iorio, D, Traini, T, Degidi, M, et al.:** Quantitative evaluation of the fibrin clot extension on different implant surfaces: An in vitro study. J Biomed Mater Res B Appl Biomater; 2005, 74 (1): 636-642
6. **Kawahara, H, Kawahara, D, Hayakawa, M, et al.:** Osseointegration under immediate loading: biomechanical stress-strain and bone formation--resorption. Implant Dent; 2003, 12 (1): 61-68
7. **Ledermann, PD:** Stegprothetische Versorgung des zahnlosen Unterkiefers mit Hilfe von plasmabeschichteten Titanschraubenimplantaten. Deutsche Zahnärztliche Zeitschrift; 1979, 34 (12): 907-911
8. **Ledermann, PD:** Vollprothetische Versorgung des zahnlosen Problemunterkiefers mit Hilfe von 4 titanplasmabeschichteten PDL-Schraubenimplantaten. SSO Schweiz Monatsschr Zahnheilkd 1979, 89 1137-1138
9. **Papalexiou, V, Novaes, AB, Grisi, MF, et al.:** Influence of implant microstructure on the dynamics of bone healing around immediate implants placed into periodontally infected sites. Clin Oral Implants Res; 2004, 15 (1): 44-53
10. **Pilliar, RM, Lee, JM, and Maniopoulos, C:** Observations on the effect of movement on bone ingrowth into porous-surfaced implants. Clin Orthop Relat Res; 1986, (208): 108-113
11. **Romanos, G:** Sofortbelastung von Implantaten – Vergangenheit, Gegenwart und Zukunft. Implantologie; 2009, 17 (2): 165-180