

Moderne Kieferkammaugmentationen – Implantologie mit Wachstumsfaktoren

Dr. med. dent. Philip Wallowy, Dr. med. Dr. med. dent. Andreas Dorow

Implantologie Journal 8/2010

Literatur

1. Urist MR. Bone: formation by autoinduction. *Science*. Nov 12 1965;150(698):893-899.
2. Israel DI, Nove J, Kerns KM, Moutsatsos IK, Kaufman RJ. Expression and characterization of bone morphogenetic protein-2 in Chinese hamster ovary cells. *Growth Factors*. 1992;7(2):139-150.
3. Kubler NR, Reuther JF, Faller G, Kirchner T, Ruppert R, Sebald W. Inductive properties of recombinant human BMP-2 produced in a bacterial expression system. *Int J Oral Maxillofac Surg*. Aug 1998;27(4):305-309.
4. Wang EA, Rosen V, Cordes P, et al. Purification and characterization of other distinct bone-inducing factors. *Proc Natl Acad Sci U S A*. Dec 1988;85(24):9484-9488.
5. Wozney JM. Overview of bone morphogenetic proteins. *Spine (Phila Pa 1976)*. Aug 15 2002;27(16 Suppl 1):S2-8.
6. Ducy P, Karsenty G. The family of bone morphogenetic proteins. *Kidney Int*. Jun 2000;57(6):2207-2214.
7. Kubler NR. [Osteoinduction and -reparation]. *Mund Kiefer Gesichtschir*. Feb 1997;1(1):2-25.
8. Urist MR, Silverman BF, Buring K, Dubuc FL, Rosenberg JM. The bone induction principle. *Clin Orthop Relat Res*. Jul-Aug 1967;53:243-283.
9. Gautschi OP, Frey SP, Zellweger R. Bone morphogenetic proteins in clinical applications. *ANZ J Surg*. Aug 2007;77(8):626-631.
10. Govender S, Csimma C, Genant HK, et al. Recombinant human bone morphogenetic protein-2 for treatment of open tibial fractures: a prospective, controlled, randomized study of four hundred and fifty patients. *J Bone Joint Surg Am*. Dec 2002;84-A(12):2123-2134.
11. Gutwald R, Haberstroh J, Stricker A, et al. Influence of rhBMP-2 on bone formation and osseointegration in different implant systems after sinus-floor elevation. An in vivo study on sheep. *J Craniomaxillofac Surg*. Apr 7. Epub ahead of print.
12. Kawakatsu N, Oda S, Kinoshita A, et al. Effect of rhBMP-2 with PLGA/gelatin sponge type (PGS) carrier on alveolar ridge augmentation in dogs. *J Oral Rehabil*. Sep 2008;35(9):647-655.
13. Saito A, Saito E, Handa R, Honma Y, Kawanami M. Influence of residual bone on recombinant human bone morphogenetic protein-2-induced periodontal regeneration in experimental periodontitis in dogs. *J Periodontol*. Jun 2009;80(6):961-968.
14. Shi S, Cheng X, Wang J, Zhang W, Peng L, Zhang Y. RhBMP-2 microspheres-loaded chitosan/collagen scaffold enhanced osseointegration: an experiment in dog. *J Biomater Appl*. Jan 2009;23(4):331-346.
15. Wikesjo UM, Huang YH, Xiropaidis AV, et al. Bone formation at recombinant human bone morphogenetic protein-2-coated titanium implants in the posterior maxilla (Type IV bone) in non-human primates. *J Clin Periodontol*. Nov 2008;35(11):992-1000.
16. Triplett RG, Nevins M, Marx RE, et al. Pivotal, randomized, parallel evaluation of recombinant human bone morphogenetic protein-2/absorbable collagen sponge and autogenous bone graft for maxillary sinus floor augmentation. *J Oral Maxillofac Surg*. Sep 2009;67(9):1947-1960.
17. Jung RE, Weber FE, Thoma DS, Ehrbar M, Cochran DL, Hammerle CH. Bone morphogenetic protein-2 enhances bone formation when delivered by a synthetic matrix containing hydroxyapatite/tricalciumphosphate. *Clin Oral Implants Res*. Feb 2008;19(2):188-195.

18. Bianchi J, Fiorellini JP, Howell TH, et al. Measuring the efficacy of rhBMP-2 to regenerate bone: a radiographic study using a commercially available software program. *Int J Periodontics Restorative Dent*. Dec 2004;24(6):579-587.
19. Fiorellini JP, Howell TH, Cochran D, et al. Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *J Periodontol*. Apr 2005;76(4):605-613.
20. Boyne PJ, Lilly LC, Marx RE, et al. De novo bone induction by recombinant human bone morphogenetic protein-2 (rhBMP-2) in maxillary sinus floor augmentation. *J Oral Maxillofac Surg*. Dec 2005;63(12):1693-1707.
21. Wikesjo UM, Qahash M, Huang YH, Xiropaidis A, Polimeni G, Susin C. Bone morphogenetic proteins for periodontal and alveolar indications; biological observations - clinical implications. *Orthod Craniofac Res*. Aug 2009;12(3):263-270.
22. Wikesjo UM, Qahash M, Polimeni G, et al. Alveolar ridge augmentation using implants coated with recombinant human bone morphogenetic protein-2: histologic observations. *J Clin Periodontol*. Nov 2008;35(11):1001-1010.
23. Leknes KN, Yang J, Qahash M, Polimeni G, Susin C, Wikesjo UM. Alveolar ridge augmentation using implants coated with recombinant human bone morphogenetic protein-2: radiographic observations. *Clin Oral Implants Res*. Oct 2008;19(10):1027-1033.
24. Wikesjo UM, Huang YH, Polimeni G, Qahash M. Bone morphogenetic proteins: a realistic alternative to bone grafting for alveolar reconstruction. *Oral Maxillofac Surg Clin North Am*. Nov 2007;19(4):535-551, vi-vii.
25. Alonso N, Tanikawa DY, Freitas RD, Canan L, Ozawa TO, Rocha DL. Evaluation of Maxillary Alveolar Reconstruction Using a Resorbable Collagen Sponge with Recombinant Human Bone Morphogenetic Protein-2 in Cleft Lip and Palate Patients. *Tissue Eng Part C Methods*. Apr 21. Epub ahead of print.
26. Fallucco MA, Carstens MH. Primary reconstruction of alveolar clefts using recombinant human bone morphogenetic protein-2: clinical and radiographic outcomes. *J Craniofac Surg*. Sep 2009;20 Suppl 2:1759-1764.
27. Tarnow DP, Wallace SS, Testori T, Froum SJ, Motroni A, Prasad HS. Maxillary sinus augmentation using recombinant bone morphogenetic protein-2/acellular collagen sponge in combination with a mineralized bone replacement graft: a report of three cases. *Int J Periodontics Restorative Dent*. Apr;30(2):139-149.
28. Putzier M, Strube P, Funk JF, et al. Allogenic versus autologous cancellous bone in lumbar segmental spondylodesis: a randomized prospective study. *Eur Spine J*. May 2009;18(5):687-695.
29. U.Schmid, F.Thielemann, P.Sprunk, et al. Multizentrische prospektive Sammelstudie über die Knochenrekonstruktion mit vitalisierten Allografts: klinische Ergebnisse und ökonomische Aspekte. *68 Kongress der Unfallchirurgie*. 2004.
30. Soost F. Validierung des Knochenumbaus von Knochenersatzmaterialien in der Mund-, Kiefer- und Gesichtschirurgie. *Habilitationsschrift*. 2006;Humboldt-Universität, Berlin.
31. Wallow P, Dorow, A. Kieferaugmentationen mit allogenen Knochenblöcken: Ein alternativer Ansatz zum bisherigen Goldstandard. *Implantologie Journal*. 2010;04:8-16.
32. Albert A, Leemrijse T, Druetz V, Delloye C, Cornu O. Are bone autografts still necessary in 2006? A three-year retrospective study of bone grafting. *Acta Orthop Belg*. Dec 2006;72(6):734-740.
33. Kuhls R, Werner-Rustner M, Kuchler I, Soost F. Human demineralised bone matrix as a bone substitute for reconstruction of cystic defects of the lower jaw. *Cell Tissue Bank*. 2001;2(3):143-153.
34. Meyer B. Reinigungsleistung Peressigsäure basierter Desinfektionsmittel für die Aufbereitung medizinischer Instrumente. *Hyg Med*. 2004(29):106-112.
35. Wildemann B, Kadow-Romacker A, Pruss A, Haas NP, Schmidmaier G. Quantification of growth factors in allogenic bone grafts extracted with three different methods. *Cell Tissue Bank*. 2007;8(2):107-114.

36. Boyne PJ, Marx RE, Nevins M, et al. A feasibility study evaluating rhBMP-2/absorbable collagen sponge for maxillary sinus floor augmentation. *Int J Periodontics Restorative Dent*. Feb 1997;17(1):11-25.
37. Schuckert KH, Jopp S, Teoh SH. Mandibular defect reconstruction using three-dimensional polycaprolactone scaffold in combination with platelet-rich plasma and recombinant human bone morphogenetic protein-2: de novo synthesis of bone in a single case. *Tissue Eng Part A*. Mar 2009;15(3):493-499.