

Stabile periimplantäre Gewebe auf Dauer

Dr. med. dent. Marc Hansen/Dortmund

Implantologie Journal 8/2010

Literaturverzeichnis

Becker, J., D. Ferrari, et al. (2009). "Stability of crestal bone level at platform-switched non-submerged titanium implants: a histomorphometrical study in dogs." Journal of clinical periodontology **36**(6): 532-9.

Bilhan, H., E. Mumcu, et al. (2010). "Influence of platform-switching on marginal bone levels for implants with mandibular overdentures: a retrospective clinical study." Implant dentistry **19**(3): 250-8.

Calvo Guirado, J. L., M. R. Saez Yuguero, et al. (2007). "Immediate provisionalization on a new implant design for esthetic restoration and preserving crestal bone." Implant dentistry **16**(2): 155-64.

Canullo, L., G. R. Fedele, et al. (2010). "Platform switching and marginal bone-level alterations: the results of a randomized-controlled trial." Clinical oral implants research **21**(1): 115-21.

Crespi, R., P. Capparè, et al. (2009). "Radiographic evaluation of marginal bone levels around platform- switched and non-platform-switched implants used in an immediate loading protocol." The International journal of oral & maxillofacial implants **24**(5): 920-6.

Hansen, M. (1994). Rasterelektronenmikroskopischer Vergleich der Ultrastruktur verschiedener zahnärztlicher Implantatmaterialien nach biomechanischer Prüfung des Interface. Medizinischen Fakultät der RWTH Aachen. Aachen, RWTH Aachen.

Lazzara, R. J. and S. S. Porter (2006). "Platform switching: a new concept in implant dentistry for controlling postrestorative crestal bone levels." The International journal of periodontics & restorative dentistry **26**(1): 9-17.

López-Marí, L., J. L. Calvo-Guirado, et al. (2009). "Implant platform switching concept: an updated review." Medicina oral, patología oral y cirugía bucal **14**(9): e450-4.

Maeda, Y., J. Miura, et al. (2007). "Biomechanical analysis on platform switching: is there any biomechanical rationale?" Clinical oral implants research **18**(5): 581-4.

Nevins, M., D. M. Kim, et al. (2010). "Histologic evidence of a connective tissue attachment to laser microgrooved abutments: a canine study." The International journal of periodontics & restorative dentistry **30**(3): 245-55.

Nevins, M., M. L. Nevins, et al. (2008). "Human histologic evidence of a connective tissue attachment to a dental implant." The International journal of periodontics & restorative dentistry **28**(2): 111-21.

Pecora, G. E., R. Ceccarelli, et al. (2009). "Clinical evaluation of laser microtexturing for soft tissue and bone attachment to dental implants." Implant dentistry **18**(1): 57-66.

Schmitz, H.-J. (1991). Optimierung der Oberfläche enossaler Implantate mit Excimer-Laser. Medizinische Fakultät der RWTH Aachen. Aachen, RWTH Aachen.

Tabata, L. F., W. G. Assunção, et al. (2010). "Implant platform switching: biomechanical approach using two- dimensional finite element analysis." The Journal of craniofacial surgery **21**(1): 182-7.

Wagenberg, B. and S. J. Froum (2010). "Prospective study of 94 platform-switched implants observed from 1992 to 2006." The International journal of periodontics & restorative dentistry **30**(1): 9-17.