

Stiftversorgung up to date

Prof. Dr. Rudolf Beer

Endodontie Journal 1/2010

Literatur

Akagawa Y, Ichikawa Y, Nikai H, Tsuru H: Interface histology of unloaded and early loaded partially stabilized zirconia endosseous implant in initial bone healing. *J Prosthet Dent* 1993;69:599-604

Akar GC, Dundar M: Treatment of localized anterior tooth wear with a glass-fiber-reinforced composite resin: A clinical report. *J Prosthet Dent* 2007;97:133-136

Akin-Nergiz N, Nergiz I, Schmage P: Interdisciplinary concepts in treating adult patients. *J Orofac Orthop* 1997; 58: 340-351

Akkayan B: An in vitro study evaluating the effect of ferrule length on fracture resistance of endodontically treated teeth restored with fiber-reinforced and zirconia dowel systems. *J Prosthet Dent* 2004;92:155-162

Akkayan B, Canikioglu B: Resistance to fracture of crowned teeth restored with different post systems. *Eur J Prosthodont Restor Dent* 1998;6:13-18

Akkayan B, Gülmез T: Resistance to fracture of endodontically treated teeth restored with different post systems. *J Prosthet Dent* 2002;87:431-437

Al-Darwish M, Hurley RK, Drummond JL: Flexure strength evaluation of a laboratory-processed fiber-reinforced composite resin. *J Prosthet Dent* 2007;97:266-270

Al-Hazaimeh N, Gutteridge DL: An in vitro study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations. *Int Endod J* 2001;34:40-46

AL-Wahadni AM, Hamdan S, Al-Omri M, Hammad MM, Hatamleh MM: Fracture resistance of teeth restored with different post systems: in vitro study. *Oral Surg Oral Med, Oral Patho Oral Radiol and Endod* 2008;106:e77-e83

Alhadainy HA, Abdalla AI: Two year clinical evaluation of dentin bonding systems. *Am J Dent* 1996;9:77-79

Aquilino SA, Caplan DJ: Relationship between crown placement and the survival of endodontically treated teeth. *J Prosthet Dent* 2002;87:256-263

Ari H, Yasar E, Belli S: Effects of NaOCl on bond strengths of resin cements to root canal dentin. *J Endod* 2003;29:248-251

Asmussen E, Peutzfeldt A, Heitmann T: Stiffness, elastic limit, and strength of newer types of endodontic posts. J Dent 1999;27:275-278

Asmussen E, Peutzfeldt A, Sahafi A: Finite element analysis of stresses in endodontically treated, dowel-restored teeth. J Prosthet Dent 2005;94:321-329

Assif D, Gorfil C: Biomechanical considerations in restoring endodontically treated teeth. J Prosthet Dent 1994;71:565-567

Assif D, Bitenski A, Pilo R, Oren E: Effect of post design on resistance to fracture of endodontically treated teeth with complete crowns. J Prosthet Dent 1993;69:36-40

Assif D, Nissan J, Gafni Y, Gordon M : Assessment of the resistance to fracture of endodontically treated molars restored with amalgam. J Prosthet Dent 2003;89:462-465

Assif D, Oren E, Marshak BL, Aviv I: Photoelastic analysis of stress transfer by endodontically treated teeth of the supporting structure using different restorative techniques. J Prosthet Dent 1989;61:535-543

Attin T, Hellwig E, Hilgers RD: Der Einflußverstärkender Wurzelstifte auf die Frakturanfälligkeit endodontisch versorgter Zähne. Dtsch Zahnärztl Z 1994;49:586-589

Awliya W, Oden A, Yaman P, Dennison JB, Razzoog ME: Shear bond strength of a resin cement to densely sintered high-purity alumina with various surface conditions. Acta Odontol Scand 1998;56:9-13

Axelsson P, Lindhe J, Nystrom B: On the prevention of caries and periodontal disease. Results of a 15-year longitudinal study in adults. J Clin Periodontol 1991;18:182-189

Aydin C, Yilmaz H, Çağlar A: Effect of glass fiber reinforcement on the flexural strength of different denture base resins Quintessence Int 2002;33:457-463

Ayna E, Celenk S: Use of an alternative pontic foundation technique for a fiber-reinforced composite fixed partial denture: A clinical report. J Prosthet Dent 2005;93:412-415

Babenhauserheide K: Untersuchungen zur mechanischen Belastbarkeit und zum Verlauf der Bruchflächen verschiedener Stiftstumpfaufbausysteme nach künstlicher Alterung. Zahnmed. Diss., Medizinische Fakultät Charité – Universitätsmedizin Berlin 2004

Babenhauserheide K, Freesmeyer WB: Zugversuche an faserverstärkten Wurzelstiften. Zahnärztl Mitt 2008;98:40-43

Bae JM, Kim KN, Hattori M, Hasegawa K, Yoshinari M, Kawada E: The flexural properties of fiber-reinforced composite with light-polymerized polymer matrix. Int J Prosthodont 2001;14:33-39

Balbosh A, Kern M: Effect of surface treatment on retention of glass-fiber endodontic

posts. *J Prosthet Dent* 2006; 95: 218-223

Bateman G, Ricketts DN, Saunders WP: Fibre-based post systems: a review. *Br Dent J* 2003;195:43–48

Beech DR, Tyas MJ, Solomon A: Bond strength of restorative materials to human dentin: influence of post-extraction time. *Dent Mater* 1991;7:15-17

Beer R, Baumann MA, Attin AM: Desinfektion des Wurzelkanals, In: Taschenatlas der Endodontie. Georg Thieme Verlag Stuttgart 2004:152-1 73

Behr M, Rosentritt M: Dentale faserverstärkte Komposite. *Quintessenz* 2000;51:5:471-479

Behr M, Rosentritt M, Latzel D, Kreisler T: Comparison of three types of fiber-reinforced composite molar crowns on their fracture resistance and marginal adaptation. *J Dent* 2001;29:187-196

Behr M, Rosentritt M, Ledwinsky E, Handel G: Fracture resistance and marginal adaptation of conventionally cemented fiber-reinforced composite three-unit FPDs. *Int J Prosthodont* 2002;15:467-472

Belli S, Erdemir A, Yildirim C: Reinforcement effect of polyethylene fibre in root-filled teeth: comparison of two restoration techniques. *Int Endod J* 2006;39:136–142

Belli S, Erdemir A, Ozcopur M, Eskitascioglu G: The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite. *Int Endod J* 2005;38:73–80

Bergman B, Lundquist P, Sjögren U, Sundquist G : Restorative and endodontic results after treatment with cast posts and cores. *J Prosthet Dent* 1989;61:10-15

Bitter K, Priehn K, Martus P, Kielbassa AM: In vitro evaluation of push-out bond strengths of various luting agents to tooth-colored posts. *J Prosthet Dent* 2006;95:302-310

Blankenstein F, Naumann M, Lange KP: Überlebenswahrscheinlichkeit endodontisch behandelter Zähne – Vorschlag zur klinischen Erfassung des Erhaltungsgrades. *Dtsch Zahnärztl Z* 2002;57:558-561

Blatz MB, Sadan A, Kern M: Resin-ceramic bonding: a review of the literature. *J Prosthet Dent* 2003;89:268–274

Bleise WH: Einfluss des endodontischen Aufbaus auf die Frakturfestigkeit avitaler Seitenzähne: untere Molaren mit zweiflächigen Hartsubstanzdefekten. *Zahnmed. Diss.*, Albert-Ludwigs Universität Freiburg 2006

Blunck U, Pohl M, Dieker A: Time of extraction and cavity position in in-vitro tests of dentin adhesives *Dtsch Zahnärztl Z* 1990;45:639-642

Bolhuis HPB, De Gee AJ, Feilzer AJ, Davidson CL: Fracture strength of different core build-up designs. *Am J Dent* 2001;14:286-290

Braden M, Davy KW, Parker S, Ladizesky NH, Ward IM: Denture base poly(methyl methacrylate) reinforced with ultra-thin modulus polyethylene fibres. Br Dent J 1988;164:109-113

Braga NMA, Paulino SM, Alfredo E, Sousa-Neto MD, Vansan LP: Removal resistance of glass-fiber and metallic cast posts with different lengths. J Oral Sci 2006;48:15-20

Brauner H: Elektrochemische Korrosionsmessungen an Stiftaufbauten. Dtsch Zahnärztl Z 1986;41:1009-1014

Brauner H, Hofmann M: Korrosionsuntersuchungen an Stiftaufbauten. Dtsch Zahnärztl Z 1985;40:1132-1136

Bruhn D: Die dynamische Festigkeit von angußfähigen Wurzelstiften und – stiftsystemen. Dtsch Zahnärztl Z 1989;44:855-857

Brunton PA, Cattell P, Burke FJT, Wilson NHF: Fracture resistance of teeth restored with onlays of three contemporary tooth-colored resin-bonded restorative materials. J Prosthet Dent 1999;82:167-1 71

Butz F, Heydecke G, Bleise WH, Strub JR: Können wurzelgefüllte Molaren ohne Stift versorgt werden? Quintessenz 2007;58:1035-1039

Butz F, Lennon A, Heydecke G, Strub JR: Survival rate and fracture strength of endodontically treated maxillary incisors with moderate coronal defects restored with different post-and-core systems: an in vitro study. Int J Prosthodont 2001;14:58–64

Callaghan DJ, Vaziri A, Nayeb-Hashemi H: Effect of fiber volume fraction and length on the wear characteristics of glass fiber-reinforced dental composites. Dent Mater 2006;22:84-93

Caplan DJ, Kolker J, Rivera EM, Walton RE: Relationship between number of proximal contacts and survival of root canal treated teeth. Int Endod J 2002;35:193-199

Caputo AA, Standlee JP: Pins and posts – why, when and how. Dent Clin North Am 1976;20:299-311

Carossa S, Lombardo S, Pera P, Corsalini M, Rasteio ML, Preti G: Influence of posts and cores on light transmission through different all-ceramic crowns: spectrophotometric and clinical evaluation. Int J Prosthodont 2001;14:9-14

Carter JM, Sorenson SE, Johnson RR, Teitelbaum RL, Levine MS: Punch shear testing of extracted vital and endodontically treated teeth. J Biomech 1983;16:841–848

Cathro PR, Chandler NP, Hood JA: Impact resistance of crowned endodontically treated central incisors with internal composite cores. Endod Dent Traumatol 1996;12:124-128

Cekic I, Ergun G, Uctasli S, Lassila LVJ: In vitro evaluation of push-out bond strength

of direct ceramic inlays to tooth surface with fiber-reinforced composite at the interface. J Prosthet Dent 2007;97:271-278

Chan DCN, Giannini M, De Goes MF: Provisional anterior tooth replacement using nonimpregnated fiber and fiber-reinforced composite resin materials: A clinical report. J Prosthet Dent 2006;95:344-348

Chen SY, Liang WM, Yen PS: Reinforcement of acrylic denture base resin by incorporation of various fibers. J Biomed Mater Res 2001;58:203-208

Christel P, Meunier A, Heller M: Mechanical properties and short-term in-vivo evaluation of yttrium-oxide-partially stabilized zirconia. J Biomed Mater Res 1989;23:45-61

Chung K, Lin T, Wang F: Flexural strength of a provisional resin material with fibre addition. J Oral Rehabil 1998;25:214-217

Coca I, Schwickerath H: Zur Beanspruchung von Kronen im Frontzahnbereich. Dtsch Zahnärztl Z 1987;42:338-341

Cohen BI, Pagniio MK, Newman I, Musikant BL, Deutsch AS: Cyclic fatigue testing of five endodontic post designs supported by four core materials. J Prosthet Dent 1997;78:4584-64

Cohen BI, Pagniio MK, Newman I, Musikant BL, Deutsch AS: Retention of three endodontic posts cemented with five dental cements. J Prosthet Dent 1998;79:520-525

Cohen BI, Pagniio MK, Newman I, Musikant BL, Deutsch AS: Effect of three bonding systems on torsional resistance of titanium-reinforced composite cores supported by two post designs. J Prosthet Dent 1999;81:678-683

Cormier CJ, Burns DR, Moon P: In vitro comparison of the fracture resistance and failure mode of fiber, ceramic, and conventional post systems at various stages of restoration. J Prosthodont 2001;10:26-36

Creugers NHJ, Mentink AGB, Käyser AF : An analysis of durability data on post and core restorations. J Dent 1993;21:281-284

Cronstrom R, Owall B, Rene N: Treatment injuries in dentistry--cases from one year in the Swedish Patient Insurance Scheme. Int Dent J 1998;48:187-195

D'Arcangelo C, D'Amario M, Vadini M, De Angelis F, Caputi S: Influence of Surface Treatments on the Flexural Properties of Fiber Posts. J Endod 2007;33:864-867

Dean JP, Jeansonne BG, Sarkar N: In vitro evaluation of a carbon fiber post. J Endod 1998;24:807-810

DeCleen MJH: Richtlinien zur Restauration wurzelbehandelter Zähne. Endodontie 1994;4:289-297

Deliperi S, Bardwell DN: Clinical evaluation of direct cuspal coverage with posterior

composite resin restorations. *J Esthet Restor Dent* 2006;18:256-257

DeLong R, Douglas WH: Development of an artificial oral environment for the testing of dental resoratives: biaxial force and movement control. *J Dent Res* 1983;62:32-36

De Munck J, Van Landuyt K, Peumans M, Poitevin A, Lambrechts P, Braem M, Van Meerbeek B: A critical review of the durability of adhesion to tooth tissue: methods and results. *J Dent Res* 2005;84:118-132

Dérand P, Dérand T : Bond strength of luting cements to zirconium oxide ceramics. *Int J Prosthodont* 2000;13:131-135

DeSort KD: The prosthetic use of endodontically treated teeth: Theory and biomechanics of post preparation. *J Prosthet Dent* 1983;49:203-206

Dewald JP, Nakajima H, Milam S, Iacopino A: Desinfection/sterilisation of extracted teeth: Effect on dentin bonding strength. *J Dent Res* 1994;73:224-234

Dietschi D, Romelli M, Goretti A: Adaptation of adhesive posts and cores to dentin after fatigue testing. *Int J Prosthodont* 1997;10:498-507

Dixon DL, Breeding LC: The transverse strengths of three denture base resins reinforced with polyethylene fibers. *J Prosthet Dent* 1992;67:417-419

Dominighaus H: Verstärkungsstoffe, In: Dominighaus H (ed). Die Kunststoffe und ihre Eigenschaften, 5.Aufl., Springer-Verlag Berlin, Heidelberg, New York 1998:79-93

Drummond JL, Toepke TR, King TJ: Thermal and cyclic loading of endodontic posts. *Eur J Oral Sci* 1999;107:220-224

Duncan JP, Pameijer CH: Retention of parallel-sided titanium posts cemented with six luting agents: An in vitro study. *J Prosthet Dent* 1998;80:423-428

Duncan JP, Freilich MA, Latvis CJ: Fiber-reinforced composite framework for implant-supported overdentures. *J Prosthet Dent* 2000;84:200-204

Dyer SR, Lassila LVJ, Jokinen M, Vallittu PK: Effect of fiber position and orientation on fracture load of fiber reinforced composite. *Dent Mater* 2004;20:947-955

Dyer SR, Lassila LVJ, Jokinen M, Vallittu PK: Effect of cross-sectional design on the modulus of elasticity and toughness of fiber-reinforced composite materials. *J Prostet Dent* 2005;94:219-226

Eakle WS: Increased fracture resistance of teeth: comparison of five bonded composite resin systems. *Quintessence Int* 1986;17:17-20

Eckerbom M, Magnusson T, Martinsson T: Prevalence of apical periodontitis, crowned teeth and teeth with posts in a Swedish population. *Endod Dent Traumatol* 1991;7:214-220

Edelhoff D, Spiekermann H: Alles über moderne Stiftsysteme. Zahnärztl Mitt 2003;93:819-827

Edelhoff D, Spiekermann H, Yildirim M: Klinische Erfahrungen mit konfektionierten Wurzelstiften und individuellen Stumpfaufbauten aus Keramik. Dtsch Zahnärztl Z 2000;55:746-750

Edelhoff D, Heidemann D, Kern M, Weigl P: Aufbau endodontisch behandelter Zähne. Gemeinsame Stellungnahme der DGZMK, der DGZPW und der DGZ. Dtsch Zahnärztl Z 2003;58:199-201

Edelhoff D, Abuzayeda M, Yildirim M, Spiekermann H, Marx R: Adhäsion von Kompositen an hochfesten Strukturkeramiken nach unterschiedlicher Oberflächenbehandlung. Dtsch Zahnärztl Z 2000a;55:617-23

Ekstrand K, Ruyter IE, Wellendorf H: Carbon/graphite fiber reinforced poly(methyl methacrylate): properties under dry and wet conditions. J Biomed Mater Res 1987;21:1065-1080

el-Ebrashi MK, Craig RG, Peyton FA: Experimental stress analysis of dental restorations. VII. Structural design and stress analysis of fixed partial dentures. J Prosthet Dent 1970;23:177-186

Ellakwa AE, Shortall AC, Marquis PM: Influence of fiber type and wetting agent on the flexural properties of an indirect fiber reinforced composite. J Prosthet Dent 2002;88:485-490

Ellakwa AE, Shortall AC, Shehata MK, Marquis PM: The influence of fibre placement and position on the efficiency of reinforcement of fibre reinforced composite bridgework. J Oral Rehabil 2001;28:785-791

Ellner S, Bergendahl T, Bergmann B: Four post-and-core combinations for fixed single crowns: A prospektiv up to 10-year study. Int J Prostodont 2003;16:249-254

el-Sherif MH, Halhoul MN, Kamar AA, Nour el-Din A: Fracture strength of premolars with class 2 silver amalgam restorations. Oper Dent 1988;13:50-53

Erdemir A, Ari H, Gungunes H, Belli S: Effect of medications for root canal treatment on bonding to root canal dentin. J Endod 2004;30:113–116

Eskitascioglu G, Belli S, Kalkan M: Evaluation of two post core systems using two different methods (fracture strength test and a finite elemental stress analysis). J Endod 2002;28:629–633

Eskitascioglu G, Eskitascioglu A, Belli S: Use of polyethylene ribbon to create a provisional fixed partial denture after immediate implant placement: a clinical report. J Prosthet Dent 2004;91:11–14

Estrela C, Estrela CR, Barbin EL, Spanó JC, Marchesan MA, Pécora JD: Mechanism of action of sodium hypochlorite. Braz Dent J:2002;13:113–117

Fehér A, Egger B, Lüthy H, Schumacher M, Loeffel O, Schärer P: ISO-

Zementevaluation und klinische Untersuchung von Zirkonoxidstiften. *Acta Med Dent Helv* 1999;4:201-209

Felton DA, Webb EL, Kanoy BE, Dugoni J: Threatened endodontic dowels: Effect of post design on incidence of root fracture. *J Prosthet Dent* 1991 :65:179-187

Fennis WMM, Kuijs RH, Kreulen CM, Verdonschot N, Creugers NHJ: Fatigue resistance of teeth restored with cuspal-coverage composite restorations. *Int J Prosthodont* 2004;17:313-317

Fennis WMM, Tezvergil A, Kuijs RH, Lassila LVJ, Kreulen CM, Creugers NHJ, Vallittu PK : In vitro fracture resistance of fiber reinforced cusp-replacing composite restorations. *Dent Mat* 2005;21:565-572

Fernandes AS, Dessai GS : Factors affecting the fracture resistance of post-core reconstructed teeth: A review. *Int J Prosthodont* 2001;14:355-363

Fernandes AS, Shetty S, Coutinho I: Factors determining post selection: a literature review. *J Prosthet Dent* 2003;90:556-562

Ferrari M, Vichi A, García-Godoy F: Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and cores. *Am J Dent* 2000;13:15B-18B

Ferrari M, Vichi A, Grandini S: Efficacy of different adhesive techniques on bonding to root canal walls: an SEM investigation. *Dent Mater* 2001;17:422-429

Ferrari M, Vichi A, Mannocci F, Mason PN: Retrospective study of the clinical performance of fiber posts. *Am J Dent* 2000a;13:9B-13B

Ferrario VF, Sforza C, Serrao G, Dellavia C, Tartaglia GM: Single tooth bite forces in healthy young adults. *J Oral Rehabil* 2004;31:18-22

Finger W: Begriffsbestimmungen der Werkstoffprüfung, In: Eichner K, *Zahnärztliche Werkstoffe und ihre Verarbeitung*, Bd.1, 5.Aufl., Hüthig Verlag Heidelberg 1985:34-46

Fokkinga WA, Kreulen CM, Vallittu PK, Creugers NHJ: A structured analysis of in vitro failure loads and failure modes of fiber, metal and ceramic post-and-core systems. *Int J Prosthodont* 2004;17:476-482

Fokkinga WA, Le Bell AM, Kreulen CM, Lassila LVJ, Vallittu PK, Creugers NHJ: Ex vivo fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars. *Int Endod J* 2005;38:230-237

Fokkinga WA, Kreulen CM, Le Bell-Rönnlöf AM, Lassila LVJ, Vallittu PK, Creugers NHJ : In vitro fracture behavior of maxillary premolars with metal crowns and several postand-core systems. *Eur J Oral Sci* 2006;114:250-256

Fredriksson M, Astbäck J, Pamenius M, Arvidson K: A retrospective study of 236 patients with teeth restored by carbon fiber-reinforced epoxy resin posts. *J Prosthet Dent* 1998;80:151-157

Freilich MA, Duncan P, Meiers JC, Goldberg AC: Preimpregnated, fiber-reinforced prostheses. Part 1. Basic rationale and complete coverage and intracoronal fixed partial denture designs. *Quintessence Int* 1998;29:689-696

Freilich MA, Meiers JC, Duncan JP, Goldberg AJ: Composition, architecture, and mechanical properties of fiber-reinforced composites. In: Freilich M, Meiers J, Duncan JP, Goldberg AJ (eds). *Fiber-reinforced composites in clinical dentistry*, Quintessence Publishing Co, Inc Illinois 2000:9-21

Freilich MA, Duncan JP, Alarcon EK, Eckrote KA, Goldberg AJ: The design and fabrication of fiber-reinforced implant prostheses. *J Prosthet Dent* 2002;88:449-454

Fusayama T, Maeda T: Effekt of pulpektomy on dentin hardness. *J Dent Res* 1969;48:452-460

Gale MS, Darvell BW: Thermal cycling procedures for laboratory testing of dental restorations. *J Dent* 1999;27:89-99

Galhano GA, Valandro LF, de Melo RM, Scotti R, Bottino MA: Evaluation of the Flexural Strength of Carbon Fiber-, Quartz Fiber-, and Glass Fiber-Based Posts. *J Endod* 2005;31:209-211

Gallo JR, Miller T, Xu X, Burgess JO: In vitro evaluation of the retention of composite fiber and stainless steel posts. *J Prosthodont* 2002;11:25-29

Ganesh M, Tandon S: Vesatility of Ribbond in Contemporary dental Practisce. *Trends Biomater Artif Organs* 2006;20:53-58

Garoushi S, Vallittu PK, Lassila LVJ: Use of short fiber-reinforced composite with semi-interpenetrating polymer network matrix in fixed partial dentures. *J Dent* 2007;35:403-408

Garoushi S, Vallittu PK, Lassila LVJ: Direct restoration of severely damaged incisors using short fiber-reinforced composite resin. *J Dent* 2007a;35:731-736

Garoushi S, Lassila LVJ, Tezvergil A, Vallittu PK: Load bearing capacity of fibre-reinforced and particulate filler composite resin combination. *J Dent* 2006;34:179-84

Gateau P, Sabek M, Dailey B: Fatigue testing and microscopic evaluation of post and core restorations under artificial crowns. *J Prosthet Dent* 1999;82:341-347

Gelb MN, Barouch E, Simonsen RJ: Resistance to cusp fracture in class II prepared and restored premolars. *J Prosthet Dent* 1986;55:184-1 85

Gernet W, Biffar R, Schwenzer N, Ehrenfeld M: Kronen- und Brückenprothetik, In: *Zahnärztliche Prothetik*. Georg Thieme Verlag 2007:36-67

Geurtsen W, Jupitz G: Fracture resistance of human premolar with regard to morphologic factors. *ZWR* 1991;100:98-99

Geurtsen W, Schwarze T, Günay H: Diagnosis, therapy, and prevention of the cracked tooth syndrome. *Quintessence Int* 2003;34:409-417

Giovani AR, Vansan L, de Sousa Neto MD, Paulino SM: In vitro fracture resistance of glass-fiber and cast metal posts with different lengths. *J Prosthet Dent* 2009;101:183-188

Göbel R, Luthardt R, Welker D: Experimentelle Untersuchungen zur Befestigung von Restaurationen aus Zirkonoxid und Titan. *Dtsch Zahnärztl Z* 1998;53:295-298

Goerig AC, Mueninghoff LA: Management of the endodontically treated tooth. Part II: Technique. *J Prosthet Dent* 1983;49:491-497

Goehring TN, Mörmann WH, Lutz F: Clinical and scanning electron microscopic evaluation of fiber-reinforced inlay fixed partial dentures: preliminary results after one year. *J Prosthet Dent* 1999;82:662-668

Goehring TN, Schmidlin PR, Lutz F: Two-year clinical and SEM evaluation of glass-fiber-reinforced inlay fixed partial dentures. *Am J Dent* 2002;15:35-40

Goldberg AJ, Burstone CJ: The use of continuous fiber reinforcement in dentistry. *Dent Mater* 1992;8:197-202

Goldberg AJ, Freilich MA: An innovative pre-impregnated glass fiber for reinforcing composites. *Dent Clin North Am* 1999;43:127-133

Goodacre CJ, Spolnik KJ: The prosthodontic management of endodontically treated teeth: a literature review. Part III. Tooth preparation considerations. *J Prosthodont* 1995;4:122-128

Goodis HE, Marshall GW, White JM, Gee L, Hornberger B, Marshall SJ: Storage effects on dentin permeability and shear bond strengths. *Dent Mater* 1993;9:79-84

Goto Y, Nicholls JI, Phillips KM, Junge T: Fatigue resistance of endodontically treated teeth restored with three dowel-and-core systems. *J Prosthet Dent* 2005;93:45-50

Green feld RS, Marshall FJ: Factors affecting dowel (post) selection and use in endodontically treated teeth. *J Can Dent Assoc* 1983;49:777-783

Guzy GE, Nicholls JI: In vitro comparison of intact endodontically treated teeth with and without endo-post reinforcement. *J Prosthet Dent* 1979;42:39-44

Hagge MS, Wong RDM, Lindemuth JS: Retention strengths of five luting cements on prefabricated dowels after root canal obturation with a zinc oxide/eugenol sealer: 1. Dowel space preparation/cementation at one week after obturation. *J Prosthodont* 2002;11:168-175

Haller B, Hofmann N, Klaiber B, Bloching U: Effect of storage media on microleakage of five dentin bonding agents. *Dent Mater* 1993;9:191-197

Haller B, Klaiber B, Betz T, Dobersch S: Shear bond strength to dentin by stimulation of three-dimensional class V cavity configuration. *Dent Mater* 1991;7:206-210

Hansen EK: In vivo cusp fracture of endodontically treated premolars restored with

MOD amalgam or MOD resin fillings. Dent Mater 1988;4:169-1 73

Hansen EK, Asmussen E, Christiansen NC: In vivo fractures of endodontically treated posterior teeth restored with amalgam. Endod Dent Traumatol 1990;6:49-55

Hatzikyriakos AH, Reisis GI, Tsingos N: A 3-year postoperative clinical evaluation of posts and cores beneath existing crowns. J Prosthet Dent 1992;67:454-458

Hayashi M, Sugita A, Takahashi Y, Imazato S, Ebisu S: Static and fatigue fracture resistances of pulpless teeth restored with post–cores. Dent Mater 2008;24:1178-1186

Hebling J, Pashley DH, Tjaderhane L, Tay FR: Chlorhexidine arrests subclinical degradation of dentin hybrid layers in vivo. J Dent Res 2005;84:741–746

Helper AR, Melnick S, Schilder H: Determination of the moisture content of vital and pulpless teeth. Oral Surg Oral Med Oral Pathol 1972;34:661–670

Herforth A: Kieferorthopädische Behandlung im parodontal geschädigten Gebiss. Dtsch Zahnärztl Z 1986;41:76-87

Hernandes R, Bader S, Boston D, Trope M: Resistance to fracture of endodontically treated premolars restored with new generation dentine bonding systems. Int Endod J 1994;27:281-284

Herzog M, Czirjak K: Untersuchungen zur Passgenauigkeit gegossener Stiftaufbauten aus Nichtedelmetall. Dtsch Zahnärztl Z 1990;45:260-263

Heydecke G, Butz F, Strub JR: Einfluß des endodontischen Aufbaus auf die Frakturfestigkeit überkronten Frontzähne. Dtsch Zahnärztl Z 1999;54:637-640

Heydecke G, Butz F, Strub JR: Fracture strength and survival rate of endodontically treated maxillary incisors with approximal cavities after restoration with different post and core systems: an in-vitro study. J Dent 2001;29:427-433

Heydecke G, Butz F, Hussein A, Strub JR: Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems. J Prosthet Dent 2002;87:438-445

Hoag EP, Dwyer TG: A comparative evaluation of three post and core techniques. J Prosthet Dent 1982;47:177-81

Hofmann M: Das ER-Stift-System zum Aufbau marktoter Zähne (I-III). Quintessenz 1985;36:1-24

Hofmann M: Das ER-Stift-Wurzelauflausystem, Material undliche Untersuchungen. Dtsch Zahnärztl Z 1985a;40:1169-1178

Hofmann M: Retention durch Wurzelkanalstifte. Dtsch Zahnärztl Z 1988;43:819-828

Hofmann M: Der geteilte Stiftaufbau. Quintessenz 1988a;39:2093-2 100

Holmes DC, Diaz-Arnold AM, Leary JM: Influence of post dimension on stress distribution in dentin. J Prosthet Dent 1996;75:140-147

Hommez GM, Coppens CR, de Moor RJ: Periapical health related to the quality of coronal restorations and root fillings. Int Endod J 2002;35:680-689

Howe CA, Mc Kendry DJ: Effekt of endodontic access preparation on resistance to crown-root fracture. J Am Dent Assoc 1990;112:712-715

Hu S, Osada T, Shimizu T, Warita K, Kawawa T: Resistance to cyclic fatigue and fracture of structurally compromised root restored with different post and core restorations. Dent Mater 2005;24:225-231

Huang TJ, Schilder H, Nathanson D: Effects of moisture content and endodontic treatment on some mechanical properties of human dentine. J Endod 1992;18:209-15

Hudis SI, Goldstein GR: Restoration of endodontically treated teeth: a review of the literature. J Prosthet Dent 1986;55:33-38

Hurmuzlu F, Serper A, Siso SH, Er K: In vivo fracture resistance of root-filled teeth using new-generation dentine bonding adhesives. Int Endod J 2003;36:770-773

Hurmuzlu F, Kiremitci A, Serper A, Altundasar E, Siso SH: Fracture resistance of endodontically treated premolars restored with ormocer and packable composite. J Endod 2003a;29:838-840

Ichikawa Y, Akagawa Y, Nikai H, Tsuru H: Tissue compatibility and stability of a new zirconia ceramic in vivo. J Prosthet Dent 1992;68:322-326

Isidor F, Brøndum K: Intermittent loading of teeth with tapered, individually cast or prefabricated, parallel-sided posts. Int J Prosthodont 1992;5:257-61

Isidor F, Brøndum K, Ravnhol G: The influence of post length and crown ferrule length on the resistance to cyclic loading of bovine teeth with prefabricated titanium posts. Int J Prosthodont 1999;12:78-82

Isidor F, Ödman P, Brøndum K: Intermittent loading of teeth restored using prefabricated carbon fiber posts. Int J Prosthodont 1996;9:131-136

Jagadish S, Yogesh BG: Fracture resistance of teeth with class 2 silver amalgam, posterior composite, and glass cermet restorations. Oper Dent 1990;15:42-47

Janssen U, Hülsmann M: Das Bruchverhalten endodontisch verankter Aufbauten mit den Wurzelstiftsystemen Luscent-Anchor und Perma-tex im In-vitro-Test. Dtsch Zahnärztl Z 2003;58:331-336

John J, Gangadhar SA, Shah I: Flexural strength of heat-polymerized polymethyl methacrylate denture resin reinforced with glass, aramid, or nylon fibers. J Prosthet Dent 2001;86:424-427

Johnson JK, Schwartz NL, Blackwell RT: Evaluation and restoration of endodontically

treated posterior teeth. J Am Dent Assoc 1976;93:597–605

Jorgensen KD, Itoh K, Munksgaard EC, Asmussen E: Composite wall-to-wall polymerization contraction in dentin cavities treated with various bonding agents. Scand J Dent Res 1985;93:276-279

Joynt RB, Wieczkowski G Jr, Klockowski R, Davis E : Effects of composite restorations on resistance to cuspal fracture in posterior teeth. J Prosthet Dent 1987;57:431–435

Jung SH, Min KS, Chang HS, Park SD, Kwon SN, Bae JM: Microleakage and fracture patterns of teeth restored with different posts under dynamic loading. J Prosthet Dent 2007;98:270-276

Kaelin D, Schärer P: Aufbausysteme in der Kronen- und Brückenprothetik. Schweiz Monatsschr Zahnmed 1991;101:457-463

Kanie T, Arikawa H, Fujii K, Inoue K: Flexural properties and impact strength of denture base polymer reinforced with woven glass fibers. Dent Mater 2000;16:150-158

Karacaer Ö, Polat TN, Tezvergil A, Lassila LV, Vallittu PK: The effect of length and concentration of glass fibers on the mechanical properties of an injection- and a compression-molded denture base polymer. J Prosthet Dent 2003;90:385-393

Karaman AI, Kir N, Belli S: Four applications of reinforced polyethylene fiber material in orthodontic practice. Am J Orthod Dentofacial Orthop 2002;121:650-654

Karbhari VM, Strassler H: Effect of fiber architecture on flexural characteristics and fracture of fiber-reinforced dental composites. Dent Mater 2007;23:960-968

Karbhari VM, Wang Q: Influence of triaxial braid denier on ribbon-based fiber reinforced dental composites. Dent Mater 2007;23:969-976

Karna JC: A fiber composite laminate endodontic post and core. Am J Dent 1996;9:230-232

Katebzadeh N, Dalton BC, Trope M: Strengthening immature teeth during and after apexification. J Endod 1998;24:256-259

Kedici SP, Aksut AA, Kilicarslan MA, Bayramoglu G, Gokdemir K: Corrosion behaviour of dental metals and alloys in different media. J Oral Rehabil 1998;25:800–808

Kern M, Thompson VP: Effects of sandblasting and silica-coating procedures on pure titanium. J Dent 1994;22:300–306

Kern M, Wegner SM: Bonding to zirconia ceramic: adhesion methods and their durability. Dent Mater 1998;14:64-71

Kern M, Pleimes AW, Strub JR: Fracture strengths of metallic and all-ceramic post-and-core restorations. Dtsch Zahnärztl Z 1995;50:451-453

Kern M, Simon MPH, Strub JR: Erste klinische Erfahrungen mit Wurzelkanalstiften aus Zirkonoxidkeramik. Dtsch Zahnärztl Z 1998;53:266-268

Kern M, Strub JR, Lu XY: Wear of composite resin veneering materials in a dual-axis chewing simulator. J Oral Rehabil 1999;26:372-378

Kerschbaum T: Langzeitüberlebensdauer von Zahnersatz – Eine Übersicht. Quintessenz 2004;55:1113-1126

Kerschbaum T, Imm C: Nachuntersuchungsergebnisse von stiftverankertem Zahnersatz. Dtsch Zahnärztl Z 1983;38:1007-1010

King PA, Setchell DJ: An in vitro evaluation of a prototype CFRC prefabricated post developed for the restoration of pulpless teeth. J Oral Rehabil 1990;17:599–609

King PA, Setchell DJ, Rees JS: Clinical evaluation of a carbon fibre reinforced carbon endodontic post. J Oral Rehabil 2003;30:785-789

Kirchhoff W: Untersuchungen über die axiale und horizontale Belastbarkeit verschiedener intraradikulärer Stiftverankerungen (PermadorStift, Radix-Anker, Kurer-Anker) an natürlichen Zähnen – I. Teil. ZWR 1978;87:1014-1024

Kirkevang LL, Horsted-Bindslev P, Orstavik D, Wenzel A: Periapical status and quality of root fillings and coronal restorations in a Danish population. Int Endod J 2000;33:509-5 15

Knobloch LA, Kerby RE, Seghi R, Berlin JS, Clelland N: Fracture toughness of packable and conventional composite materials. J Prosthet Dent 2002;88:307-3 13

Körber KH, Ludwig K: Maximale Kaukraft als Berechnungsfaktor zahntechnischer Konstruktionen. Dent Lab 1983;31:55-60

Kolbeck C, Rosentritt M, Behr M, Lang R, Handel G: In vitro study of fracture strength and marginal adaptation of polyethylene-fibrereinforced-composite versus glass-fibre-reinforced-composite fixed partial dentures. J Oral Rehabil 2002;29:668-674

Kolbeck C, Rosentritt M, Behr M, Lang R, Handel G: In vitro examination of fracture strength of 3 different fiber-reinforced composite and 1 all-ceramic posterior inlay partial denture systems. J Prosthodont 2002a; 11:248-253

Koutayas SO, Kern M: All-ceramic posts and cores: the state of the art. Quintessence Int 1999;30:383-392

Krastl G: Die postendodontische Restauration – Wurzelkanalstifte: wann und wie? Endodontie 2005;14:129-142

Krejci I, Mueller E, Lutz F: Effects of thermocycling and occlusal force on adhesive composite crowns. J Dent Res 1994;73:1228-1232

Krejci I, Sperr D, Lutz F: A three-sided light curing technique for conventional class II composite resin restorations. Quintessence Int 1987;18:125-131

Krejci I, Reich T, Lutz F, Albertoni M: In-vitro-Testverfahren zur Evaluation dentaler Restaurierungssysteme. 1. Computergesteuerter Kausimulator. Schweiz Monatsschr Zahnmed 1990;100:953-960

Ladizesky NH, Chow TW, Ward IM: The effect of highly drawn polyethylene fibres on the mechanical properties of denture base resins. Clin Mater 1990;6:209-225

Ladizesky NH, Ho CF, Chow TW: Reinforcement of complete denture bases with continuous high performance polyethylene fibers. J Prosthet Dent 1992;68:934-939

Ladizesky NH, Cheng YY, Chow TW, Ward IM: Acrylic resin reinforced with chopped high performance polyethylene fiber properties and denture construction. Dent Mater 1993;9:128-135

Lai SC, Mak YF, Cheung GS, Osorio R, Toledano M, Carvalho RM, Tay FR, Pashley DH: Reversal of compromised bonding to oxidized etched dentin. J Dent Res 2001;80:1919-1924

Lambjerg-Hansen H, Asmussen E: Mechanical properties of endodontic posts. J Oral Rehabil 1997;24:882-887

Larson TD, Douglas WH, Geisfeld RE: Effect of prepared cavities on the strength of teeth. Oper Dent 1981;6:2-5

Lassila LV, Nohrström T, Vallittu PK: The influence of short-term water storage on the flexural properties of unidirectional glass fiber-reinforced composites. Biomaterials 2002;23:2221-2229

Lassila LVJ, Tanner J, Le Bell A-M, Narva K, Vallittu PK: Flexural properties of fiber reinforced root canal posts. Dent Mater 2004;20:29-36

Lastumäki TM, Lassila LV, Vallittu PK: The semi-interpenetrating polymer network matrix of fiber-reinforced composite and its effect on the surface adhesive properties. J Mater Sci Mater Med 2003;14:803-809

Lauer HC, Ottl P, Weigl P: Mechanische Belastbarkeit verschiedener Stiftaufbau-Systeme. Dtsch Zahnärztl Z 1994;49:985-989

Levenson MF: The use of a clear, pliable film to form a fiberglass-reinforced splint. J Am Dent Assoc 1986;112:79-80

Lewinstein I, Grajower R: Root dentin hardness of endodontically treated teeth. J Endod 1981;7:421-422

Libman WJ, Nicholls JI: Load fatigue of teeth restored with cast posts and cores and complete crowns. Int J Prosthodont 1995;8:155-161

Linde LA: The use of composites as core material in root-filled teeth. II. Clinical investigation. Swed Dent J 1984;8:209-216

Linn J, Messer HH: Effect of restorative procedures on the strength of endodontically

treated molars. J Endod 1994;20:479– 485

Lloyd PM, Palik JF: The philosophies of dowel diameter preparation: A literature review. J Prosthet Dent 1993;69:32-36

Loney RW, Moulding MB, Ritsco RG: The effect of load angulation on fracture resistance of teeth restored with cast post and cores and crowns. Int J Prosthodont 1995;8:247-251

Loose M, Rosentritt M, Leibrock A, Behr M, Handel G: In-vitro study of fracture strength and marginal adaptation of fiber-reinforced composite versus all-ceramic fixed partial dentures. Eur J Prosthodont Restorative Dent 1998;6:55-62

Madison S, Wilcox LR: An evaluation of coronal microleakage in endodontically treated teeth. Part III. In vivo study. J Endod 1988;14:455–458

Magne P, Perakis N, Belser UC, Krejci I: Stress distribution of inlay-anchored adhesive fixed partial dentures: A finite element analysis of the influence of restorative materials and abutment preparation design. J Prosthet Dent 2002;87:516-528

Malferrari S, Monaco C, Scotti R: Clinical evaluation of teeth restored with quartz fiber-reinforced epoxy resin posts. Int J Prosthodont 2003;16:39-44

Malquarti G, Berrett RG, Bois D : Prosthetic use of carbon-fiber– reinforced epoxy resin for esthetic crowns and fixed partial dentures. J Prosthet Dent 1990;63:251–257

Manley TR, Bowman AJ, Cook M: Denture bases reinforced with carbon fibres. Br Dent J 1979;146:25

Mannocci F, Ferrari M, Watson TF: Intermittent loading of teeth restored using quartz fiber, carbon-quartz fiber, and zirconium dioxide ceramic root canal posts. J Adhes Dent 1999;1:153-158

Mannocci F, Ferrari M, Watson TF: Microleakage of endodontically treated teeth restored with fiber posts and composite cores after cyclic loading: A confocal microscopic study. J Prosthet Dent 2001;85:284-291

Mannocci F, Sherriff M, Watson TF , Vallittu PK: Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study. Int Endod J 2005;38:46-51

Mannocci F, Bertelli E, Sherriff M, Watson TF, Ford TRP. Three-year clinical comparison of survival of endodontically treated teeth restored with either full cast coverage or with direct composite restoration. J Prosthet Dent 2002;88:297-301

Marshak BL, Helft H, Filo R: Factors mitigating against the use of dowels in endodontically treated teeth. Quintessence Int 1988;19:417-421

Martinez-Insua A, Da Silva L, Rilo B, Santana U: Comparison of the fracture resistances of pulpless teeth restored with a cast post and core or carbon-fiber post with a composite core. J Prosthet Dent 1998;80:527-532

Matinlinna JP, Lassila LV, Ozcan M, Yli-Urpo A, Vallittu PK: An introduction to silanes and their clinical applications in dentistry. *Int J Prosthodont.* 2004;17:155–64

McDonald AV, King PA, Setchell DJ: An in vitro study to compare impact fracture resistance of intact root-treated teeth. *Int Endod J* 1990;23:304–3 12

McLaren JD, McLaren CI, Yaman P, Bin-Shuwaish MS, Dennison JD, McDonald NJ: The effect of post type and length on the fracture resistance of endodontically treated teeth. *J Prosthet Dent* 2009;101:174-182

Meiers JC, Freilich MA: Use of a prefabricated fiber-reinforced composite resin framework to provide a provisional fixed partial denture over an integrating implant: A clinical report. *J Prosthet Dent* 2006;95:14-18

Meiers JC, Kazemi RB, Donadio M: He influence of fiber reinforcement of composites on shear bond strengths to enamel. *J Prosthet Dent* 2003;89:388-393

Menges G, Haberstroh E, Michaeli W, Schmachtenberg E: Die Tragfähigkeit von faserverstärkten Kunststoffen, In: Menges G, Haberstroh E, Michaeli W, Schmachtenberg E, Werkstoffkunde Kunststoffe, 5.völlig überarbeitete Aufl., Carl Hanser Verlag München Wien 2002:225-236

Mendoza DB, Eakle WS, Kahl EA, Ho R: Root reinforcement with a resin-bonded preformed post. *J Prosthet Dent* 1997;78:10-14

Mentink AG, Meeuwissen R, Kayser AF, Mulder J: Survival rate and failure characteristics of the all metal post and core restoration. *J Oral Rehabil* 1993;20:455–461

Mentink AG, Creugers NH, Meeuwissen R, Leempoel PJ, Kayser AF: Clinical performance of different post and core systems—results of a pilot study. *J Oral Rehabil* 1993a;20:577–584

Meric G, Ruyter IE: Effect of thermal cycling on composites reinforced with two differently sized silica-glass fibers. *Dent Mater* 2007;23:1157-1163

Meyenberg KH, Luthy H, Schaerer P: Zirconia posts: a new all-ceramic concept for nonvital abutment teeth. *J Esthet Dent* 1995;7:73–80

Miettinen VM, Vallittu PK: Water sorption and solubility of glass fiber-reinforced denture polymethyl methacrylate. *J Prosthet Dent* 1997;77:531–534

Miller BH, Nakajima H, Powers JM, Nunn ME: Bond strength between cements and metals used for endodontic posts. *Dent Mater* 1998;14:312-20

Miot P, Stein RS: Root fracture in endodontically treated teeth related to post selection and crown design. *J Prosthet Dent* 1992;68:428-435

Monaco C, Ferrari M, Miceli GP, Scotti R: Clinical evaluation of fiber-reinforced composite inlay FPDs. *Int J Prosthodont* 2003;16:319-325

Mondelli J, Steagall L, Ishikirama A, de Lima Navarro MF, Soares F: Fracture strength of human teeth with cavity preparations. *J Prosthet Dent* 1980;43:419–422

Morgano SM: Restoration of pulpless teeth: Application of traditional principles in present and future contexts. *J Prosthet Dent* 1996;75:375-380

Morgano SM, Brackett SE: Foundation restorations in fixed prosthodontics: Current knowledge and future needs. *J Prosthet Dent* 1999;82:643-657

Morgano SM, Milot P: Clinical success of cast metal posts and cores. *J Prosthet Dent* 1993;70:11-16

Morin D, DeLong R, Douglas WH: Cusp reinforcement by the acid etch technique. *J Dent Res* 1984;63:1075-1078

Morris MD, Lee KW, Agee KA, Bouillaguet S, Pashley DH: Effects of sodium hypochlorite and RC-prep on bond strengths of resin cement to endodontic surfaces. *J Endod*:2001 ;27:753-757

Musikant BL, Deutsch AS: A new prefabricated post and core system. *J Prosthet Dent* 1984;52:631-634

Nagasiri R, Chitmongkolsuk S: Long-term survival of endodontically treated molars without crown coverage: A retrospective cohort study. *J Prosthet Dent* 2005;93:164-170

Nakamura T, Waki T, Kinuta S, Tanaka H: Strength and elastic modulus of fiber-reinforced composites used for fabricating. *FPDs Int J Prosthodont* 2003;16:549–553

Narva KK, Lassila LVJ, Vallittu PK: Fatigue resistance and stiffness of glass fiber-reinforced urethane dimethacrylate composite. *J Prosthet Dent* 2004;91:158-163

Narva KK, Lassila LVJ, Vallittu PK: The static strength and modulus of fiber reinforced denture base polymer. *Dent Mater* 2005;21:421-428

Naumann M: Wann Wurzelstifte indiziert sind – Klassifikation und Therapiekonzept. *Quintessenz* 2003;54:931-938

Naumann M: Rekonstruktion endodontisch behandelter Zähne – glasfaserverstärkte Aufbaustifte in vivo und in vitro. *Zahnmed. Habilitationsschrift, Medizinische Fakultät Charité – Universitätsmedizin Berlin* 2007

Naumann M, Blankenstein F, Dietrich T: Survival of glass fibre reinforced composite post restorations after 2 years—an observational clinical study. *J Dent* 2005;33:305-312

Naumann M, Blankenstein F, Lange KP: Vorschlag zur Standardisierung von In-vitro-Belastbarkeitsuntersuchungen an endodontisch behandelten Zähnen. *Dtsch Zahnärztl Z* 2002;57:554-557

Naumann M, Preuss A, Frankenberger R: Reinforcement effect of adhesively luted fiber reinforced composite versus titanium posts. *Dent Mater* 2007a;23:138-144

Naumann M, Preuss A, Rosentritt M: Effect of incomplete crown ferrules on load capacity of endodontically treated maxillary incisors restored with fiber posts, composite build-ups, and all-ceramic crowns: an in vitro evaluation after chewing simulation. *Acta Odontol Scand* 2006;64:31-36

Naumann M, Sterzenbach G, Alexandra F, Dietrich T: Randomized controlled clinical pilot trial of titanium vs. glass fiber prefabricated posts: preliminary results after up to 3 years. *Int J Prosthodont* 2007;20:499–503

Nergiz I, Schmage P, Platzer U: Abzugskraftmessungen bei Wurzelstiften mit verschiedenen Oberflächen. *Dtsch Zahnärztl Z* 1993;48:661-664

Nergiz I, Schmage P, Özcan M, Platzer U: Effect of length and diameter of tapered posts on the retention. *J Oral Rehabil* 2002;29:28-34

Nergiz I, Schmage P, Özcan M, Platzer U: Bond strengths of five tapered root posts regarding the post surface. *J Oral Rehabil* 2002a;29:330-335

Nergiz I, Schmage P, Platzer U, McMullan-Vogel C: Effect of different surface textures on retentive strength of tapered posts. *J Prosthet Dent* 1997;78:451-457

Newman MP, Yaman P, Dennison J, Rafter M, Billy E: Fracture resistance of endodontically treated teeth restored with composite posts. *J Prosthet Dent* 2003;89:360-367

Nikaido T, Takano Y, Sasafuchi Y, Burrow MF, Tagami J: Bond strengths to endodontically-treated teeth. *Am J Dent* 1999;12:177–1 80

Nissan J, Dmitry Y, Assif D : The use of reinforced composite resin cement as compensation for reduced post length. *J Prosthet Dent* 2001;86:304-308

Nohrstrom TJ, Vallittu PK, Yli-Urpo A: The effect of placement and quantity of glass fibers on the fracture resistance of interim fixed partial denture. *Int J Prosthodont* 2000;13:72-78

Nothdurft FP, Gernet W, Pospiech PR: In-vitro-U ntersuchungen zu vollkeramischen Stiftaufbauten aus Zirkonoxid. *Dtsch Zahnärztl Z* 2003;58:451-456

Nothdurft FP, Seidel E, Gebhart F, Naumann M, Motter PJ, Pospiech PR: The fracture behavior of premolar teeth with class II cavities restored by both direct composite restorations and endodontic post systems. *J Dent* 2008;36:444-449

Nothdurft FP, Seidel E, Gebhart F, Naumann M, Motter PJ, Pospiech PR: Influence of endodontic posts on the fracture behavior of crowned premolars with class II cavities. *J Dent* 2008a;36:287-293

Ohlmann B, Dreyhaupt J, Schmitter M, Gabbert O, Hassel A, Rammelsberg P: Clinical performance of posterior metal-free polymer crowns with and without fiber reinforcement: One-year results of a randomised clinical trial. *J Dent* 2006;34:757-762

Ohlmann B, Uekermann J, Dreyhaupt J, Schmitter M, Mussotter K, Rammelsberg P:
Clinical wear of posterior metal-free polymer crowns: One-year results from a
randomized clinical trial. *J Dent* 2007;35:246-252

Opdam NJ, Roeters FJ: The direct composite crown. *Ned Tijdschr Tandheelkd*
2003;110:239-243

Ottl P, Hahn L, Lauer HCh, Fay M: Fracture characteristics of carbon fibre, ceramic
and non-palladium endodontic post systems at monotonously increasing loads. *J Oral
Rehabil* 2002;29:175-183

Ozcan M, Vallittu PK: Effect of surface conditioning methods on the bond strength of
luting cements to ceramic. *Dent Mater* 2003;19:725-731

Ozturk B, Özer F: Effect of NaOCl on Bond Strengths of Bonding Agents to Pulp
Chamber Lateral Walls. *J Endod* 2004;30:362-365

Panitvisai P, Messer HH: Cuspal deflection in molars in relation to endodontic and
restorative procedures. *J Endod* 1995;21:57-61

Papa J, Cain C, Messer HH : Moisture content of vital vs endontically treated teeth.
Endod Dent Traumatol 1994;10:91-93

Pene JR, Nicholls JI, Harrington GW: Evaluation of fiber-composite laminate in the
restoration of immature, nonvital maxillary central incisors. *J Endod* 2001;27:18-22

Perdigao J, Lopes M, Geraldeli S, Lopes GC, Garcia-Godoy F. Effect of a sodium
hypochlorite gel on dentin bonding. *Dent Mater* 2000;16:311-323

Pereira JR, de Ornelas F, Conti PCR, do Valle AL: Effect of a crown ferrule on the
fracture resistance of endodontically treated teeth restored with prefabricated posts.
J Prosthet Dent 2006;95:50-54

Perez Moll JF, Howe DF, Svare CW: Cast gold post and core and pin-retained
composite resin bases: a comparative study in strength. *J Prosthet Dent*
1978;40:642-644

Pfeiffer P, Grube L: In vitro resistance of reinforced interim fixed partial dentures. *J
Prosthet Dent* 2003;89:170-1 74

Piconi C, Maccauro G: Zirconia as a ceramic biomaterial. *Biomaterials* 1999;20:1-25

Pierrisnard L, Bohin F, Renault P, Barquins M: Corono-radicular reconstruction of
pulpless teeth: A mechanical study using finite element analysis. *J Prosthet Dent*
2002;88:442-448

Pilo R, Tamse A: Residual dentin thickness in mandibular pre-molars prepared with
gates glidden and ParaPost drills. *J Prosthet Dent* 2000;83:617-623

Pilo R, Cardash HS, Levin E, Assif D: Effect of core stiffness on the in vitro fracture
of crowned, endodontically treated teeth. *J Prosthet Dent* 2002;88:302-306

Pleims AW: Bruchfestigkeit metallischer und voll keramischer Stiftkernaufbauten. Zahnmed Diss., Albert-Ludwigs-Universität Freiburg 1994

Plotino G, Buono L, Grande NM, Lamorgese V, Somma F: Fracture resistance of endodontically treated molars restored with extensive composite resin restorations. J Prosthet Dent 2008;99:225-232

Pontius O, Hutter JW: Survival rate and fracture strength of incisors restored with different post and core systems and endodontically treated incisors without coronoradicular reinforcement. J Endod 2002;28:710–715

Potiket N, Chiche G, Finger IM: In vitro fracture strength of teeth restored with different all-ceramic crown systems. J Prosthet Dent 2004;92:491-495

Purk JH, Eick JD, Roberts M, Chappel RP, Moore DL: Fracture strength of class I versus class II restored premolars tested at the marginal ridge. II. Cavo-surface bonding and cavo-surface plus internal enamel bonding. Quintessence Int 1990;21:655-662

Purton DG, Love RM: Rigidity and retention of carbon fibre versus stainless steel root canal posts. Int Endod J 1996;29:262-265

Purton DG, Payne JA : Comparison of carbon fiber and stainless steel root canal posts. Quintessence Int 1996;27:93–97

Qing H, Zhu ZM, Chao YL, Zhang WQ: In vitro evaluation of the fracture resistance of anterior endodontically treated teeth restored with glass fiber and zircon posts. J Prosthet Dent 2007;97:93-98

Rappelli G, Scalise L, Procaccini M, Tomasini EP: Stress distribution in fiber-reinforced composite inlay fixed partial dentures. J Prosthet Dent 2005;93:425-432

Raustia AM, Napankan gas R, Salonen AM: Complications and primary failures related to fixed metal ceramic bridge prostheses made by dental students. J Oral Rehabil 1998;25:677-80

Ray HA, Trope M: Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration
Int Endod J 1995;28:12-18

Raygot CG, Chai J, Jameson DL
Fracture resistance and primary failure mode of endodontically treated teeth restored with a carbon fiber-reinforced resin post system in vitro. Int J Prosthodont 2001;14:141-145

Re GJ, Draheim RN, Norling BK: Fracture resistance of mandibular molars with occlusal class I amalgam preparations. J Am Dent Assoc 1981;103:580-583

Reeh ES, Douglass WH, Messer HH: Reduction in tooth stiffness as a result of endodontic and restorative procedures. J Endod 1989;15:512-516

Reeh ES, Douglass WH, Messer HH: Stiffness of endodontically treated teeth related to restorative techniques. J Dent Res 1989a;68:1540–1 544

Retief DH, Wendt SL, Bradley EL, Denys FR: The effect of storage media and duration of storage of extracted teeth on the shear bond strength of Scotch-bond 2/Silux to dentin. Am J Dent 1989;2:269-273

Rinke S, Hüls A: Postendodontische Frontzahnversorgung. Quintessenz 1999;50:893-903

Rinke S, Hüls A: Postendodontische Seitenzahnversorgung. Quintessenz 1999a;50: 1035-1047

Robbins JW, Earnest LA, Schumann SD: Fracture resistance of endodontically-treated cuspids. Am J Dent 1993;6:159-161

Rodríguez-Cervantes PJ, Sancho-Bru LJ, Barjau-Escribano A, Forner-Navarro L, PérezGonzález A, Sánchez-Marín FT: Influence of prefabricated post dimensions on restored maxillary central incisors. J Oral Rehabil 2007;34:141-152

Roeters JJ: Extended indications for directly bonded composite restorations: a clinician's view. J Adhes Dent 2001;3:81-87

Rose RM, Crugnola A, Ries M, Cimino WR, Paul I, Radin EL: On the origins of high in vivo wear rates in polyethylene components of total joint prostheses. Clin Orthop Relat Res 1979;145:277-86

Rosen H: Operative procedures on mutilated endodontically treated teeth. J Prosthet Dent 1961;11:972-986

Rosenstiel SF, Land MF, Crispin BJ: Dental luting agents: A review of the current literature. J Prosthet Dent 1998;80:280-301

Rosentritt M, Sikora M, Behr M, Handel G: In vitro fracture resistance and marginal adaptation of metallic and tooth-coloured post systems. J Oral Rehabil 2004;31:675-681

Rosentritt M, Behr M, Leibrock A, Handel G, Friedl KH: Intraoral repair of fiber-reinforced composite fixed partial dentures. J Prosthet Dent 1998;79:393-398

Rosentritt M, Fürer C, Behr M, Lang R, Handel G: Comparison of in vitro fracture strength of metallic and tooth-coloured posts and cores. J Oral Rehabil 2000;27:595-601

Rudo DN, Karbhari VM: Physical behaviors of fiber reinforcement as applied to tooth stabilization. Dent Clin North Am 1999;43:7-35

Rueggeberg FA, Margeson DH: The effect of oxygen inhibition on an unfilled/filled composite system. J Dent Res 1990;69:1652-1658

Sahafi A, Peutzfeldt A, Asmussen E, Gotfredsen K: Bond strength of resin cement to dentin and to surface-treated posts to titanium alloy, glass fiber, and zirconia. J Adhes Dent 2003;5:153-162

Salameh Z, Sorrentino R, HF Ounsi, Sadig W, Atiyeh F, Ferrari M: The effect of different full-coverage crown systems on fracture resistance and failure pattern of endodontically treated maxillary incisors restored with and without glass fiber posts. J Endod 2008;34:842-846

Salameh Z, Sorrentino R, Papacchini F, Ounsi HF, Tashkandi E, Goracci C, Ferrari M: Fracture resistance and failure patterns of endodontically treated mandibular molars restored using resin composite with or without translucent glass fiber posts. J Endod 2006;32:752-755

Samadzadeh A, Kugel G, Hurley E, Aboushala A: Fracture strengths of provisional restorations reinforced with plasma-treated woven polyethylene fiber. J Prosthet Dent 1997;78: 447-450

Sampath S, Ramachandra GS: Effects of glass fibers on light transmittance and color of fiber-reinforced composite. Dent Mat 2008;24:34-38

Santos JN, de Oliveira Carrilho MR, De Goes MF, Zaia AA, de Almeida Gomes BPF, de Souza-Filho FJ, Ferraz CCR: Effect of Chemical Irrigants on the Bond Strength of a Self-Etching Adhesive to Pulp Chamber Dentin. J Endod 2006;32:1088-1090

Saupe WA, Gluskin AH, Radke RA: A comparative study of fracture resistance between morphologic dowel and cores and a resin-reinforced dowel system in the intraradicular restoration of structurally compromised roots. Quintessence Int 1996;27:483-491

Saw LH, Messer HH: Root strains associated with different obturation techniques. J Endod 1995;21:314-320

Saygili G, Sagmali SM, Demirel F: The effect of placement of glass fibers and aramid fibers on the fracture resistance of provisional restorative materials. Oper Dent 2003;28:80-85

Schmage P, Nergiz I, Platzer U: Messungen der Zementfuge bei Wurzelstiften mit verschiedenen Oberflächen. Dtsch Zahnärztl Z 1992;47:785-788

Schmeißner H: Über das Verhalten von Stiftaufbauten mit und ohne zirkuläre Stumpfumfassung im Belastungsexperiment. Dtsch Zahnärztl Z 1977;32:701-703

Schmeißner H: Zur Belastbarkeit gegossener Stiftaufbauten in Abhängigkeit unterschiedlicher Präparationsgestaltung. Dtsch Zahnärztl Z 1979;34:744-747

Schmeißner H: Vergleichende Belastungsversuche an Stumpfaufbauten mit unverschraubbarer und verschraubbarer Stiftverankerung. Dtsch Zahnärztl Z 1983;38:163-166

Schönbrodt M, Schmage P, Nergiz I, Platzer U: Haftfestigkeit zahnfarbener Wurzelstifte in Abhängigkeit von der Oberflächenbehandlung und dem Befestigungskomposit. Dtsch Zahnärztl Z 2003;58:55-59

Schreiber CK: The clinical application of carbon fiber/polymer denture resin. Br Dent J 1974;137:21-22

Schumacher GH: Zähne des bleibenden Gebisses, In: Odontographie Johann Ambrosius Barth, Leipzig 1976:33-76

Schwartz RS: Adhesive Dentistry and Endodontics. Part 2: Bonding in the Root Canal System—The Promise and the Problems: A Review. *J Endod* 2006;32:1125-1134

Schwartz RS, Robbins JW: Post placement and restauration of endodontically treated teeth: a literature review. *J Endod* 2004;30:289-301

Schwickerath H: Kaukraft-Kaudruck-Belastbarkeit. *Dtsch Zahnärztl Z* 1976;31:870-873

Seefeld F, Wenz HJ, Ludwig K, Kern M: Resistance to fracture and structural characteristics of different fiber reinforced post systems. *Dent Mater* 2007;23:265-271

Seidel, E: In-Vitro-Untersuchungen zu Frakturlast und Frakturmodus natürlicher endodontisch versorgter Prämolaren mit zweiflächigen Kavitäten. *Zahnmed.Diss.*, Universität des Saarlandes – Homburg 2007

Serafino C, Gallina G, Cumbo E, Ferrari M: Surface debris of canal walls after post space preparation in endodontically treated teeth: a scanning electron microscopic study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2004;97:381-387

Sevük C, Gür H, Akkayan B: Fabrication of one-piece all-ceramic coronal post and laminate veneer restoration: A clinical report. *J Prosthet Dent* 2002;88:565-568

Sidoli GE, King PA, Setchell DJ: An in vitro evaluation of a carbon fiber based post and core system. *J Prosthet Dent* 1997;78:5-9

Sirimai S, Riis DN, Morgano SM: An in vitro study of the fracture resistance and the incidence of vertical root fracture of pulpless teeth restored with six post-and-core-systems. *J Prosthet Dent* 1999;81:262–269

Siso SH, Hürmüzlü F, Turgut M, Altundasar E, Serper A, Er K: Fracture resistance of the buccal cusps of root filled maxillary premolar teeth restored with various techniques. *Int Endod J* 2007;40:161-168

Smales RJ, Hawthorne WS: Long-term survival of extensive amalgams and posterior crowns. *J Dent* 1997;25:225–227

Smidt A: Esthetic provisional replacement of a single anterior tooth during the implant healing phase: A clinical report. *J Prosthet Dent* 2002;87:598-602

Smith DC: Recent developments and prospects in dental polymers. *J Prosthet Dent* 1962;12:1066-1078

Smith CT, Schumann N: Restoration of endodontically treated teeth: A guide for the restorative dentist. *Quintessence Int* 1997;28:457-462

Soares PV, Santos-Filho PCF, Martins LRM, Soares CJ: Influence of restorative technique on the biomechanical behavior of endodontically treated maxillary premolars. Part I: Fracture resistance and fracture mode. *J Prosthet Dent* 2008;99:30-37

Song HY, Yi YJ, Cho LR, Park DY: Effects of two preparation designs and pontic distance on bending and fracture strength of fiber-reinforced composite inlay fixed partial dentures. *J Prosthet Dent* 2003;90:347-353

Sorensen JA, Engelma MJ: Ferrule design and fracture resistance of endodontically treated teeth. *J Prosthet Dent* 1990;63:529-36

Sorensen JA, Engelma MJ: Effect of post adaptation on fracture resistance of endodontically treated teeth. *J Prosthet Dent* 1990a;64:419-424

Sorensen JA, Martinoff JT: Clinically significant factors in dowel design. *J Prosthet Dent* 1984;52:28-35

Städtler P, Wimmershoff M, Shookoi H, Wernisch J: Kraftübertragung von vorgefertigten Wurzelkanalstiften. *Schweiz Monatsschr Zahnmed* 1995;105:1418-1424

Standlee JP, Caputo AA: Endodontic dowel retention with resinous cements. *J Prosthet Dent* 1992;68:913-917

Stanford JW, Paffenbarger GC, Kumpula JW, Sweeney WT: Determination of some compressive properties of human enamel and dentin. *J Am Dent Assoc* 1958;57:487-495

Stankiewicz NR, Wilson PR: The ferrule effect: a literature review. *Int Endod J* 2002;35:575-581

Stark H: Faserverstärkte Kunststoffsysteme für die zahnärztliche Praxis. *Dtsch Zahnärztl Z* 2006;61:578-579

Starr CB: Amalgam crown restorations for posterior pulpless teeth. *J Prosthet Dent* 1990;63:614-619

Steele A, Johnson BR: In vivo fracture strength of endodontically treated premolars. *J Endod* 1999;25:6-8

Steiner N, Nergiz I, Niedermeier W: Korrosion an Stiftaufbau-Systemen bei Verwendung unterschiedlicher Legierungen. *Dtsch Zahnärztl Z* 1998;53:211-214

Sterzenbach G: Glasfaserverstärkte Kompositstifte zur postendodontischen Rekonstruktion oberer mittlerer Schneidezähne mit Vollkeramikkronen. *Zahnmed. Diss., Medizinische Fakultät Charité – Universitätsmedizin Berlin* 2007

Stiefenhofer A, Stark H, Hackhofer T: Biomechanische Untersuchung von Stiftaufbauten mit Hilfe einer Finite-Elemente-Analyse. *Dtsch Zahnärztl Z* 1994;49:711-715

Stiesch-Scholz M, Schulz K, Borchers L: In vitro fracture resistance of four-unit fiber-reinforced composite fixed partial dentures. *Dent Mater* 2006;22:374-381

Stipho HD: Repair of acrylic resin denture base reinforced with glass fiber. *J Prosthet Dent* 1998;80:546-545

Stockton LW: Factors affecting retention of post systems. A literature review. *J Prosthet Dent* 1999;81:380-385

Stokes AN, Hood JA: Impact fracture characteristics of intact and crowned human central incisors. *J Oral Rehabil* 1993;20:89-95

Stricker EJ, Göhring TN: Influence of different posts and cores on marginal adaptation, fracture resistance, and fracture mode of composite resin crowns on human mandibular premolars. An in vitro study. *J Dent* 2006;34:326-335

Strub JR, Pontius O, Koutayas S: Survival rate and fracture strength of incisors restored with different post and core systems after exposure in the artificial mouth. *J Oral Rehabil* 2001;28:120-124

Takagi K, Fujimatsu H, Usami H, Ogasawara S: Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive. *J Adhesion Sci Technol* 1996;10:869-882

Takahashi Y, Chai J, Tan SC : Effect of water storage on the impact strength of three glass fiber-reinforced composites. *Dent Mater* 2006;22:291-297

Tan PLB, Aquilino SA, Gratton DG, Stanford CM, Tan SC, Johnson WT, Dawson D: In vitro fracture resistance of endodontically treated central incisors with varying ferrule heights and configurations. *J Prosthet Dent* 2005;93:331-336

Tekyat H, Speich B, Willershausen B, Krummenauer F, Briseno B: Retrospektive Studie zu Themen der Endodontie und der definitiven Versorgung an 728 endodontisch versorgten Zähnen. *Dtsch Zahnärztl Z* 2004;59:655-661

Telli C, Gulkan P, Gunel H: A critical reevaluation of stresses generated during vertical and lateral condensation of gutta-percha in the root canal. *Endod Dent Traumatol* 1994;10:1-10

Tjan AHL, Tjan AH, Greive JH: Effects of various cementation methods on the retention of prefabricated posts. *J Prosthet Dent* 1987;58:309-313

Tonami K, Takahashi H: Effects of aging on tensile fatigue strength of bovine dentin. *Dent Mater* 1997;16:156-169

Torbjörner, A, Karlsson S, Ödman PA: Survival rate and failure characteristics for two post designs. *J Prosthet Dent* 1995;73:439-444

Torbjörner A, Karlsson S, Syverud M, Hensten-Pettersen A: Carbon fiber reinforced root canal posts. Mechanical and cytotoxic properties. *Eur J Oral Sci* 1996;104:605-611

Tronstad L, Asbjørnsen K, Doving L, Pedersen I, Eriksen HM: Influence of the coronal restoration on the periapical health of endodontically treated teeth. *Endod Dent*

Traumatol 2000;16:218-221

Trope M, Maltz DO, Tronstad L: Resistance to fracture of restored endodontically treated teeth. Endod Dent Traumatol 1985;1:108-111

Trope M, Langer I, Maltz DO, Tronstad L: Resistance to fracture of restored endodontically treated premolars. Endod Dent Traumatol 1986;2:35-38

Tschernitschek H, Schwarze T: Werkstoffkundliche Eigenschaften von Wurzelkanalstiften – Eine Übersicht. Endodontie 2005;14:113-125

Türp J: Vollkeramikstifte. Dtsch Zahnärztl Z 2001;56:638-639

Uzun G, Hersek N, Tinçer T: Effect of five woven fiber reinforcements on the impact and transverse strength of a denture base resin. J Prosthet Dent 1999;81:616-620

Vallittu PK: Comparison of two different silane compounds used for improving adhesion between fibers and acrylic denture base material. J Oral Rehabil 1993;20:533-539

Vallittu PK: The effect of void space and polymerization time on transverse strength of acrylic-glass fibre composite. J Oral Rehabil 1995;22:257-261

Vallittu PK: Comparison of the in vitro fatigue resistance of acrylic resin removable partial denture reinforced with continuous glass fibers or metal wires. J Prosthodont 1996;5:115-121

Vallittu PK

Ultra-high-modulus polyethylene ribbon as reinforcement for denture polymethyl methacrylate. A short communication
Dent Mater 1997;13:381-2

Vallittu PK: The effect of glass fiber reinforcement on the fracture resistance of a provisional fixed partial denture. J Prosthet Dent 1998;79:125-130

Vallittu PK: Prosthodontic treatment with glass fiber reinforced composite resin bonded fixed partial denture. J Prosthet Dent 1999;82:132-135

Vallittu PK: Flexural properties of acrylic resin polymers reinforced with unidirectional and woven glass fibers. J Prosthet Dent 1999a;81:318-326

Vallittu PK: Faserverstärkte Komposite (FRC) in der zahnärztlichen Prothetik. Dtsch Zahnärztl Z 2002;57:399-405

Vallittu PK, Kokkonen M: Deflection fatigue of a cobalt-chromium, titanium and gold alloy cast denture clasp. J Prosthet Dent 1995;74:412-419

Vallittu PK, Miettinen T: Duration of induction melting of cobalt-chromium alloy and its effect on resistance to deflection fatigue of cast denture clasps. J Prosthet Dent 1996;75:332-336

Vallittu PK, Narva K: Impact strength of a modified continuous glass fiber—poly(methyl methacrylate). Int J Prosthodont 1997;10:142-148

Vallittu PK, Ruyter IE : Swelling of polymethyl (methacrylate) resin at the repair joint. Int J Prosthodont 1997;10:254-258

Vallittu PK, Sevelius C: Resin-bonded, glass fiber-reinforced composite fixed partial dentures: a clinical study. J Prosthet Dent 2000;84:413-418

Vallittu PK, Lassila VP, Lappalainen R : Transverse strength and fatigue of denture acrylic-glass fiber composite. Dent Mater 1994;10:116-121

Vallittu PK, Lassila VP, Lappalainen R : Acrylic resin-fiber composite. Part I: The effect of fiber concentration on fracture resistance. J Prosthet Dent 1994a;71:607-612

Vallittu PK, Ruyter IE, Ekstrand K: Effect of water storage on the flexural properties of E-glass and silica fiber acrylic resin composite. Int J Prosthodont 1998 ;11:340-350

Van Dijken JWV, Sunnegårdh-Grönberg K: Fiber-reinforced packable resin composites in Class II cavities. J Dent 2006;34:763-769

Van Heumen CCM, Kreulen CM, Bronkhorst EM, Lesaffre E, Creugers NHJ: Fiber-reinforced dental composites in beam testing. Dent Mater 2008;24:1435-1443

Versluis A, Douglas W, Cross M, Sakaguchi RL: Does an incremental filling technique reduce polymerization shrinkage stresses. J Dent Res 1996;75:871-878

Vichi A, Grandini S, Ferrari M: Clinical procedure for luting glass-fiber posts. J Adhes Dent 2001;3:353-359

Vichi A, Grandini S, Davidson CL, Ferrari M: An SEM evaluation of several adhesive systems used for bonding fiber posts under clinical conditions. Dent Mater 2002;18:495-502

Viglue G, Malquarti G, Vincent B, Bourgeois D : Epoxy/carbon composite resins in dentistry: Mechanical properties related to fiber reinforcement. J Prosthet Dent 1994;72:245-249

Voss, R: Die Festigkeit metallkeramischer Kronen. Dtsch Zahnärztl Z 1969;24:726-731

Wegmann U, Grüner M: Die Stabilität von Wurzelstiften im Wechsellaufversuch. Dtsch Zahnärztl Z 1986;42:334-337

Weiger R: Revision der Wurzelkanalbehandlung und adhäsiver Aufbau eines stark zerstörten Zahnes – Überlegungen und praktische Umsetzung. Endodontie 2000;9:21-27

Weine FS, Wax AH, Wenckus CS: Retrospective study of tapered, smooth post systems in place for 10 years or more. J Endodont 1991;17:293-297

Weiβ E: Der Einfluss adhäsiv befestigter MOD-Inlays auf das Bruchverhalten menschlicher Zähne. Zahnmed. Diss., FU Berlin 1993

Wirz J, Johner M, Pohler O: Zahnaufbauten mit nichtedelmetallhaltigen Schrauben und Stiften. Schweiz Monatsschr Zahnheilk 1979;89:1162-1187

Wiskott HW, Nicholls JI, Belser UC: Stress fatigue: basic principles and prosthodontic implications. Int J Prosthodont 1995;8:105-116

Wiskott HW, Nicholls JI, Belser UC: The effect of tooth preparation height and diameter on the resistance of complete crowns to fatigue loading. Int J Prosthodont 1997;10:207-215

Wu MK, Pehlivan Y, Kontakiotis EG, Wesselink PR : Micoleakage along apical root fillings and cemented posts. J Prosthet Dent 1998;79:264-269

Xie Q, Lassila LVJ, Vallittu PK: Comparison of load-bearing capacity of direct resin-bonded fiber-reinforced composite FPDs with four framework designs. J Dent 2007;35:578-582

Yaman SD, Yetmez M, Türköz E, Akkas N: Fracture resistance of class II approximal slot restorations. J Prosthet Dent 2000;84:297-302

Yiu CK, Garcia-Godoy F, Tay FR, Pashley DH, Imazato S, King NM, Lai SC: Nanoleakage perspective on bonding to oxidized dentin. J Dent Res 2002;81:628-632

Yoshiyama M, Carvalho RM, Sano H, Horner JA, Brewer PD, Pashley DH: Regional bond strengths of resins to human root dentine. J Dent 1996;24:435-442

Zesewitz FM: Einfluss des endodontischen Aufbaus auf die Frakturfestigkeit avitaler Seitenzähne-Untere Molaren mit komplettem Verlust der klinischen Krone. Zahnmed. Diss., Albert-Ludwigs-Universität Freiburg 2007

Zhi-Yue L, Yu-Xing Z: Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors. J Prosthet Dent 2003;89:368-373