

Sofortversorgung ganzer Kiefer mit festsitzendem Zahnersatz

Dr. Bernd Quantius, M.Sc.

Implantologie Journal 3/2011

Literatur

1. Aparicio C, Perales P, Rangert B: Tilted implants as an alternative to maxillary sinus grafting: a clinical, radiologic, and periotest study. *Clin Implant Dent Relat Res* 2001;3:39-49
2. Aparicio C, Rangert B, Sennerby L: Immediate/early loading of dental implants: a report from the Sociedad Espanola de Implantes World Congress consensus meeting in Barcelona, Spain, 2002. *Clin Implant Dent Relat Res* 2003;5:57-60
3. Buchs AU, Levine L, Moy P: Preliminary report of immediately loaded Altiva Natural Tooth Replacement dental implants. *Clin Implant Dent Relat Res* 2001;3:97-106
4. Calandriello R, Tomatis M: Simplified treatment of the atrophic posterior maxilla via immediate/early function and tilted implants: A prospective 1-year clinical study. *Clin Implant Dent Relat Res* 2005;7 Suppl 1:S1-12
5. Capelli M, Zuffetti F, Del Fabbro M, Testori T: Immediate rehabilitation of the completely edentulous jaw with fixed prostheses supported by either upright or tilted implants: a multicenter clinical study. *Int J Oral Maxillofac Implants* 2007;22:639-644
6. Casap N, Zeltser C, Wexler A, Tarazi E, Zeltser R: Immediate placement of dental implants into debrided infected dentoalveolar sockets. *J Oral Maxillofac Surg* 2007;65:384-392
7. Degidi M, Piattelli A: Immediate functional and non-functional loading of dental implants: a 2- to 60-month follow-up study of 646 titanium implants. *J Periodontol* 2003;74:225-241
8. Degidi M, Piattelli A: Immediately loaded bar-connected implants with an anodized surface inserted in the anterior mandible in a patient treated with diphosphonates for osteoporosis: a case report with a 12-month follow-up. *Clin Implant Dent Relat Res* 2003;5:269-272
9. Degidi M, Piattelli A: Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. *Int J Oral Maxillofac Implants* 2005;20:99-107
10. Degidi M, Piattelli A, Felice P, Carinci F: Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76:1016-1024

11. Degidi M, Piattelli A, Carinci F: Parallel screw cylinder implants: comparative analysis between immediate loading and two-stage healing of 1,005 dental implants with a 2-year follow up. *Clin Implant Dent Relat Res* 2006;8:151-160
12. Degidi M, Piattelli A, Gehrke P, Carinci F: Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21:763-768
13. Degidi M, Piattelli A, Gehrke P, Felice P, Carinci F: Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32:277-285
14. Degidi M, Piattelli A, Carinci F: Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18:965-971
15. Degidi M, Piattelli A, Iezzi G, Carinci F: Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36:1172-1176
16. Degidi M, Piattelli A, Iezzi G, Carinci F: Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38:281-288
17. Degidi M, Piattelli A, Iezzi G, Carinci F: Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38:193-201
18. Esposito MA, Koukouloupoulou A, Coulthard P, Worthington HV: Interventions for replacing missing teeth: dental implants in fresh extraction sockets (immediate, immediate-delayed and delayed implants). *Cochrane Database Syst Rev* 2006;CD005968
19. Ganeles J, Rosenberg MM, Holt RL, Reichman LH: Immediate loading of implants with fixed restorations in the completely edentulous mandible: report of 27 patients from a private practice. *Int J Oral Maxillofac Implants* 2001;16:418-426
20. Gatti C, Haefliger W, Chiapasco M: Implant-retained mandibular overdentures with immediate loading: a prospective study of ITI implants. *Int J Oral Maxillofac Implants* 2000;15:383-388
21. Glauser R, Ree A, Lundgren A, Gottlow J, Hammerle CH, Scharer P: Immediate occlusal loading of Branemark implants applied in various jawbone regions: a prospective, 1-year clinical study. *Clin Implant Dent Relat Res* 2001;3:204-213
22. Glauser R, Ruhstaller P, Windisch S, Zembic A, Lundgren A, Gottlow J, *et al.*: Immediate occlusal loading of Branemark System TiUnite implants placed predominantly in soft bone: 4-year results of a prospective clinical study. *Clin Implant Dent Relat Res* 2005;7 Suppl 1:S52-59
23. Guida L, Iezzi G, Annunziata M, Salierno A, Iuorio G, Costigliola G, *et al.*: Immediate placement and loading of dental implants: a human histologic case report. *J Periodontol* 2008;79:575-581

24. Horiuchi K, Uchida H, Yamamoto K, Sugimura M: Immediate loading of Branemark system implants following placement in edentulous patients: a clinical report. *Int J Oral Maxillofac Implants* 2000;15:824-830
25. Ibanez JC, Jalbout ZN: Immediate loading of osseotite implants: two-year results. *Implant Dent* 2002;11:128-136
26. Ibanez JC, Tahhan MJ, Zamar JA, Menendez AB, Juaneda AM, Zamar NJ, *et al.*: Immediate occlusal loading of double acid-etched surface titanium implants in 41 consecutive full-arch cases in the mandible and maxilla: 6- to 74-month results. *J Periodontol* 2005;76:1972-1981
27. Jaffin RA, Kumar A, Berman CL: Immediate loading of implants in partially and fully edentulous jaws: a series of 27 case reports. *J Periodontol* 2000;71:833-838
28. Krekmanov L, Kahn M, Rangert B, Lindstrom H: Tilting of posterior mandibular and maxillary implants for improved prosthesis support. *Int J Oral Maxillofac Implants* 2000;15:405-414
29. Malo P, Rangert B, Dvarsater L: Immediate function of Branemark implants in the esthetic zone: a retrospective clinical study with 6 months to 4 years of follow-up. *Clin Implant Dent Relat Res* 2000;2:138-146
30. Malo P, Friberg B, Polizzi G, Gualini F, Vighagen T, Rangert B: Immediate and early function of Branemark System implants placed in the esthetic zone: a 1-year prospective clinical multicenter study. *Clin Implant Dent Relat Res* 2003;5 Suppl 1:37-46
31. Malo P, Rangert B, Nobre M: "All-on-Four" immediate-function concept with Branemark System implants for completely edentulous mandibles: a retrospective clinical study. *Clin Implant Dent Relat Res* 2003;5 Suppl 1:2-9
32. Malo P, Rangert B, Nobre M: All-on-4 immediate-function concept with Branemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study. *Clin Implant Dent Relat Res* 2005;7 Suppl 1:S88-94
33. Misch CE, Degidi M: Five-year prospective study of immediate/early loading of fixed prostheses in completely edentulous jaws with a bone quality-based implant system. *Clin Implant Dent Relat Res* 2003;5:17-28
34. Olsson M, Urde G, Andersen JB, Sennerby L: Early loading of maxillary fixed cross-arch dental prostheses supported by six or eight oxidized titanium implants: results after 1 year of loading, case series. *Clin Implant Dent Relat Res* 2003;5 Suppl 1:81-87
35. Rocci A, Martignoni M, Gottlow J: Immediate loading of Branemark System TiUnite and machined-surface implants in the posterior mandible: a randomized open-ended clinical trial. *Clin Implant Dent Relat Res* 2003;5 Suppl 1:57-63
36. Rocci A, Martignoni M, Gottlow J: Immediate loading in the maxilla using flapless surgery, implants placed in predetermined positions, and prefabricated

provisional restorations: a retrospective 3-year clinical study. Clin Implant Dent Relat Res 2003;5 Suppl 1:29-36

37. Testori T, Szmukler-Moncler S, Francetti L, Del Fabbro M, Scarano A, Piattelli A, *et al.*: Immediate loading of Osseotite implants: a case report and histologic analysis after 4 months of occlusal loading. Int J Periodontics Restorative Dent 2001;21:451-459

38. Testori T, Del Fabbro M, Szmukler-Moncler S, Francetti L, Weinstein RL: Immediate occlusal loading of Osseotite implants in the completely edentulous mandible. Int J Oral Maxillofac Implants 2003;18:544-551