

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis ZWP 04/11, S.66-72

Thema: Adhäsive Befestigung von Zirkonoxidrestaurationen

Autor: Dr. Tom O. Blöcker, Christian Moss

Literatur

1. Bindl A, Luthy H, Mormann WH: Strength and fracture pattern of monolithic CAD/CAM-generated posterior crowns. *Dent Mater* 22, 29–36 (2006).
2. Zimmer S, Göhlich O, Rüttermann S, Lang H, Raab WH, Barthel CR: Long-term survival of Cerec restorations: a 10-year study. *Oper Dent*. 2008 Sep-Oct;33(5):484-7.
3. Otto T, De Nisco S: Computer-aided direct ceramic restorations: a 10-year prospective clinical study of Cerec CAD/CAM inlays and onlays. *Int J Prosthodont*. 2002 Mar-Apr;1(2):122-8.
4. Krämer N, Taschner M, Lohbauer U, Petschelt A, Frankenberger R.: Totally bonded ceramic inlays and onlays after eight years. *J Adhes Dent*. 2008 Aug;10(4):307-14.
5. Land MF, Hopp CD: Survival rates of all-ceramic systems differ by clinical indication and fabrication method. *J Evid Based Dent Pract*. 2010 Mar;10(1):37-8.
6. Atsu SS, Kilicarslan MA, Kucukesmen HC, Aka PS. : Effect of zirconium-oxide ceramic surface treatments on the bond strength to adhesive resin. *J Prosthet Dent*. 2006 Jun;95(6):430-6.
7. Valandro LF, Ozcan M, Bottino MC, Bottino MA, Scotti R, Bona AD: Bond strength of a resin cement to high-alumina and zirconia-reinforced ceramics: the effect of surface conditioning. *J Adhes Dent*. 2006 Jun;8(3):175-81.
8. Lin J, Shinya A, Gomi H, Shinya A.: Effect of self-adhesive resin cement and tribochemical treatment on bond strength to zirconia. *Int J Oral Sci*. 2010 Mar;2(1):28-34.
9. Blöcker TO: Das Zementieren zirkonoxidkeramischer Versorgungen - Teil 1. *J Cont Dent Educ* 1/2011: 96-106.
10. Geis-Gerstorfer J, Fäßler P: Untersuchungen zum Ermüdungsverhalten der Dentalkeramiken Zirkonoxid-TZP und In-Ceram. *Dtsch Zahnärztl Z* 1999; 54:692
11. Cavalcanti AN, Foxton RM, Watson TF, Oliveira MT, Giannini M, Marchi GM: Y-TZP ceramics: key concepts for clinical application. *Oper Dent*. 2009 May-Jun;34(3):344-351
12. Kern M: Befestigung von Oxidkeramiken. in: Tinschert/Natt (Hrsg.): *Oxidkeramiken und CAD/CAM-Technologien*, S. 61, Deutscher Zahnärzterverlag, 2007
13. Awliya W, Odén A, Yaman P, Dennison JB, Razzog ME: Shear bond strength of a resin cement to densely sintered high-purity alumina with various surface conditions. *Acta Odontol Scand* 56, 9-13 (1998).
14. Derand P, Derand T: Bond Strength of Luting Cements to Zirconium Oxide Ceramics. *Int. J. Prosthodont* 2000; 13: 131 – 135

15. Piwowarczyk A, Sorensen J: Shearbond Strength of Cements to Zirconia and Lithium Disilicate Ceramics. *J. Dent. Res.* 2002; 81: A – 401, (Spec Iss A)
16. Friederich R, Kern M: Resin bond strength to densely sintered alumina ceramic. *Int J Prosthodont* 15, 333-338 (2002)
17. Kern M, Wegner SM: Bonding to zirconia ceramic: adhesion methods and their durability. *Den. Mater* 1998; 14: 64 – 71
18. Lüthy H, Loeffel O, Hammerle CH: Effect of thermocycling on bond strength of luting cements to zirconia ceramic. *Dent. Mater.*, 22(2), 195-200 (2006)
19. Blatz MB, Sadan A, Blatz U: The effect of silica coating on the resin bond to the intaglio surface of Procera AllCeram restorations. *Quintessence Int* 34, 542-547 (2003)
20. Rothbrust F: IPS e.max ZirCAD: Werkstoff Zirkoniumoxid - "Das weiße Gold", Report Nr. 17, Ivoclar Vivadent (2006).
21. Zhang Y, Lawn BR, Rekow ED, Thompson VP. Effect of sandblasting on the long-term performance of dental ceramics. *J Biomed Mater Res*71(2):B381-386 (2004)
22. Deville S, Chevalier J, Gremillard L. Influence of surface finish and residual stresses on the ageing sensitivity of biomedical grade zirconia. *Biomaterials* 27(10):2186-2192 (2006)
23. Bühler-Zemp P, Völkel T: Dokumentation IPS e.max® CAD (2007).
24. Wolfart M, Lehmann F, Wolfart S, Kern M: Durability of the resin bond strength to zirconia ceramic after using different surface conditioning methods. *Dent Mater* 23, 45-50 (2007)
25. Shahin R, Kern M: Effect of air-abrasion on the retention of zirconia ceramic crowns luted with different cements before and after artificial aging. *Dent Mater* 26(9), 922-928 (2010)
26. Behr M; Proff P; Kolbeck C; Langrieger S; Kunze J; Handel G; Rosentritt M: The bond strength of the resin-to-zirconia interface using different bonding concepts [In Process Citation]. *J Mech Behav Biomed Mater*;4(1), 2-8 (2011)
27. Zothner A, Mitrovic M, Eilert C, Lohff B, Biffar R, Tinschert J, Hopp M: Die Segment-System-Technik mittels HotGlue-Fügung: Fertigung einer zirkulärer Oberkieferversorgung aus Zirkoniumdioxid auf Implantaten; *Quintessenz Zahntech* 34 (5), 566–581 (2008)
28. Zothner A, Hopp M., Friedrich R, Mitrovic M, Hohl S, Moss Ch, Biffar R: Die Evolution des Abutments – Stoffschlüssiger keramischer Verbund bei Abutments aus Titan und Zirkoniumdioxid; *QuintessenzZahntech* 35 (5), 620–634 (2009a)
29. Zothner A, Moss Ch, Hopp M, Friedrich R, Hoppe U, Blöcker TO, Mitrovic M, Biffar R: Oberflächenkonditionierung von Zirkoniumdioxid zur Verbesserung des Klebeverbundes; *Quintessenz Zahntech* 35 (7), 874–886 (2009b)
30. Hopp M, Mitrovic A, Moss C: Drum prüfe, was sich ewig bindet. *ZAHNTECH MAG* 14, 12, 698 – 705 (2010)
31. Kern M, Gläser R.: Cantilevered All–Ceramic ,Resin-Bonded Fixed Partial Dentures: A New Treatment Modality *Journal of Esthetic Dentistry* 1997; Vol. 9: 255 – 264

32. Williams VD, Thayer KE, Denehy DE, Boyer D: Cast metal, resin bonded prosthesis: a 10-year retrospective study. *J Prostet Dent* 61, 436-441 (1989)
33. Ketabi AR, Kaus T, Herdach F et al.: Thirteen-year follow-up study of resin bonded fixed partial dentures. *Quintessence Int* 35, 407-410 (2004)
34. Hoffmann A: C-Link verbindet. *Dent Dialogue* 9, 60-63 (2008)
35. Kunzelmann KH: Seitenzahnrestorationen mit Komposit.
<http://www.dent.med.uni-muenchen.de/kkunzelmann/exponent0.96.3/index.php?module=newsmodule&action=view&id=26> (2005)
36. Zhou TF; Zhang GR; Wang XZ: Two years clinical observation of anterior all zirconia ceramic resin bonded fixed partial dentures. [In Process Citation] *Zhonghua Kou Qiang Yi Xue Za Zhi* 45(3):160-162 (2010)
37. Komine F; Tomic M: A single-retainer zirconium dioxide ceramic resin-bonded fixed partial denture for single tooth replacement: a clinical report. *J Oral Sci* 47(3),139-142 (2005)
38. Foitzik M, Lennon AM, Attin T: Successful use of a single-retainer all-ceramic resin-bonded fixed partial denture for replacement of a maxillary canine: a clinical report. Quintessence Int. 38(3), 241-246 (2007)
39. Kern M.: Klinische Langzeitbewährung von zwei- und einflügeligen Adhäsivbrücken aus Vollkeramik. *Quintessenz* 56, 231 – 239 (2005)