

PUBLIKATION: Jahrbuch Implantologie 2017

THEMA: Die biomechanische Stabilität des augmentierten Alveolarkammes im Vergleich zum nativen Kieferknochen

AUTOREN: Dr. Angelo Troedhan, Dr. med. dent. Izabela Schlichting, Dr. Marcel Wainwright, Dr. Andreas Kurrek

LITERATUR

1. Esposito M, Grusovin MG, Willings M, Coulthard P, Worthington HV (2007). The effectiveness of immediate, early, and conventional loading of dental implants: a Cochrane systematic review of randomized controlled clinical trials. *Int J Oral Maxillofac Impl* 22(6), 893.
2. Degidi M, Daprile G, Piattelli A, Carinci F (2007). Evaluation of factors influencing Resonance Frequency Analysis Values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. *Clin Impl Dent Rel Res* 9(3), 144-149.
3. Pommer B, Hof M, Fädler A, Gahleitner A, Watzek G, Watzak G (2012). Primary implant stability in the atrophic sinus floor of human cadaver maxillae: impact of residual ridge height, bone density, and implant diameter. *Clin Oral Impl Res* 25(2), e109-e113
4. Degidi M, Daprile G, Piattelli A (2012). Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. *Clin Impl Dent Rel Res* 14(4), 501-507.
5. Alsaadi G, Quirynen M, Michiels K, Jacobs R, Van Steenberghe D (2007). A biomechanical assessment of the relation between the oral implant stability at insertion and subjective bone quality assessment. *J Clin Periodontol* 34(4), 359-366.
6. Walker LR, Morris GA, Novotny PJ (2011). Implant insertional torque values predict outcomes. *J Oral Max Fac Surg* 69(5), 1344-1349.
7. Cannizzaro, G., Leone, M., Consolo, U., Ferri, V., & Esposito, M. (2008). Immediate functional loading of implants placed with flapless surgery versus conventional implants in partially edentulous patients: a 3-year randomized controlled clinical trial. *International Journal of Oral & Maxillofacial Implants*, 23(5).
8. Trisi, P., Perfetti, G., Baldoni, E., Berardi, D., Colagiovanni, M., & Scogna, G. (2009). Implant micromotion is related to peak insertion torque and bone density. *Clinical oral implants research*, 20(5), 467-471.
9. Nkenke, E., Kloss, F., Wiltfang, J., Schultze-Mosgau, S., Radespiel-Tröger, M., Loos, K., & Neukam, F. W. (2002). Histomorphometric and fluorescence microscopic analysis of bone remodelling after installation of implants using an osteotome technique. *Clinical oral implants research*, 13(6), 595-602.
10. Trisi, P., Perfetti, G., Baldoni, E., Berardi, D., Colagiovanni, M., & Scogna, G. (2009). Implant micromotion is related to peak insertion torque and bone density. *Clinical oral implants research*, 20(5), 467-471.
11. Prendergast, P. J., & Huiskes, R. (1995). The biomechanics of Wolff's law: recent advances. *Irish journal of medical science*, 164(2), 152-154.
12. Wronski, T. J., Morey, E. R. (1983). Effect of spaceflight on periosteal bone formation in rats. *American journal of physiology-regulatory, integrative and comparative physiology*, 244(3), R305-R309.

13. Frost, H. M. (2004). A 2003 update of bone physiology and Wolff's Law for clinicians. *The Angle orthodontist*, 74(1), 3-15.
14. Troedhan, A., Schlichting, I., Kurrek, A., & Wainwright, M. (2014). Primary implant stability in augmented sinuslift-sites after completed bone regeneration: a randomized controlled clinical study comparing four subantrally inserted biomaterials. *Scientific reports*, 4.
15. Troedhan AC, Kurrek A, Wainwright M, Jank S (2010). Hydrodynamic ultrasonic sinus floor elevation — An experimental study in sheep. *J Oral Max Fac Surg* 68(5), 1125-1130.
16. Troedhan A, Kurrek A, Wainwright M (2012). Biological principles and physiology of bone regeneration under the Schneiderian Membrane after sinus lift surgery: a radiological study in 14 patients treated with the transcresal Hydrodynamic Ultrasonic Cavitational Sinus Lift (Intralift). *Int J Dent Article ID 576238*, 12 pp, doi:10.1155/2012/576238.
17. Troedhan A, Kurrek A, Wainwright M, Jank S (2014). Schneiderian Membrane Detachment Using transcresal Hydrodynamic Ultrasonic Cavitational Sinuslift: A Human Cadaver Head Study and Histology Analysis. *J Oral Max Fac Surg*
18. Troedhan, A., Kurrek, A., Wainwright, M., Schlichting, I., Fischak-Treitl, B., Ladentrog, M. (2013). The transcresal hydrodynamic ultrasonic cavitational sinuslift: Results of a 2-year prospective multicentre study on 404 patients, 446 sinuslift sites and 637 inserted implants. *Open journal of stomatology*, 3(09), 471-485. doi:10.4236/ojst.2013.39078.
19. Troedhan A., Kurrek A., Wainwright M., Die ultraschallgestützte subperiostale Tunneltechnik. *Dent Implantol* 14, 6, 100 – 106 (2010)
20. Stoetzer M, Felgentraeger D, Kampmann A, Schumann P, Ruecker M, Gellrich NC, See C von: Effects of a new piezoelectric device on periosteal microcirculation after subperiosteal preparation. *Microvasc Res* 94: 114, 2014.
21. Troedhan A, Wainwright M, Kurrek A, Schlichting I: Biomechanical stability of dental implants in augmented maxillary sites: Results of a randomized clinical study with four different biomaterials and PRF and a biological view on guided bone regeneration. *Biomed Res Int* 2015: Article ID 850340, 17pp, 2015.
22. Troedhan A, Kurrek A, Wainwright M: Ultrasonic piezotome surgery: is it a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd molars. *Open J Stomatol* 01: 179, 2011.
23. Piersanti L, Dilorenzo M, Monaco G, Marchetti C: Piezosurgery or conventional rotatory instruments for inferior third molar extractions? *J Oral Maxillofac Surg* 72: 1647, 2014.
24. Mammoto, A., Connor, K. M., Mammoto, T., Yung, C. W., Huh, D., Aderman, C. M., Ingber, D. E. (2009). A mechanosensitive transcriptional mechanism that controls angiogenesis. *Nature*, 457(7233), 1103-1108.
25. Mach, D. B., Rogers, S. D., Sabino, M. C., Luger, N. M., Schwei, M. J., Pomonis, J. D., ... & Mantyh, P. W. (2002). Origins of skeletal pain: sensory and sympathetic innervation of the mouse femur. *Neuroscience*, 113(1), 155-166.
26. Augustin, G., Antabak, A., Davila, S. (2007). The periosteum. Part 1: anatomy, histology and molecular biology. *Injury*, 38(10), 1115-1130.
27. Özçelik, D., Turan, T., Kabukcuoglu, F., Ugurlu, K., Öztürk, O., Basak, M., Bankaoglu, M. (2003). Bone induction capacity of the periosteum and neonatal dura in the setting of the rat zygomatic arch fracture model. *Archives of facial plastic surgery*, 5(4), 301-308.
28. Ortak, T., Özdemir, R., Uysal, A., Ulusoy, M. G., Sungur, N., Sahin, B., Sensöz, Ö. (2005). Osteogenic capacities of periost grafts, periost flaps and prefabricated periosteal flaps: experimental study. *Journal of craniofacial surgery*, 16(4), 594-600.
29. Squier, C. A., Ghoneim, S., Kremenak, C. R. (1990). Ultrastructure of the periosteum from membrane bone. *Journal of anatomy*, 171, 233-239.

30. Srouji, S., Kizhner, T., David, D. B., Riminucci, M., Bianco, P., Livne, E. (2009). The Schneiderian membrane contains osteoprogenitor cells: in vivo and in vitro study. *Calcified tissue international*, 84(2), 138-145.
31. Aaron, J. E. (2012). Periosteal Sharpey's fibers: a novel bone matrix regulatory system?. *Frontiers in endocrinology*, 3, 98. doi:10.3389/fendo.2012.00098
32. Troedhan, A., Kurrek, A., Wainwright, M., & Schlichting, I. (2015). Flapless Piezotome-Enhanced Vertical Alveolar Crest-Split and Horizontal Distraction of Alveolar Crests (FPeCSWT) of Less than 2 mm Width: Results of a Prospective Comparative 3-Year Clinical Multicenter-Study with 239 Patients, 261 Crest-Split Sites and 488 Inserted Dental Implants. *Open Journal of Stomatology*, 5(07), 159.
33. Huja, S. S., Fernandez, S. A., Hill, K. J., Li, Y. (2006). Remodeling dynamics in the alveolar process in skeletally mature dogs. The anatomical record part A: discoveries in molecular, cellular, and evolutionary biology, 288(12), 1243-1249.