

Ausgabe: **Cosmetic Dentistry 2/2017**

Thema: Interdisziplinäre Kieferorthopädie – Ein Fallbericht

Autor: Dr. med. dent. Philipp F. Gebhardt

Literatur

1. Orthod Fr. 2017; Treatment goals in FACE philosophy; Martin D, Maté A, Zabalegui P, Valenzuela J.
2. J Oral Maxillofac Surg. 2017; "Closed Reduction" Principles Can Manage Diverse Conditions of Temporomandibular Joint Vertical Height Loss: From Displaced Condylar Fractures to Idiopathic Condylar Resorption; Nitzan DW1, Palla S2.
3. Head Face Med. 2014; Analysis of the torque capacity of a completely lingual appliance of the next generation.; Lossdörfer S, et al.
4. Aust Orthod J. 2015; Closure of an open bite using the 'Mousetrap' appliance: a 3-year follow-up.; Wilmes B, Vasudavan S, Stocker B, Willmann JH, Drescher D.
5. Am J Orthod Dentofacial Orthop. 2008; Botulinum Toxin type A (Botox) for the neuromuscular correction of excessive gingival display on smiling (gummy smile); Polo M.
6. Cranio. 2016; Comparison of muscle activity between subjects with or without lip competence: Electromyographic activity of lips, supra- and infrahyoid muscles.; Gamboa NA1,2, Miralles R2, Valenzuela S1,2, Santander H2, Cordova R1,2,3, Bull R2, Espinoza DA1, Martínez CA1.