

LITERATUR

Ausgabe: Implantologie Journal 5/2017

Thema: Standardisierte Implantatprothetik mit Konzept

Autoren: Dr. Steffen Kistler, ZTM Ricarda Eiterer

[1] Sanz M, Ivanoff CJ, Weingart D, Wiltfang J, Gahlert M, Cordaro L, Ganeles J, Bragger U, Jackowski J, Martin WC, Jung RE, Chen S, Hammerle C. Clinical and Radiologic Outcomes after Submerged and Transmucosal Implant Placement with Two-Piece Implants in the Anterior Maxilla and Mandible: 3-Year Results of a Randomized Controlled Clinical Trial. *Clin Implant Dent Relat Res*. 2013 Jul 9. doi: 10.1111/cid.12107. [Epub ahead of print]

[2] Hämmerle CH, Jung RE, Sanz M, Chen S, Martin WC, Jackowski J; Multicenter study group. Submerged and transmucosal healing yield the same clinical outcomes with two-piece implants in the anterior maxilla and mandible: interim 1-year results of a randomized, controlled clinical trial. *Clin Oral Implants Res*. 2012 Feb; 23(2):211-9. doi:10.1111/j.1600-0501.2011.02210.x. Epub 2011 Jul.

[3] Canullo L, Iurlaro G, Iannello G. Double-blind randomized controlled trial study on post-extraction immediately restored implants using the switching platform concept: soft tissue response. Preliminary report. *Clin Oral Implants Res*. 2009 Apr; 20(4):414-20. doi: 10.1111/j.1600-0501.2008.01660.x.

[4] Scutellà F, Weinstein T, Lazzara R, Testori T. Buccolingual Implant Position and Vertical Abutment Finish Line Geometry: Two Strictly Related Factors That May Influence the Implant Esthetic Outcome. *Implant Dent*. 2015 Mar 10. [Epub ahead of print]

[5] Tetè S, Mastrangelo F, Bianchi A, Zizzari V, Scarano A. Collagen fiber orientation around machined titanium and zirconia dental implant necks: an animal study. *Int J Oral Maxillofac Implants*. 2009 Jan-Feb; 24(1):52-8.