

Biologisch zur knöchernen Augmentation

Von Prof. Dr. Hannes Wachtel und Dr. Tobias Thalmair

Erschienen in: American Dental News III 2010

Literatur

1. Tallgren A. The continuing reduction of the residual alveolar ridges in complete denture wearers: a mixed-longitudinal study covering 25 years. *J Prosthet Dent* 1972;27:120-132.
2. Rocchietta I, Fontana F, Simion M. Clinical outcomes of vertical bone augmentation to enable dental implant placement: a systematic review. *J Clin Periodontol* 2008;35 (Suppl 8):203-215.
3. Wallace S, Froum S. Effect of maxillary sinus augmentation on the survival of endosseous dental implants. A systemic review. *Ann Periodontol* 2003;8:328-343.
4. Hallman M, Thor A. Bone substitutes and growth factors as an alternative/complement to autogenous bone for grafting in implant dentistry. *Periodontology 2000* 2008;47:172-192.
5. Polimeni G, Koo K, Qahash M, Xiropaidis A, Albandar J, Wiksjö U. Prognostic factors for alveolar regeneration: effect of a space-providing biomaterial on guided tissue regeneration. *J Clin Periodontol* 2004;31:725-729.
6. Camargnola D, Berglundh T, Lindhe J. The effect of fibrin glue on the integration of Bio-Oss with bone tissue. An experimental study in Labrador dogs. *J Clin Periodontol* 2002;29:377-383.
7. Hallman M, Sennerby L, Lundgren A. A clinical and histologic evaluation of implant integration in the posterior maxilla after sinus floor augmentation with autogenous bone, bovine hydroxyapatite, or a 20:80 mixture. *Int J Oral Maxillofac Implants* 2002;17:635-643.
8. Nannmark U, Sennerby L. The bone tissue response to prehydrated and collagenated cortico-cancellous porcine bone grafts: a study in rabbit maxillary defects. *Clin Implant Dent Relat Res* 2008;10:264-270.
9. Barone A, Aldini N, Fini M, Giardino R, Calvo Guirado J, Covani U. Xenograft versus extraction alone for ridge preservation after tooth removal: a clinical and histomorphometric study. *J Periodontol* 2008;79:1370-1377.