

Literaturliste

ZWL Zahntechnik Wirtschaft Labor 4/2017

Die Zukunft ist metallfrei

Autoren: Prof. Dr. Dr. Rolf Ewers, Paolo Perpetuini, Dr. Vincent J. Morgan, Prof. Dr. Mauro Marincola, Richard Wu, Priv.-Doz. Dr. Rudolf Seemann

1. Ashby MF, Shercliff H, Cebon D. Family trees: organizing materials and processes. *Materials: engineering, science, processing and design*. United Kingdom: Elsevier; 2013:13-28.
2. Sano H, Ciucchi B, Matthews WG, Pashley DH. Tensile properties of mineralized and demineralized human and bovine dentin. *Journal of dental research*. 1994;73(6):1205-1211.
3. McCracken M. Dental implant materials: commercially pure titanium and titanium alloys. *Journal of prosthodontics : official journal of the American College of Prosthodontists*. 1999;8(1):40-43.
4. Suansuwan N, Swain MV. Determination of elastic properties of metal alloys and dental porcelains. *Journal of oral rehabilitation*. 2001;28(2):133-139.
5. Bonfante E, Suzuki M, Carvalho R, Hirata R, Lubelski W, Bonfante G, Pegoraro T, Coelho P, Digitally Produced Fiber-Reinforced Composite Substructures for Three-Unit Implant-Supported Fixed Dental Prostheses, *The International Journal of Oral & Maxillofacial Implants*, volume 30, April 2015, p.321-329.
6. Wu, Richard, personal communication: Bicon LLC, 501 Arborway Boston, MA 02130 USA
7. Cawood JI, Howell RA. A classification of the edentulous jaws. *Int J Oral Maxillofac Surg*. 1988 Aug;17(4):232-6.
8. Dibart S, Warbington M, Su MF, Skobe Z, In vitro evaluation of the implant-abutment bacterial seal: the locking taper system. *Int J Oral Maxillofac Implants*. 2005 Sep-Oct;20(5):732-7
9. Maminskas J, Puisys A, Kuoppala R, Raustia A, Juodzbaly G. The Prosthetic Influence and Biomechanics on Peri-Implant Strain: a Systematic Literature Review of Finite Element Studies. *J Oral Maxillofac Res*. 2016 Sep 9;7(3):e4.
10. Schulte, J., Flores, A., Weed, M., Crown-to-implant ratios of single tooth implant-supported restorations, *Journal of Prosthetic Dentistry*, Vol 98, Issue 1, July 2007, Pages 1-5
11. McAlarney ME, Stavropoulos DN. Determination of cantilever length-anterior-posterior spread ratio assuming failure criteria to be the compromise of the prosthesis

retaining screw-prosthesis joint. *Int J Oral Maxillofac Implants*. 1996 May-Jun;11(3):331-9.

12. Seemann, R. Marincola, M., Seay, D., Perisanidis, C., Barger, N., Ewers, R., Preliminary Results of Fixed, Fiber-Reinforced Resin Bridges on Four 4- x 5-mm Ultrashort Implants in Compromised Bony Sites: A Pilot Study, *Journal of Oral and Maxillofacial Surgery*, April 2015, Vol.73, Issue 4, p.630-640. doi:10.1016/j.joms.2014.10.031
13. Härle F, Ewers R. die Hufeisenosteotomie mit Knocheninterposition zur Erhöhung des Knochenkammes: eine im Experiment steckengebliebene Operationsmethode. *Dtsch. Zahnärztl Z* 1980;35:105-107.
14. Yerit K, Posch M, Hainich S, Turhani D, Klug C, Wanschitz F, Wagner A, Watzinger F, Ewers R. Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study *Clin Oral Impl Res* 15: 693-699, 2004