

Ausgabe: face & body 3/2017

Thema: Zur Notwendigkeit der Visualisierung bei der Mikrofokussierten Ultraschalltherapie (MFU-V)

Autor: Steffen Giesse

Literatur:

1. White et al.: Selective Creation of Thermal Injury Zones in the SMAS Using Intense Ultrasound Therapy; 2007 ARCH FACIAL PLAST SURG/VOL 9: 22ff.
2. Laubach et al.: Intense Focused Ultrasound: Evaluation of a New Treatment Modality für Precise Microcoagulation within the Skin; 2008 Dermatol Surg 34: 727ff.
3. Suh et al.: Intense Focused Ultrasound Tightening in Asian Skin: Clinical and Pathologic Results; 2011 Dermatol Surg 37: 1 – 8.
4. Casabona G., Michalany N.: Microfocused Ultrasound with Visualization and Fillers for Increased Neocollagenesis: Clinical and Histological Evaluation; Dermatol Surg 2014; 40: S194 – S198.
5. Alam M., Levy R., Pavjani U., et al. Safety of radiofrequency treatment over human skin previously injected with medium-term injectable soft-tissue augmentation materials: a controlled pilot trial. Lasers Surg Med 2006; 38: 205 – 10.
6. Fabi et al., Combining Microfocused Ultrasound with Botulinum Toxin and Temporary and Semi-Permanent Dermal Fillers: Safety and Current Use, Dermatol Surg 2016; 42: S168 – S176.
7. Bozec L., Odlyha M.: thermal denaturation studies of collagen by microthermal analysis an anatomic force microscopy, Biophys J 2011; 101 (1). 228 – 236.
8. Carruthers J. et al., Consensus Recommendations for Combined Aesthetic Interventions in the Face Using Botulinum Toxin, Fillers, and Energy-Based Devices, Dermatol Surg 2016; 42: 586 – 597.
9. Laurenz Weitgasser, Sebastian Cotofana, Thilo L. Schenk, Wolfgang Redka-Swoboda: Die Anatomie des Superfiziellen MusculoAponeurotischen.
<http://www.kosmetischemedizin-online.de/uebersichtsarbeit/die-anatomie-des-superfiziellen-musculo-aponeurotischen-systems-smas>