

## LITERATURLISTE

**Ausgabe:** Implantologie Journal 10/2017

**Thema:** Weichgewebeverdrickung mit volumenstabiler Kollagenmatrix

**Autor:** Dr. med. dent. Marco Zeltner

---

1. Fürhauser R, Florescu D, Benesch T, Haas R, Mailath G, Watzek G. Evaluation of soft tissue around single-tooth implant crowns: the pink esthetic score. *Clinical Oral Implants Research*. 2005; 16:639-44.
2. Gobbato L, Avila-Ortiz G, Sohrabi K, Wang Ch-W, Karimbux N. The Effect of Keratinized Mucosa Width on Peri-implant Health: A Systematic Review. *Journal of Oral & Maxillofacial Implants*. 2013; 28:1536-45.
3. Schrott A R, Jimenez M, Hwang J-W, Fiorellini J, Weber H-P. Five-year evaluation of the influence of keratinized mucosa on peri-implant soft-tissue health and stability around implants supporting full-arch mandibular fixed prostheses. *Clinical Oral Implants Research*. 2009; 20:1170-7.
4. Thoma D S, Buranawat B, Hämmerle C H, Held U, Jung R E. Efficacy of soft tissue augmentation around dental implants and in partially edentulous areas: a systematic review. *Journal of Clinical Periodontology*. 2014; 41(Suppl 15):77-S.91.
5. Reddy VK, Parthasarathy H, Lochana P. Evaluating the clinical and esthetic outcome of apically positioned flap technique in augmentation of keratinized gingiva around dental implants. *Contemporary Clinical Dentistry*. 2013; 4:319-24.
6. Lorenzo R, Garcia V, Orsini M, Martin C, Sanz M. Clinical efficacy of a xenogenic collagen matrix in augmenting keratinized mucosa around implants: a randomized controlled prospective clinical trial. *Clinical Oral Implants Research*. 2012; 23(3):316-24.
7. Hürzeler M B, Weng D. A Single-Incision Technique to Harvest Subepithelial Connective Tissue Grafts from the Palate. *The International Journal of Periodontics & Restorative Dentistry*. 1999;19(3):279-287.
8. Schneider D, Grunder U, Hämmerle C H, Jung R E. Volume gain and stability of peri-implant tissue following bone and soft tissue augmentation: 1-year results from a prospective cohort study. *Clinical Oral Implants Research*. 2011;22:28-37.
9. Jung R E, Sailer I, Hämmerle C H, Attin T, Schmidlin P. In Vitro Color Changes of Soft Tissues Caused by Restorative Materials. *The International Journal of Periodontics & Restorative Dentistry*. 2007; 27:251-7.

10. Thoma DS, Ioannidis A, Cathomen E, Hämmerle CH, Hülser J, Jung RE. Discoloration of the Peri-implant Mucosa Caused by Zirconia and Titanium Implants. 2016; 43:874-85.
11. Linkevicius T, Puisys A, Linkeviciene, Peciuliene V, Schlee M. Crestal Bone Stability around Implants with Horizontally Matching Connection after Soft Tissue Thickening: A Prospective Clinical Trial. *Clinical Implant Dentistry and Related Research* 2015; 17(3):497-508.
12. Vervaeke S, Dierens M, Besseler J, De Bruyn H. The Influence of initial soft tissue thickness on peri-implant bone remodeling. *Clinical Implant Dentistry and Related Research* 2014; 16(2):238-247.
13. Kim H Y, Hwang J, Lee W J, Roh TS, Lew D H, Yun I S. Palatal Mucoperiosteal Island Flaps for Palate Reconstruction. *Archives of Craniofacial Surgery*. 2014; Vol. 15 No. 2 S. 70-74.
14. Del Pizzo M, Modica F, Bethaz N, Priotto P, Romagnoli R. The connective tissue graft: a comparative clinical evaluation of wound healing at the palatal donor site. *Journal of Clinical Periodontology*. 2002; ;29(9):848-854.
15. Zucchelli G, Mele M, Stefani M, Mazzotti C, Marzadori M, Montebungholi L, de Sanctis M. Patient morbidity and root coverage outcome after subepithelial connective tissue and de-epithelialized grafts: a comparative randomized-controlled clinical trial. *Journal of Clinical Periodontology*. 2010; 37:728-38.
16. Thoma D S, Sancho-Puchades M, Erllin D A, Hämmerle C H, Jung R E. Impact of a collagen matrix on early healing, aesthetics and patient morbidity in oral mucosal wounds – a randomized study in humans. *Journal of Clinical Periodontology*. 2012; 39:157-65.
17. Schwarz F, Rothamel D, Herten M, Sager M, Becker J. Antigenesis pattern of native and cross-linked collagen membranes: an immunohistochemical study in the rat. *Clinical Oral Implants Research*. 2006; 17:403-9.
18. Thoma D S, Hämmerle C H, Cochran D, Jones A A, Görlach C, Uebersax L, Mathes S, Graf-Hausner U, Jung R E. Soft tissue volume augmentation by the use of collagen-based matrices in the dog mandible – a histological analysis. *Journal of Clinical Periodontology*. 2011; 38:1063-70.
19. Thoma D S, Zeltner M, Hilbe M, Hämmerle Ch H F, Hülser J, Jung R E. Randomized controlled clinical study evaluating effectiveness and safety of a volume-stable collagen matrix compared to autogenous connective tissue grafts for soft tissue augmentation at implant sites. *Journal of Clinical Periodontology*. 2016; 43:874-85.

20. Zeltner M, Jung R E, Hämmerle Ch H F, Hülser J, Thoma D S. Randomized controlled clinical study comparing a volume-stable collagen matrix to autogenous connective tissue grafts for soft tissue augmentation at implant sites: linear volumetric soft tissue changes up to 3 month. *Journal of Clinical Periodontology*. 2017; 44:446-53.
21. Studer S P, Lehner C, Bucher A, Scharer P. Soft tissue correction of a single-tooth pontic space: a comparative quantitative volume assessment. *Journal of Prosthetic Dentistry*. 2000; 83:402-11.
22. Eghbali A, De Bruyn H, Cosyn J, Kerckaert I, Van Hoof T. Ultrasonic assessment of mucosal thickness around implants: validity, reproducibility, and stability of connective tissue grafts at the buccal aspect. *Clinical Implant Dentistry and Related Research*. 2014; 18:51-61.
23. De Bruyckere T, Eghbali A, Younes F, De Bruyn H, Cosyn J. Horizontal stability of connective tissue grafts at the buccal aspect of single implants: a 1-year prospective case series. *Journal of Clinical Periodontology*. 2015; 42:876-82.
24. Schmitt C M, Moest T, Lutz R, Wehrhan F, Neukam F W, Schlegel K A. Long-term outcomes after vestibuloplasty with a porcine collagen matrix (Mucograft®) versus free gingival graft: a comparative prospective clinical trial. *Clinical Oral Implants Research*. 2015; 27,e125-e133.