

LITERATURVERZEICHNIS

Ausgabe: Implantologie Journal 11/2017
Thema: Metallfreie Restaurationen von A–Z
Autor: Dr. med. dent. Michael Leistner

1. Patientenumfrage Firma Straumann, Archivdaten.
2. Pettersson M, Kelk P, Belibasakis GN, Bylund D, Molin Thoren M, Johansson A. Titanium ions form particles that activate and execute interleukin-1b release from lipopolysaccharide-primed macrophages. J Periodont Res 2016; doi:10.1111/jre 12364.
3. Fei Yu¹, Owen Addison², Stephen J Baker³ and Alsion J Davenport¹. Lipopolysaccharide inhibits or accelerates biomedical titanium corrosion depending on environmental acidity. International Journal of Oral Science (2015) 7, 179-186.
4. Foti B, Tavitian P, Tosello A, Bonfil JJ, Franquin JC. Polymetallism and osseointegration in oral implantology. Pilot study on primate. J Oral Rehabil. 1999 Jun; 26(6) :495-502.
5. Olmedo D, Deborah R. Tasat, Pablo Evelson, Maria B. Guglielmotti and Rómulo L. Cabrini. Biological response of tissues with macrophagic activity to titanium dioxide. Journal of Biomedical Materials Research Part A Volume 84A, Issue 4, pages 1087-1093, 15 March 2008.
6. Jacobi-Gresser E, K. Huesker, S. Schütt. Genetic and immunological markers predict titanium implant failure: a retrospective study Int J Oral Maxillofac Surg. 2013 Apr ; 42(4) :537-43.
7. Jung R, Sailer I et al. In vitro color changes of soft tissues caused by restorative materials. Int. J. of Period. and Rest. Dent. Vol. 27, No. 3, 2007.
8. Kajiwara N et al. Soft Tissue Biological Response to Zirconia and metal Implant abutments. Implant Dentistry, Vol. 24, No. 1/2015.
9. Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial Adhesion on Commercially Pure Titanium and Zirconium Oxide Disks : An In Vivo Human Study. J Periodontol 2004 ;75 :292-296.
10. Ichikawa Y, Akagawa Y, Nikai H, Tsuru H. Tissue compatibility and stability of a new zirconia ceramic in vivo J Prosthet Dent 1992 ;68 :322-326.
11. Oliva J, Oliva X, Oliva JD. Five-year success rate of 831 consecutively placed Zirconia dental implants in humans : a comparison of three different rough surfaces. Int J Oral Maxillofac Implants. 2010 Mar-Apr ; 25(2) :336-44.
12. Metoxit AG, Thayngen, Schweiz. Datenblatt nach DIN EN 60 672.

13. Hashim D, Cionca N., Courvoisier D, Mombelli A. A systematic review of the clinical survival of zirconia implants. Clin Oral Invest May 2016.
14. Kohal, R. et al. Was wissen wir über Implantate aus Zirkonoxid? Implantologie 2014; 22(1):9-36.
15. Bosshardt D, Buser D, Saulacic N. et al. Acid and alkaline etching of sandblasted zirconia implants a histomorphometric study in miniature pigs . Clinical Implant Dentistry and Related Research, 2013.
16. Chappuis V, Cavusoglu Y, Gruber R, Kuchler U, Buser D, Bosshardt DD. Osseointegration of zirconia and titanium implants in the presence of multinucleated giant cells. Clinical Implant Dentistry and Related Research, Volume*, Number*, 2015.