

## References

### **Ceramic implants: Yesterday a vision – today an everyday challenge?**

Dr Jochen Mellinghoff, Germany

*ceramic Implants: international magazine of ceramic implant technology, 1/17*

1. Welander, M., Abrahamsson, I., & Berglundh, T. (2008). The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res*, 19(7), 635-641.
2. Borgonovo, A. E., Censi, R., Vavassori, V., Arnaboldi, O., Maiorana, C., & Re, D. (2015). Zirconia Implants in Esthetic Areas: 4-Year Follow-Up Evaluation Study. *Int J Dent*, 2015, 415029. doi:10.1155/2015/415029.
3. Sterner, T., Schutze, N., Saxler, G., Jakob, F., & Rader, C. P. (2004). Effects of clinically relevant alumina ceramic, zirconia ceramic and titanium particles of different sizes and concentrations on TNF-alpha release in a human macrophage cell line. *Biomed Tech (Berl)*, 49(12), 340-344. doi:10.1515/BMT.2004.063.
4. Fuerhauser, R., Florescu, D., Benesch, T., Haas, R., Mailath, G., & Watzek, G. (2005). Evaluation of soft tissue around single-tooth implant crowns: the pink esthetic score. *Clin Oral Implants Res*, 16(6), 639-644. doi:10.1111/j.1600-0501.2005.01193.x.
5. Z Systems AG, Werkhofstrasse 5 CH - 4702 Oensingen, [www.zsystems.com](http://www.zsystems.com)
6. Metoxit AG, Thayngen, Schweiz. Datenblatt nach DIN EN 60 672 vom 10.07.2010: [www.metoxit.com](http://www.metoxit.com).