

LITERATUR

Ausgabe: Implantologie Journal 12/2017

Thema: Computergestützte minimalinvasive implantologische Rehabilitation - Tumorpatienten und Patienten mit extremen Kieferatrophien

Autoren: Ioannis Papadimitriou, Dr. Petros Almagout, Dr. Erich Theo Merholz, Dr. Stefan Helka, Vasileios Saratsis

1. Merli M, Bernardelli F, Esposito M. Computer-guided flapless placement of immediately loaded dental implants in the edentulous maxilla: a pilot prospective case series. European Journal of Oral Implantology. 2008;1(1):61–69.
2. Verstreken K, van Cleynenbreugel J, Marchal G, Naert I, Suetens P, van Steenberghe D. Computer-assisted planning of oral implant surgery: a three-dimensional approach. The International Journal of Oral and Maxillofacial Implants. 1996;11(6):806–810.
3. Meloni SM, de Riu G, Lolli FM, et al. Computer-aided implant surgery: a critical review of treatment concepts. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology. 2013.
4. Buhtz, C: 3-D-Planung und navigierte Implantation. ZWP-Online, Fachgebiete / Oralchirurgie/Chirurgie (2011).
5. Schwenzer, N; Ehrenfeld, M; Zahnärztliche Chirurgie. 3. Aktualisierte und erweiterte Auflage, S. 42, Auflage 2000, 1981, 2000; Georg Thieme Verlag, Stuttgart.
6. Meloni SM, de Riu G, Pisano M, Cattina G, Tullio A. Implant treatment software planning and guided flapless surgery with immediate provisional prosthesis delivery in the fully edentulous maxilla. A retrospective analysis of 15 consecutively treated patients. European Journal of Oral Implantology. 2010;3(3):245–251.
7. Neugebauer, J; Mischkowski, R, A; Zoeller, J E: Computer-aided manufacturing technologies for guided implant placement. Expert Rev Med Devices. (2010); 7: 113.

8. Meloni SM, de Riu G, Pisano M, Cattina G, Tullio A. Implant treatment software planning and guided flapless surgery with immediate provisional prosthesis delivery in the fully edentulous maxilla. A retrospective analysis of 15 consecutively treated patients. European Journal of Oral Implantology. 2010;3(3):245–251.
9. Mischkowski ;Zoeller, J E: Interoperative navigation in the maxillofacial area on 3D imaging obtained by cone-beam device. J Oral Maxillofac Implants. (2007); 36: 687.
10. Ritter, L, Dreiseidler, T ; Scheer M; Reiz SD ; Rothamel D ; Karapetian V ; Zöller JE „Registration accuracy of three-dimensional surface and cone beam computed tomography data for virtual implant planning ”, Apr;23(4):447-52. doi: 10.1111/j.1600-0501.2011.02159.x. Epub 2011 Clin Oral Implants Res. 2012 Apr 13.
11. Blum, C; Schaefer, F; Sieger, J: „ Analysis of the positioning accuracy of the fully navigated dental implants“ Reference CF21201. In-Vitro-Vergleich Studie.
12. Misch, CE: Density of bone: effect on treatment plans, surgical approach, healing, and progressive bon leading. Int J Oral Implantol; 1990; 6 (2): 23-31.
13. Sarment DP, Sukovic P, Clinthorne N. Accuracy of implant placement with a stereolithographic surgical guide. The International Journal of Oral and Maxillofacial Implants. 2003;18(4):571–577.
14. Meloni SM, de Riu G, Lolli FM, et al. Computer-aided implant surgery: a critical review of treatment concepts. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology. 2013.