Literaturliste

Jahrbuch Digitale Dentale Technologien 2018

Monolithische Vollkeramikrestaurationen im Seitenzahnbereich

Autor: Priv.-Doz. Dr. Sven Rinke, M.Sc., M.Sc.

---

1. Sailer I, Makarov NA, Thoma DS, Zwahlen M, Pjetursson BE. All-ceramic or metal-ceramic tooth-supported fixed dental prostheses (FDPs)? A systematic review of the survival and complication rates. Part I: Single crowns (SCs). Dent Mater. 2015 Jun;31(6):603-23.

2. Pjetursson BE, Sailer I, Makarov NA, Zwahlen M, Thoma DS. All-ceramic or metal-ceramic tooth-supported fixed dental prostheses (FDPs)? A systematic review of the survival and complication rates. Part II: Multiple-unit FDPs. Dent Mater. 2015 Jun;31(6):624-39.

3. Rinke S, Lange K, Roediger M, Gersdorff N. Risk factors for technical and biological complications with zirconia single crowns. Clin Oral Investig. 2015 Nov;19(8):1999-2006.

4. Rinke S, Kramer K, Bürgers R, Roediger M. A practice-based clinical evaluation of the survival and success of metal-ceramic and zirconia molar crowns: 5-year results. J Oral Rehabil. 2016 Feb;43(2):136-44.

5. Pieger S, Salman A, Bidra AS. Clinical outcomes of lithium disilicate single crowns and partial fixed dental prostheses: a systematic review. J Prosthet Dent. 2014 Jul;112(1):22-30.

6. Reich S, Schierz O. Chair-side generated posterior lithium disilicate crowns after 4 years. Clin Oral Investig. 2013 Sep;17(7):1765-72.

7. Kern M, Sasse M, Wolfart S. Ten-year outcome of three-unit fixed dental prostheses made from monolithic lithium disilicate ceramic. J Am Dent Assoc. 2012 Mar;143(3):234-40.

8. Spies BC, Patzelt SB, Vach K, Kohal RJ. Monolithic lithium-disilicate single crowns supported by zirconia oral implants: three-year results of a prospective cohort study. Clin Oral Implants Res. 2015 Oct 27. doi: 10.1111/clr.12716. [Epub ahead of print]

9. Pozzi A, Tallarico M, Barlattani A. Monolithic Lithium Disilicate Full-Contour Crowns Bonded on CAD/CAM Zirconia Complete-Arch Implant Bridges With 3 to 5 Years of Follow-Up. J Oral Implantol. 2015 Aug;41(4):450-8.

10. Rinke S, Rödiger M, Ziebolz D, Schmidt AK. Fabrication of Zirconia-Reinforced Lithium Silicate Ceramic Restorations Using a Complete Digital Workflow. Case Rep Dent. 2015;2015:162178. doi: 10.1155/2015/162178.

11. Kruger S, Deubener J, Ritzberger C, Holand W. Nucleation kinetics of lithium metasilicate in ZrO2-bearing lithium disilicate glasses for dental application. Int J Appl Glass Sci 2013;4:9-19.

12. Preis V, Behr M, Hahnel S, Rosentritt M.Influence of cementation on in vitro performance, marginal adaptation and fracture resistance of CAD/CAM-fabricated ZLS molar crowns. Dent Mater. 2015 Nov;31(11):1363-9.

13. D'Arcangelo C, Vanini L, Rondoni GD, De Angelis F. Wear properties of dental ceramics and porcelains compared with human enamel. J Prosthet Dent. 2015 Nov 6. pii: S0022-3913(15)00550-8. doi: 10.1016/j.prosdent.2015.09.010 [Epub ahead of print]

14. Awad D, Stawarczyk B, Liebermann A, Ilie N. Translucency of esthetic dental restorative CAD/CAM materials and composite resins with respect to thickness and surface roughness. J Prosthet Dent. 2015 Jun;113(6):534-40.

15. Frankenberger R, Hartmann VE, Krech M, Krämer N, Reich S, Braun A, Roggendorf M. Adhesive luting of new CAD/CAM materials. Int J Comput Dent. 2015;18(1):9-20. English, German.

16. Rinke S, Schmidt A, Ziebolz D. Clinical evaluation of chair-side fabricated molar partial zirconia-containing lithium-silicate (ZLS) crowns – first results. J Dent Res 94 (Special Issue B): Abstract No. 2299772.

17. Jung YS, Lee JW, Choi YJ, Ahn JS, Shin SW, Huh JB. A study on the in-vitro wear of the natural tooth structure by opposing zirconia or dental porcelain. J Adv Prosthodont 2010;2:111-115.

18. Preis V, Behr M, Kolbeck C, Hahnel S, Handel G, Rosentritt M. Wear Performance of substructure ceramics and veneering porcelains. Dent Mater 2011;27:796-804.

19. Rosentritt M, Preis V, Behr M, Hahnel S, Handel G, Kolbeck C. Two-body wear of dental porcelain and substructure oxide ceramics. Clin Oral Investig. 2012 Jun;16(3):935-43.

20. Stober T, Bermejo JL, Rammelsberg P, Schmitter M. Enamel wear caused by monolithic zirconia crowns after 6 months of clinical use. J Oral Rehabil. 2014 Apr;41(4):314-22.

21. Mundhe K, Jain V, Pruthi G, Shah N. Clinical study to evaluate the wear of natural enamel antagonist to zirconia and metal ceramic crowns. J Prosthet Dent. 2015 Sep;114(3):358-63.

22. Moscovitch M. Consecutive case series of monolithic and minimally veneered zirconia restorations on teeth and implants: up to 68 months. Int J Periodontics Restorative Dent. 2015 May-Jun;35(3):315-23.

23. Pihlaja J, Näpänkangas R, Raustia A. Outcome of zirconia partial fixed dental prostheses made by predoctoral dental students: A clinical retrospective study after 3 to 7 years of clinical service. J Prosthet Dent. 2016 Feb 9. pii: S0022-3913(15)00700-3. doi: 10.1016/j.prosdent.2015.10.026. [Epub ahead of print]

24. Abdulmajeed AA, Lim KG, Närhi TO, Cooper LF. Complete-arch implant- supported monolithic zirconia fixed dental prostheses: A systematic review. J Prosthet Dent. 2016 Jan 23. pii: S0022-3913(15)00557-0. doi:10.1016/j.prosdent.2015.08.025. [Epub ahead of print]