

Literaturliste
ZWL Zahntechnik Wirtschaft Labor 2/2018

Hochästhetische monolithische Rekonstruktionen – Vision oder längst Realität?

Autorin: Olivia Besten

1 Preis V, Weiser F, Handel G, Rosentritt M. Wear performance of monolithic dental ceramics with different surface treatments. *Quintessence Int.* 2013 May;44(5):393-405. doi: 10.3290/j.qi.a29151.

2 Stober T, Bermejo JL, Rammelsberg P, Schmitter M. Enamel wear caused by monolithic zirconia crowns after 6 months of clinical use. *J Oral Rehabil.* 2014 Apr;41(4):314-22. doi: 10.1111/joor.12139. Epub 2014 Jan 22.

3 Lohbauer U, Reich S. Antagonist wear of monolithic zirconia crowns after 2 years. *Clin Oral Investig.* 2017 May;21(4):1165-1172. doi: 10.1007/s00784-016-1872-6. Epub 2016 Jun 9.

4 Sailer I, Mühlemann S, Zwahlen M, Hämmerle CH, Schneider D. Cemented and screw-retained implant reconstructions: a systematic review of the survival and complication rates. *Clin Oral Implants Res.* 2012 Oct;23 Suppl 6:163-201. doi: 10.1111/j.1600-0501.2012.02538.x.

5 Sailer I, Philipp A, Zembic A, Pjetursson BE, Hämmerle CH, Zwahlen M. A systematic review of the performance of ceramic and metal implant abutments supporting fixed implant reconstructions. *Clin Oral Implants Res.* 2009 Sep;20 Suppl 4:4-31. doi: 10.1111/j.1600-0501.2009.01787.x.

6 Jung RE, Zembic A, Pjetursson BE, Zwahlen M, Thoma DS. Systematic review of the survival rate and the incidence of biological, technical, and aesthetic complications of single crowns on implants reported in longitudinal studies with a mean follow-up of 5 years. *Clin Oral Implants Res.* 2012 Oct;23 Suppl 6:2-21. doi: 10.1111/j.1600-0501.2012.02547.x.

7 Abdulmajeed AA, Lim KG, Närhi TO, Cooper LF. Complete-arch implant-supported monolithic zirconia fixed dental prostheses: A systematic review. *J Prosthet Dent.* 2016 Jun;115(6):672-677.e1. doi: 10.1016/j.prosdent.2015.08.025. Epub 2016 Jan 23.