

LITERATUR

Ausgabe: Dental Tribune Germany 6/2018

Thema: Orthograde apikale Einbringung eines MTA-Plugs in einen Zahn ohne Konstriktion

Autoren: Dr. Angela Gusiyska, DMD, PhD

-
1. Ashwini T, Hosmani N, Patil C, Yalgi V. Role of mineral trioxide aggregate in management of external root resorption. *J Conserv Dent* 2013;16(6):579-581.
 2. Cehreli Z, Sara S, Uysal S, Turgut M. MTA apical plugs in the treatment of traumatized immature teeth with large periapical lesions. *Dent Traumatol* 2011;27:59–62.
 3. Dimitrova I, Kouzmanova Y. Marginal adaptation of calcium silicate-based materials used in furcal perforation repair: A comparative in vitro study. *Int J of Science and Research* 2015; 4(8): 750-5.
 4. Floratos S, Tsatsoulis I, Kontakiotis E. Apical Barrier Formation After Incomplete Orthograde MTA Apical Plug Placement in Teeth with Open Apex - Report of Two Cases. *Braz Dent J* 2013;24(2): 163-166.
 5. Fuss Z, Tsesis I, Lin S. Root resorption-diagnosis, classification and treatment choices based on stimulation factors. *Dent Traumatol* 2003;19:175–82.
 6. Gulabivala K, Patel B, Evans G, Ng Y. Effects of mechanical and chemical procedures on root canal surfaces. *Endod Topics* 2005;10:103–22.
 7. Gusiyska A. Periapical resorptive processes in chronic apical periodontitis: an overview and discussion of the literature. *J of IMAB*. 2014;20(5):601–5.
 8. Hachmeister D, SchindlerW, Walker 3rdW, ThomasD. The sealing ability and retention characteristics of mineral trioxide aggregate in a model of apexification. *J Endod*. 2002;28(5):386–90.
 9. Ham K, Witherspoon D, Gutmann J, Ravindranath S, Gait T, Opperman L. Preliminary evaluation of BMP-2 expression and histological characteristics during apexification with calcium hydroxide and mineral trioxide aggregate. *J Endod* 2005;31(4):275–9.
 10. Holden D, Schwartz S, Kirkpatrick T, Schindler W. Clinical outcomes of artificial root-end barriers with mineral trioxide aggregate in teeth with immature apices. *J Endod* 2008;34:812–7.
 11. Holland R, de Souza V, Nery M, Faraco Jr I, Bernabé P, Otoboni Filho J, et al. Reaction of rat connective tissue to implanted dentin tube filled with

- mineral trioxide aggregate, Portland cement or calcium hydroxide. *Braz Dent J* 2001;12:3–8.
12. Kabak Y, Abbott P. Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population. *Int Endod J* 2005;38(4):238–45.
 13. Katebzadeh N, Hupp J, Trope M. Histological periapical repair after obturation of infected root canals in dogs. *J Endod* 1999; 25:364–8.
 14. Leonardo M, Silva L, Leonardo R, Utrilla L, Assed S. Histological evaluation of therapy using a calcium hydroxide dressing for teeth with incompletely formed apices and periapical lesions. *J Endod* 1993;19:348–52.
 15. Mohammadi Z, Yazdizadeh M, Khademi A. Sealing ability of MTA and a new root filling material. *Clin Pesq Odontol Curitiba*. 2006;2:367–71.
 16. Nelson-Filho P, Silva L, Leonardo M, Utrilla L, Figueiredo F. Connective tissue response to calcium hydroxide-based root canal medicaments. *Int Endodon J* 1999;32:303–11.
 17. Parirokh M, Torabinejad M. Mineral trioxide aggregate: A comprehensive literature review-Part III: Clinical applications, drawbacks, and mechanism of action. *J Endod* 2010;36:400–13.
 18. Peters L, Wesselink P, Buijs J, Winkelhoff A. Viable bacteria in root dentinal tubules of teeth with apical periodontitis. *J Endod* 2001;27(2):76–81.
 19. Porkaew P, Retief D, Barfield R, Lacefield W, Soong S. Effects of calcium hydroxide paste as an intracanal medicament on apical seal. *J Endod* 1990;16(8):369–74.
 20. Rai R, Singbal K, Rathore V, Kariya P. Apical Barrier Formation after Orthograde MTA Placement in Teeth with Open Apex and periapical lesions - a case report. *Sch J Dent Sci* 2015; 2(2A):137-139.
 21. Raut A, Mantri V, Palekar A, Kamat S. Single step apexification with mineral trioxide aggregate (MTA)Case Reports. *NJDSR* 2012;1:28–2.
 22. Silva L, Nelson-Filho P, Leonardo M, Rossi M, Pansani C. Effect of calcium hydroxide on bacterial endotoxin in vivo. *J Endod* 2002;28:94-8.
 23. Tanomaru-Filho M, Tanomaru J, Barros D, Watanabe E, Ito I. In vitro antimicrobial activity of endodontic sealers, MTA-based cements and Portland cement. *J Oral Sci* 2007;49:41–5.
 24. Torabinejad M, Hong C, McDonald F, Pitt Ford T. Physical and chemical properties of a new root end filling material. *J Endod* 1995;21:349-53.
 25. Trope M, Delano E, Orstavik D. Endodontic treatment of teeth with apical periodontitis: single vs. multivisit treatment. *J Endod* 1999; 25:345-50.

26. Vizgirda P, Liewehr F, Patton W, McPherson J, Buxton T. A comparison of laterally condensed gutta-percha, thermoplasticized gutta-percha and mineral trioxide aggregate as root canal filling materials. *J Endod* 2004;30:103–6.