

Ausgabe: KN 10-2018, S. 1ff.

Thema: Was treibt Verlustraten von Miniimplantaten in die Höhe?

Autoren: Prof. Dr. Sebastian Baumgärtel

Literatur

1. Damon DH. Treatment of the face with biocompatible orthodontics. In: Graber TM, Vanarsdall RL, Vig KWL, editors. *Orthodontics Current Principles and Techniques*. Mosby: Elsevier; 2005. pp. 753–831.
2. Bolla E, Muratore F, Carano A, Bowman SJ. Evaluation of maxillary molar distalization with the *distal jet*: a comparison with other contemporary methods. *Angle Orthod*. 2002;72(5):481-94.
3. Cattaneo PM, Treccani M, Carlsson K, Thorgeirsson T, Myrda A, Cevidane LH, Melsen B. Transversal maxillary dento-alveolar changes in patients treated with active and passive self-ligating brackets: a randomized clinical trial using CBCT-scans and digital models. *Orthod Craniofac Res*. 2011;14(4):222-33.
4. Chiu PP, McNamara JA Jr, Franchi L. A comparison of two intraoral molar distalization appliances: *distal jet* versus pendulum. *Am J Orthod Dentofacial Orthop*. 2005;128(3):353-65.
5. Dalstra M, Cattaneo PM, Melsen B. Load transfer of miniscrews for orthodontic anchorage. *Orthodontics* 2004;1:53-62.
6. Baumgaertel S. Predrilling of the implant site: is it necessary for orthodontic mini-implants? *Am J Orthod Dentofacial Orthop* 2010;137:825-9.
7. Miyamoto I, Tsuboi Y, Wada E, Suwa H, Iizuka T. Influence of cortical bone thickness and implant length on implant stability at the time of surgery—clinical, prospective, biomechanical, and imaging study. *Bone* 2005;37:776-80.
8. Wilmes B, Ottenstreuer S, Su YY, Drescher D. Impact of implant design on primary stability of orthodontic mini-implants. *J Orofac Orthop*. 2008 Jan;69(1):42-50.
9. Lee NK, Baek SH. Effects of the diameter and *shape* of orthodontic mini-implants on microdamage to the cortical bone. *Am J Orthod Dentofacial Orthop*. 2010;138(1):8.
10. Ueda M, Matsuka M, Jacobsson M, Tjellström A. Relationship between insertion torque and removal torque analyzed in fresh temporal bone. *Int J Oral Maxillofac Implants*. 1991;6(4):442-7.
11. Wilmes B, Rademacher C, Olthoff G, Drescher D. Parameters affecting primary stability of orthodontic mini-implants. *J Orofac Orthop*. 2006;67(3):162-74.
12. Motoyoshi M, Hirabayashi M, Uemura M, Shimizu N. Recommended placement torque when tightening an orthodontic mini-implant. *Clin Oral Implants Res* 2006;17:109-14.
13. Di Leonardo B, Ludwig B, Lisson JA, Contardo L, Mura R, Hourfar J. Insertion torque values and success rates for paramedian insertion of orthodontic mini-implants : A retrospective study. *J Orofac Orthop*. 2018;79(2):109-115.
14. Kuroda S, Yamada K, Deguchi T, Hashimoto T, Kyung HM, Takano-Yamamoto T. Root proximity is a major factor for screw failure in orthodontic anchorage. *Am J Orthod Dentofacial Orthop*. 2007;131(4 Suppl):S68-73.
15. Asscherickx K, Vande Vannet B, Wehrbein H, Sabzevar MM. Success rate of miniscrews relative to their position to adjacent roots. *Eur J Orthod*. 2008;30(4):330-5.

16. Baumgaertel S, Hans MG. Buccal cortical bone thickness for mini-implant placement. *Am J Orthod Dentofacial Orthop.* 2009;136(2):230-5.
17. Garfinkle JS, Cunningham LL Jr, Beeman CS, Kluemper GT, Hicks EP, Kim MO. Evaluation of orthodontic mini-implant anchorage in premolar extraction therapy in adolescents. *Am J Orthod Dentofacial Orthop.* 2008;133(5):642-53.
18. Hourfar J, Bister D, Kanavakis G, Lisson JA, Ludwig B. Influence of interradicular and palatal placement of orthodontic mini-implants on the success (survival) rate. *Head Face Med.* 2017;14;13(1):14.
19. Baumgaertel S. Quantitative investigation of palatal bone depth and cortical bone thickness for mini-implant insertion in adults. *Am J Orthod Dentofacial Orthop.* 2009; 136(1):104-8.