

Ausgabe: ZWP Spezial 10/18 „Knochen- und Geweberegeneration“

Thema: Knochenersatzmaterial für die gesteuerte Knochen- sowie Weichgeweberegeneration

Literatur

1. Ho-Nam Park , Sang Hyuk Han, Kyoung-Hwa Kim, Sang-Chul Lee, Yoon-Jeong Park, Sang-Hoon Lee, et.al. A study on the safety and efficacy of bovine bone-derived bone graft material (OCS-B). J Korean Acad Periodontol. 2005 Jun;35(2):335-343
2. Data on file Nobel Biocare
3. Jun-Beom Park , You-Jeong Hwang , Yang-Jo Seol , Yong-Moo Lee , Tae-II Kim, Young Ku, et.al. Maxillary sinus floor augmentation using deproteinized bovine bone-derived bone graft material (OCS-B). Clinical and histologic findings in human. The Journal of the Korean Dental Association. 2007; 45(8): 491-499
4. Wessing B, Emmerich M, Bozkurt A. Horizontal ridge augmentation with a novel resorbable collagen membrane: a retrospective analysis of 36 consecutive patients. Int J Periodontics Restorative Dent 2016;36(2):179-187
5. Aleksic Z, Milinkovic I, Lazic Z, et al. A multicenter clinical investigation demonstrates bone regeneration in severe horizontal defects in the posterior mandible using creos xenoprotect: interim results [PR546]. J Clin Periodontol 2018;45(S19):306 [poster presentation]
6. Wessing B, Urban I, Montero E, et al. A multicenter randomized controlled clinical trial using a new resorbable non-cross-linked collagen membrane for guided bone regeneration at dehiscenced single implant sites: interim results of a bone augmentation procedure. Clin Oral Implants Res 2017;28(11): e218-e226
7. Arrighi I, Wessing B, Rieben A, De Haller E. Resorbable Collagen Membranes Expansion In Vitro. J. Dent. Res 93 (Spec Iss B):#631, 2014.