

Ausgabe: ZWP Spezial 11/18 „Prävention und Mundhygiene“

Thema: Aktuelle Kariesprävalenz und Perspektiven zur Kariesprävention bei Kindern

Autoren: Dr. Julian Schmoeckel, ZA Roger Basner, Dr. Elisabeth Schüler, Dr. Ruth M. Santamaría, Prof. Dr. Christian H. Splieth

Literatur

Anderson CA, Curzon ME, Van Loveren C, Tatsi C, Duggal MS. Sucrose and dental caries: a review of the evidence. *Obes Rev.* 2009 Mar;10 Suppl 1:41-54.

Brandenburger Kinderzähne. <http://www.brandenburger-kinderzaehne.de/4-Saeulen-der-Kariesprophylaxe.499.0.html> gesehen 15. Januar 2018

Bratthall D, Hänsel-Petersson G, Sundberg H. Reasons for the caries decline: what do the experts believe? *Eur J Oral Sci.* 1996;104 (4(Pt 2)):416-22; discussion 423-5, 430-2

Brunner-Strepp B: Intensive fluoridation in group prevention programs, a long term observation. *Community Dent Health* 2001;18:199.

Cooper AM, O'Malley LA, Elison SN, Armstrong R, Burnside G, Adair P, Dugdill L, Pine C. Primary school-based behavioural interventions for preventing caries. *Cochrane Database Syst Rev* 2013;31:cd009378.

DAJ (Deutsche Arbeitsgemeinschaft für Jugendzahnpflege): Frühkindliche Karies: zentrale Inhalte der Gruppenprophylaxe für unter 3-jährige Kinder. Bonn 2016. http://www.daj.de/fileadmin/user_upload/PDF_Downloads/PM_Empfehlungen_Expertise_2016/Longversion_DAJ_Empf_Expertise_2016.pdf

de Silva AM, Hegde S, Akudo Nwagbara B, Calache H, Gussy MG, Nasser M, Morrice HR, Riggs E, Leong PM, Meyenn LK, Yousefi-Nooraie R. Community-based population-level interventions for promoting child oral health. *Cochrane Database Syst Rev.* 2016;15;9:CD009837.

EAPD (European Academy of Paediatric Dentistry): Guidelines on the use of fluoride in children: an EAPD policy document. *Eur Arch Paediatr Dent.* 2009;10:129-35.

Heilmann A, Sheiham A, Watt RG, Jordan RA. Common Risk Factor Approach – Ein integrierter bevölkerungsbezogener und evidenzbasierter Ansatz zum Ausgleich sozialer Ungleichheiten in der Mundgesundheit. IDZ, Köln 2016.

IDZ (Institut der Deutschen Zahnärzte): Fünfte Deutsche Mundgesundheitsstudie – DMS V. Köln 2016.

Kay EJ, Locker D: A systematic review of the effectiveness of health promoting aimed at improving oral health. *Community Dent Health.* 1998;15:132-144.

Koch G, Lindhe J: The state of the gingivae and caries increment in school children during and after withdrawal of various prophylactic measures. In: McHugh W D (Hrsg.). *Dental Plaque.* Livingstone, S. 271–281. Edinburgh 1970.

KZBV (Kassenzahnärztliche Bundesvereinigung) & Bundeszahnärztekammer (BZÄK): ECC Ratgeber 2016. Praktischer Ratgeber für die zahnärztliche Praxis. https://www.kzv-bremen.de/downloads/ecc-ratgeber_2016.pdf.

Marinho VC: Cochrane reviews of randomized trials of fluoride therapies for preventing dental caries. *Eur Arch Paediatr Dent.* 2009;10:183-91.

Marinho VCC, Worthington HV, Walsh T, Chong LY. Fluoride gels for preventing dental caries in children and adolescents. *Cochrane Database of Systematic Reviews* 2015, Issue 6. Art. No.: CD002280. DOI: 10.1002/14651858.CD002280.pub2.

- Masood M, Masood Y, Newton T. Impact of national income and inequality on sugar and caries relationship. *Caries Res.* 2012;46(6):581-8.
- Pieper K. *Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2009.* Bonn 2010.
- Public Health England. *Delivering better oral health: an evidence-based toolkit for prevention.* https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/605266/Delivering_better_oral_health.pdf. London 2017.
- Sälzer S, Alkilzy M, Slot DE, Dörfer CE, Schmoeckel J, Splieth CH: Socio-behavioural aspects in the prevention and control of dental caries and periodontal diseases at an individual and population level. *J Clin Periodontol.* 2017;44:106-115.
- Schüler E, Splieth CH: *Zahnärztlicher Gesundheitsbericht 2015.* Greifswald
- Schwendicke F, Dörfer CE, Schlattmann P, Foster Page L, Thomson WM, Paris S: Socioeconomic Inequality and Caries: A Systematic Review and Meta-Analysis. *J Dent Res.* 2015;94:10-18.
- Splieth C, Meyer G. Factors for changes of caries prevalence among adolescents in Germany. *Eur J Oral Sci.* 1996;104:444-51.
- Splieth Ch, Schwahn Ch, Hölzel C, Nourallah A, Pine C: Prävention nach Maß? Mundhygienegewohnheiten bei 3-4jährigen Kindern mit und ohne kariöse Defekte. *Oralprophylaxe.* 2004;26:106-109.
- Statista. <https://de.statista.com/statistik/daten/studie/175483/umfrage/pro-kopf-verbrauch-von-zucker-in-deutschland/>. (Eingesehen Jan 2018)
- Team DAJ. *Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2016.* Bonn 2017.
- Trummler A, Weiss V: DMFT scores in 12 year old school children in the city of St. Gallen. *Oralprophylaxe.* 2000;22:206-208.
- Wagner Y, Heinrich-Weltzien R. Evaluation of a regional German interdisciplinary oral health programme for children from birth to 5 years of age. *Clin Oral Investig.* 2017;21:225-235.
- Walsh T, Worthington HV, Glenny AM, Appelbe P, Marinho VC, Shi X. Fluoride toothpastes of different concentrations for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev.* 2010 Jan 20;(1):CD007868.
- Watt RG, Sheiham A. Integrating the common risk factor approach into a social determinants framework. *Community Dent Oral Epidemiol.* 2012;40:289-96.
- Wong MCM, Clarkson J, Glenny AM, Lo ECM, Marinho VCC, Tsang BWK, Walsh T, Worthington HV: *Cochrane Reviews on the Benefits/Risks of Fluoride Toothpastes.* *J Dent Res.* 2011;90:573-579.