

Literaturliste

Jahrbuch Digitale Dentale Technologien 2019

Laborgefertigte Einzelkronen im digitalen Workflow

Autoren: Priv.-Doz. Dr. Sven Rinke, M.Sc., M.Sc., ZA Holger Ziebolz

- [1] Ting-Shu S, Jian S. Intraoral Digital Impression Technique: A Review. *J Prosthodont.* 2015 Jun;24(4):313-321.
- [2] Seelbach P, Brueckel C, Wöstmann B: Accuracy of digital conventional impression techniques and workflow. *Clin Oral Investig* 2013; 17: 1759-1764.
- [3] Papaspyridakos P, Chen CJ, Gallucci GO, Doukoudakis A, Weber HP, Chronopoulos V. Accuracy of implant impressions for partially and completely edentulous patients: a systematic review. *Int J Oral Maxillofac Implants.* 2014 Jul-Aug;29(4):836-845.
- [4]: Ahlholm P, Sipilä K, Vallittu P, Jakonen M, Kotiranta U. Digital Versus Conventional Impressions in Fixed Prosthodontics: A Review. *J Prosthodont.* 2016 Aug 2. doi:10.1111/jopr.12527. [Epub ahead of print]
- [5] Rauch A, Reich S, Schierz O. Chair-side generated posterior monolithic lithium disilicate crowns: clinical survival after 6 years. *Clin Oral Investig.* 2017 Jul;21(6):2083-2089.
- [6] Saavedra GSFA, Rodrigues FP, Bottino MA. Zirconia-Reinforced Lithium Silicate Ceramic - A 2-Year Follow-up of a Clinical Experience with Anterior Crowns. *Eur J Prosthodont Restor Dent.* 2017 Mar;25(1):57-63.
- [7]: Moscovitch M. Consecutive case series of monolithic and minimally veneered zirconia restorations on teeth and implants: up to 68 months. *Int J Periodontics Restorative Dent.* 2015 May-Jun;35(3):315-323.
- [8] Bömicke W, Rammelsberg P, Stober T, Schmitter M. Short-Term Prospective Clinical Evaluation of Monolithic and Partially Veneered Zirconia Single Crowns. *J Esthet Restor Dent.* 2017 Feb;29(1):22-30.
- [9] Gherlone E, Mandelli F, Cappare P, Pantaleo G, Traini T, Ferrini F. A 3 years retrospective study of survival for zirconia-based single crowns fabricated from intraoral digital impressions. *J Dent.* 2014 Sep;42(9):1151-1155.
- [10] Selz CF, Bogler J, Vach K, Strub JR, Guess PC. Veneered anatomically designed zirconia FDPs resulting from digital intraoral scans: Preliminary results of a prospective clinical study. *J Dent.* 2015 Dec;43(12):1428-1435.
- [11] Rinke S, Kramer K, Bürgers R, Roediger M. A practice-based clinical evaluation of the survival and success of metal-ceramic and zirconia molar crowns: 5-year results. *J Oral Rehabil.* 2016 Feb;43(2):136-144.
- [12] Chirumamilla G, Goldstein CE, Lawson NC. A 2-year Retrospective Clinical study of Enamic Crowns Performed in a Private Practice Setting. *J Esthet Restor Dent.* 2016 Jul;28(4):231-237.

[13] Zaruba M, Mehl A. Chairside systems: a current review. *Int J Comput Dent*. 2017;20(2):123-149.

[14] Ender A, Mehl A: Influence of scanning strategies on the accuracy of digital intraoral scanning systems. *Int J Comput Dent* 2013;16:11-21.

[15] Ender A, Mehl A: In-vitro evaluation of the accuracy of conventional and digital methods of obtaining full-arch dental impression. *Quintessence Int* 2015;46: 9-17.