

Literaturliste

Neue Möglichkeiten für die Implantattherapie im atrophierten Kiefer?

Dr. Eva Dulger, Dr. Angela Bergmann, Pantelis Petrakakis, Dr. Fred Bergmann

Implantologie Journal 8/2011

- [1] McGrath, C.Bedi, R.: Severe tooth loss among UK adults – who goes for oral rehabilitation? *J Oral Rehabil.* 29(240-244 (2002)
- [2] Wintermantel, E., Shah-Derler, B., Bruinink, A., et al.: *Medizintechnik Life Science Engineering*. Springer Verlag Berlin-Heidelberg 2008
- [3] Schmidmaier, G.Wildemann, B.: Biologische und physiologische Grundlagen. In Gradinger, R.Gollwitzer, H. (Hrsg): *Ossäre Integration*. Springer Medizin Verlag, Heidelberg 2006, 25-29
- [4] Marx, R.: Platelet-rich plasma: evidence to support its use. *J Oral Maxillofac Surg.* 62(489-496 (2004)
- [5] Marx, R.E.: What is PRP and what is not PRP? *Implant Dent.* 10(225-228 (2001)
- [6] Nikolidakis, D.Jansen, J.A.: The biology of platelet-rich plasma and its application in oral surgery: literature review. *Tissue Eng Part B Rev.* 14(249-258 (2008)
- [7] Lind, M.: Growth factor stimulation of bone healing. Effects on osteoblasts, osteomes, and implants fixation. *Acta Orthop Scand Suppl.* 283(2-37 (1998)
- [8] Nakagawa, M., Kaneda, T., Arakawa, T., et al.: Vascular endothelial growth factor (VEGF) directly enhances osteoclastic bone resorption and survival of mature osteoclasts. *FEBS Lett.* 473(2): 161-164 (2000)
- [9] Meraw, S.J., Reeve, C.M., Lohse, C.M., et al.: Treatment of peri-implant defects with combination growth factor cement. *Journal of periodontology.* 71(1): 8-13 (2000)
- [10] Weibrich, G., Buch, R., Weibrich, T., et al.: Das PRGF-System nach Anitua zur Anreicherung von Thrombozyten und Wachstumsfaktoren im Plasma -Methodenvorstellung und Pilotstudie-. *Z Zahnärztl Implantol.* 18(2): 84-89 (2002)
- [11] Anitua, E.: Plasma rich in growth factors: preliminary results of use in the preparation of future sites for implants. *Int J Oral Maxillofac Impl.* 14(529-535. (1999)
- [12] Anitua, E.: The use of plasma rich growth factors in oral surgery. *Pract Proced Aesthet Dent.* 13(487-493. (2001)
- [13] Chiapasco, M., Casentini, P.Zaniboni, M.: Bone augmentation procedures in implant dentistry. *Int J Oral Maxillofac Implants.* 24 Suppl(237-259 (2009)
- [14] Ewers, R., Goriwoda, W., Schopper, C., et al.: Histologic findings at augmented bone areas supplied with two different bone substitute materials combined with sinus floor lifting. Report of one case. *Clin Oral Implants Res.* 15(96-100 (2004)
- [15] Reichert, P., Hausamen, J., Becker, J., et al.: *Curriculum Zahnärztliche Chirurgie*. Quintessenz Verlag, Berlin, Chicago, London, Tokio 2002

- [16] Ewers, R.: Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg.* 63(1712-1723 (2005)
- [17] Gehrke, P.: Mechanismen der knöchernen Integration: Biotechnologie für eine beschleunigte Osteogenese. *Implantologie Journal.* 8(14-19 (2004)
- [18] Intini, G.: The use of platelet-rich plasma in bone reconstruction therapy. *Biomaterials.* 30(4956-4966 (2009)
- [19] Davies, J.E.: Understanding peri-implant endosseous healing. *Journal of dental education.* 67(8): 932-949 (2003)
- [20] Davies, J.E.: Mechanisms of endosseous integration. *Int J Prosthodont.* 11(5): 391-401 (1998)
- [21] Shalabi, M., Gortemaker, A., Van't Hof, M., et al.: Implant surface roughness and bone healing: a systematic review. *J Dent Res.* 85(496-500 (2006)
- [22] Hsu, S., Liu, B., Lin, W., et al.: Characterization and biocompatibility of a titanium dental implant with a laser irradiated and dual-acid etched surface. *Biomed Mater Eng.* 17(53-68 (2007)
- [23] Monsees, T., Heidel, K.Funk, R.: Einfluss von Nanostrukturierung und Oberflächenladung auf die Bioaktivität. In Peters, K.König, D. (Hrsg): *Fortbildung Osteologie* 2. Steinkopff Verlag, 2008, 105-110
- [24] Rupp, F., Scheideler, L., Rehbein, D., et al.: Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *J Biomaterials.* 25(1429-1438 (2004)
- [25] Park, J., Jang, J., Lee, C., et al.: Osteoconductivity of hydrophilic microstructured titanium implants with phosphate ion chemistry. *Acta Biomater.* 5(2311-2321 (2009)
- [26] Park, J.W., Kim, H.K., Kim, Y.J., et al.: Enhanced osteoconductivity of micro-structured titanium implants (XiVE S CELLplus) by addition of surface calcium chemistry: a histomorphometric study in the rabbit femur. *Clin Oral Implants Res.* 20(7): 684-690 (2009)
- [27] Degidi, M., Daprise, G.Piattelli, A.: Primary stability determination by means of insertion torque and RFA in a sample of 4135 implants. *Clin Implant Dent Relat Res.* (2010)
- [28] Gehrke, P., Dhom, G., Brunner, J., et al.: Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. *Quintessence Int.* 37(19-26 (2006)