

References

Creating **unique smiles** with the **Z1** implant system

Interview with Julien Benhamou, CEO of TBR Dental

implants – international magazine of oral implantology, 1/19

1. Weber HP, Cochran DL. The soft tissue response to osseointegrated dental implants. *J Prosthet Dent* 1998;79: 79-89.
2. Cochran DL. The scientific basis for and clinical experiences with Straumann implants including the ITI Dental Implant System: a consensus report. *Clin Oral Implants Res* 2000; 11 Suppl: 33-58.
3. Cochran DL, Hermann JS, Schenk RK, Higginbottom FL, Buser D. Biologic width around titanium implants. A histometric analysis of the implanta- gingival junction around unloaded and loaded nonsubmerged implants in the canine mandible. *J Periodontol* 1997; 68: 186_98.
4. Hermann JS, Buser D, Schenk RK, Schoolfield JD, Cochran DL. Biologic Width around one- and two-piece titanium implants. *Clin Oral Implants Res* 2001: 12: 559-71
5. Maltagliati A., Reduction of Bacterial Proliferation by Zirconium Collar in Dental Implants, Annual Research & Review in Biology, 2018
6. Maltagliati A., Sergiampietri D., Ottonelloe A., Role of the zirconium collar in the management of peri-implantitis: case report, 2016
7. Tetè et al., Collagen fiber orientation around machined titanium and zirconia dental implant necks : an animal study. *JOMI* 2009; 24
8. Bianchi, A.E et al. In vitro and In Vivo Follow-up of titanium transmucosal implant with zirconia collar. *JABB Vol2, Number 3, 2004*
9. Rimondini L. et al., Bacterial Colonization of Zirconia Ceramic Surfaces: An In vitro and In Vivo Study. *JOMI* 2002; 17, 6
10. Brogini N, McManus LM, Hermann JS, Medina R, Schenk RK, Buser D, Cochran DL. Peri-implant inflammation defined by the implant-abutment interface. *J Dent Res* 2006; 85: 473-8.