

## LITERATUR

**Ausgabe:** Jahrbuch Implantologie 2019

**Thema:** Risikoabwägung bei der Sofort- und Spätimplantation im Frontzahnbereich

**Autoren:** Priv.-Doz. Dr. med. dent. habil Christian Mehl, Dr. med. dent. Teresa Englbrecht

---

1. den Hartog, L., et al., Treatment outcome of immediate, early and conventional single-tooth implants in the aesthetic zone: a systematic review to survival, bone level, soft-tissue, aesthetics and patient satisfaction. *J Clin Periodontol*, 2008. 35(12): p. 1073-86.
2. Slagter, K.W., et al., Immediate placement of dental implants in the esthetic zone: a systematic review and pooled analysis. *J Periodontol*, 2014. 85(7): p. e241-50.
3. Weigl, P. and A. Strangio, The impact of immediately placed and restored single-tooth implants on hard and soft tissues in the anterior maxilla. *Eur J Oral Implantol*, 2016. 9 Suppl 1: p. S89-106.
4. Davis, L.G., P.D. Ashworth, and L.S. Spriggs, Psychological effects of aesthetic dental treatment. *J Dent*, 1998. 26(7): p. 547-54.
5. Mehl, C., et al., Does the Oral Health Impact Profile questionnaire measure dental appearance? *Int J Prosthodont*, 2009. 22(1): p. 87-93.
6. Mehl C, H.S., Feste dritte Zähne“ an einem Tag – ein Fallbericht. *ZMK* 2015. 31.
7. De Rouck, T., K. Collys, and J. Cosyn, Single-tooth replacement in the anterior maxilla by means of immediate implantation and provisionalization: a review. *Int J Oral Maxillofac Implants*, 2008. 23(5): p. 897-904.
8. Tonetti, M.S., C.H. Hammerle, and C. European Workshop on Periodontology Group, Advances in bone augmentation to enable dental implant placement: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol*, 2008. 35(8 Suppl): p. 168-72.
9. Chen, J., et al., Influence of custom-made implant designs on the biomechanical performance for the case of immediate post-extraction placement in the maxillary esthetic zone: a finite element analysis. *Comput Methods Biomech Biomed Engin*, 2017: p. 1-9.

10. Chu, C.M., et al., Influences of internal tapered abutment designs on bone stresses around a dental implant: three-dimensional finite element method with statistical evaluation. *J Periodontol*, 2012. 83(1): p. 111-8.
11. Shin, S.Y. and D.H. Han, Influence of a microgrooved collar design on soft and hard tissue healing of immediate implantation in fresh extraction sites in dogs. *Clin Oral Implants Res*, 2010. 21(8): p. 804-14.
12. Brown, S.D. and A.G. Payne, Immediately restored single implants in the aesthetic zone of the maxilla using a novel design: 1-year report. *Clin Oral Implants Res*, 2011. 22(4): p. 445-54.
13. Hof, M., et al., Does Timing of Implant Placement Affect Implant Therapy Outcome in the Aesthetic Zone? A Clinical, Radiological, Aesthetic, and Patient-Based Evaluation. *Clin Implant Dent Relat Res*, 2015. 17(6): p. 1188-99.
14. Norton, M.R., The influence of insertion torque on the survival of immediately placed and restored single-tooth implants. *Int J Oral Maxillofac Implants*, 2011. 26(6): p. 1333-43.
15. Becker, C.M., T.G. Wilson, Jr., and O.T. Jensen, Minimum criteria for immediate provisionalization of single-tooth dental implants in extraction sites: a 1-year retrospective study of 100 consecutive cases. *J Oral Maxillofac Surg*, 2011. 69(2): p. 491-7.
16. Fugazzotto, P., A retrospective analysis of immediately placed implants in 418 sites exhibiting periapical pathology: results and clinical considerations. *Int J Oral Maxillofac Implants*, 2012. 27(1): p. 194-202.
17. Bell, C.L., et al., The immediate placement of dental implants into extraction sites with periapical lesions: a retrospective chart review. *J Oral Maxillofac Surg*, 2011. 69(6): p. 1623-7.
18. Atieh, M.A., et al., Immediate restoration/loading of immediately placed single implants: is it an effective bimodal approach? *Clin Oral Implants Res*, 2009. 20(7): p. 645-59.
19. Sammartino, G., et al., Aesthetics in oral implantology: biological, clinical, surgical, and prosthetic aspects. *Implant Dent*, 2007. 16(1): p. 54-65.
20. Hartmann, H.J. and A. Steup, Implant-supported anterior tooth restoration. *Keio J Med*, 2006. 55(1): p. 23-8.
21. Tarnow, D.P. and S.J. Chu, Human histologic verification of osseointegration of an immediate implant placed into a fresh extraction socket with excessive gap distance without primary flap closure, graft, or membrane: a case report. *Int J Periodontics Restorative Dent*, 2011. 31(5): p. 515-21.

22. Mehl, C., et al., Can one-wall bone defects be augmented with xenogenic bone grafting material alone? *J Craniomaxillofac Surg*, 2016. 44(9): p. 1137-42.
23. Sanz, M., et al., , A prospective, randomized-controlled clinical trial to evaluate bone preservation using implants with different geometry placed into extraction sockets in the maxilla. *Clinical Oral Implants Res*, 2010. 21: p. 13-21.
24. Komiyama, A., B. Klinge, and M. Hultin, Treatment outcome of immediately loaded implants installed in edentulous jaws following computer-assisted virtual treatment planning and flapless surgery. *Clin Oral Implants Res*, 2008. 19(7): p. 677-85.
25. Klein, M.O., E. Schiegnitz, and B. Al-Nawas, Systematic review on success of narrow-diameter dental implants. *Int J Oral Maxillofac Implants*, 2014. 29 Suppl: p. 43-54.
26. Tarnow, D.P., S.C. Cho, and S.S. Wallace, The effect of inter-implant distance on the height of inter-implant bone crest. *J Periodontol*, 2000. 71(4): p. 546-9.
27. Baggi, L., et al., The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent*, 2008. 100(6): p. 422-31.
28. Bourauel, C., et al., Biomechanical finite element analysis of small diameter and short dental implants: extensive study of commercial implants. *Biomed Tech (Berl)*, 2012. 57(1): p. 21-32.