

LITERATUR

Ausgabe: Implantologie Journal 6/19

Thema: Patientenspezifische Knochenaugmentationen
Individualisierte CAD/CAM-Titanmesh

Autoren: Dr. med. Dr. med. dent. Eik Schiegnitz,
Priv.-Doz. Dr. med. Dr. med. dent. Keyvan Sagheb

1. Troeltzsch M, Troeltzsch M, Kauffmann P, Gruber R, Brockmeyer P, Moser N, et al. Clinical efficacy of grafting materials in alveolar ridge augmentation: A systematic review. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2016;44(10):1618-29.

2. Artzi Z, Dayan D, Alpern Y, Nemcovsky CE. Vertical ridge augmentation using xenogenic material supported by a configured titanium mesh: clinicohistopathologic and histochemical study. The International journal of oral & maxillofacial implants. 2003;18(3):440-6.

3. Rocuzzo M, Savoini M, Dalmaso P, Ramieri G. Long-term outcomes of implants placed after vertical alveolar ridge augmentation in partially edentulous patients: a 10-year prospective clinical study. Clinical oral implants research. 2017;28(10):1204-10.

4. Canullo L, Malagnino VA. Vertical ridge augmentation around implants by e-PTFE titanium-reinforced membrane and bovine bone matrix: a 24- to 54-month study of 10 consecutive cases. The International journal of oral & maxillofacial implants. 2008;23(5):858-66.

5. Chiapasco M, Romeo E, Casentini P, Rimondini L. Alveolar distraction osteogenesis vs. vertical guided bone regeneration for the correction of vertically deficient edentulous ridges: a 1-3-year prospective study on humans. Clinical oral implants research. 2004;15(1):82-95.

6. Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: resorbable barriers supported by osteosynthesis plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. The International journal of oral & maxillofacial implants. 2007;22(3):373-82.

7. Milinkovic I, Cordaro L. Are there specific indications for the different alveolar bone augmentation procedures for implant placement? A systematic review. International journal of oral and maxillofacial surgery. 2014;43(5):606-25.

8. Urban IAs, Montero E, Monje A, Sanz-Sanchez I. Effectiveness of vertical ridge augmentation interventions. A systematic review and meta-analysis. Journal of clinical periodontology. 2019.

9.Boyne PJ. Restoration of osseous defects in maxillofacial casualties. Journal of the American Dental Association. 1969;78(4):767-76.

10.Boyne PJ, Cole MD, Stringer D, Shafqat JP. A technique for osseous restoration of deficient edentulous maxillary ridges. Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons. 1985;43(2):87-91.

11.Gongloff RK, Cole M, Whitlow W, Boyne PJ. Titanium mesh and particulate cancellous bone and marrow grafts to augment the maxillary alveolar ridge. International journal of oral and maxillofacial surgery. 1986;15(3):263-8.

12.von Arx T, Hardt N, Walkamm B. The TIME technique: a new method for localized alveolar ridge augmentation prior to placement of dental implants. The International journal of oral & maxillofacial implants. 1996;11(3):387-94.

13.von Arx T, Kurt B. Implant placement and simultaneous peri-implant bone grafting using a micro titanium mesh for graft stabilization. The International journal of periodontics & restorative dentistry. 1998;18(2):117-27.

14.von Arx T, Kurt B. Implant placement and simultaneous ridge augmentation using autogenous bone and a micro titanium mesh: a prospective clinical study with 20 implants. Clinical oral implants research. 1999;10(1):24-33.

15.Ciocca L, Ragazzini S, Fantini M, Corinaldesi G, Scotti R. Work flow for the prosthetic rehabilitation of atrophic patients with a minimal-intervention CAD/CAM approach. The Journal of prosthetic dentistry. 2015;114(1):22-6.

16.Sumida T, Otawa N, Kamata YU, Kamakura S, Mtsushita T, Kitagaki H, et al. Custom-made titanium devices as membranes for bone augmentation in implant treatment: Clinical application and the comparison with conventional titanium mesh. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2015;43(10):2183-8.

17.Sagheb K, Schiegnitz E, Moergel M, Walter C, Al-Nawas B, Wagner W. Clinical outcome of alveolar ridge augmentation with individualized CAD-CAM-produced titanium mesh. Int J Implant Dent. 2017;3(1):36.

18.Seiler M, Peetz M, Hartmann A, Witkowski R. Individualized CAD/CAM-produced titanium scaffolds for alveolar bone augmentation:
A retrospective analysis of dehiscence events in relation to demographic and surgical parameters. J Oral Science Rehabilitation. 2018;4(1):38–46.