

References

Guided implant placement in the anterior zone

A clinically novel technique

Drs Burzin Khan & Purvi Bhargava (co-author), India

implants – international magazine of oral implantology, 2/19

1. Del Fabbro M, Ceresoli V, Taschieri S, et al: Immediate loading of postextraction implants in the esthetic area: Systematic review of the literature. Clin Implant Dent Relat Res 2015; 17:52-70.
2. www.bredent.com.
3. Murray PE, García-Godoy C, García-Godoy F: How is the biocompatibility of dental biomaterials evaluated? Med Oral Patol Oral Cir Bucal 2007; 12:258-66.
4. Sanchez de Val JM et al: Peri-implant tissues behavior around non-titanium material. Experimental study in dogs. EAO congress 2016, poster presentation.
5. Tarnow DP, Magner AW, Fletcher P: The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. J Periodontol 1992; 63:995-6.
6. Hultin M, Svensson KG, Trulsson M.: Clinical advantages of computer-guided implant placement: A systematic review. Clin. Oral Implants Res. 2012; 23:124–135.
7. Van Assche N, van Steenberghe D, Quirynen M, Jacobs R. Accuracy assessment of computer-assisted flapless implant placement in partial edentulism. J Clin Periodontol 2010; 37: 398–403.
8. Eduardo Anitua et al: Long-Term Outcomes of Immediate Implant Placement Onto Infected Sockets in Association With Immediate Loading A retrospective Cohort Study. Journal of Periodontology 2016; 87: 1135-1140.
9. Noveas AB et al: Antimicrobial Photo-dynamic therapy as substitute for antibiotics in immediate implant placement following ligature induce-periodontitis. EuroPerio 2018, poster presentation.
10. Gallucci O et al: Consensus Statements and Clinical Recommendations for Implant Loading Protocols. Int J Oral Maxillofac Implants 2014; 29: 287-290.
11. Canullo L, Bignozzi I, Cocchetto R, Cristalli MP, Iannello G. Immediate positioning of a definitive abutment versus repeated abutment replacements in post-extractive implants: 3-year follow-up of a randomised multicentre clinical trial. Eur J Oral Implantol 2010; 3:285-296.
12. Santos, Silva J et al: One Abutment at One Time Concept for Platform-Switched Morse Implants: Systematic Review and Meta-Analysis. Braz Dent J 2018; 29:7-13.

13. Syrek A et al: Clinical evaluation of all-ceramic crowns fabricated from intraoral digital impressions based on the principle of active wavefront sampling. J Dent 2010; 38:553-9.