

References

Photoacoustic cavitation effects in oral surgery

A minimally invasive approach to preserve tissue and promote healing

Dr Evgeniy Mironov, Bulgaria

1. Hibst R., Keller U., Experimental Studies of the Application of the Er:YAG Laser on Dental Hard Substances: 1. Measurement of the Ablation Rate. *Lasers in Surgery and Medicine* 9:338-344 (1989).
2. Pourzarandian A, et al. Histological and TEM Examination of early stages of bone healing after Er:YAG Laser Irradiation. *Photomedicine and Laser surgery* Vol22,N4, 2004,342-350.
3. Nelson J., Orenstein A., Liaw L., Berns M. Mid-Infrared Erbium:YAG Laser Ablation of Bone: The Effect of Laser Osteotomy on Bone Healing. *Lasers in Surg. and Med.* 9:362-374(1989).
4. Aleksic V., Aoki A., Iwasaki K., Takasaki A., Wang C., Abiko Y., Ishikawa I., Izumi Y. Low-level Er:YAG laser irradiation enhances osteoblast proliferation through activation of MAPK/ERK. *Laser Med Sci* 25: 559-569 (2010).
5. Matsumoto H., Yoshimine Y., Akamine A. Visualization of Irrigant Flow and Cavitation Induced by Er:YAG Laser within a Root Canal Model. *Journal of Endodontics* vol 37, issue 6, June 2011, 839-843.
6. Blanken J.,Verdaasdonk R. Cavitation as a Working Mechanism of the Er,Cr:YSGG Laser in Endodontics : A Visualization Study. *J Oral Laser Applications* 2007;7:97-106.
7. Olivi G., DiVito E. Photoacoustic Endodontics Using PIPS: experimental background and clinical protocol. *Journal of the Laser and Health Academy* vol. 2012, No1.