

Toxikologie von Zahnkunststoff-Materialien – was darf ich verwenden?

Univ.-Prof. Dr. Dr. Franz-Xaver Reichl.

Literatur:

Alanko K, Kanerva L, Jolanki R, Kannas L, Estlander T. Oral mucosal diseases investigated by patch testing with a dental screening series. *Contact Dermatitis*. 1996;34:263-7.

Direkte Kompositrestauration im Seitenzahnbereich – Indikation und Lebensdauer. Gemeinsame Stellungnahme der Deutschen Gesellschaft für Zahnerhaltung (DGZ) und der Deutschen Gesellschaft für Zahn- Mund und Kieferheilkunde (DGZMK). *Deutsche Zahnärztliche Zeitschrift* 60, 543-545 (2005), Deutscher Ärzte-Verlag, Köln.

Durner J, Kreppel H, Zaspel J, Schweikl H, Hickel R, Reichl FX. The toxicokinetics and distribution of 2-hydroxyethyl methacrylate in mice. *Biomaterials*. 2009;30:2066-71.

Durner J, Glasl B, Zaspel J, Kunzelmann KH, Hickel R, Reichl FX. Release of TEGDMA from composite during the chewing situation. *Dent Mater*. 2010a [Epub ahead of print].

Durner J, Spahl W, Zaspel J, Schweikl H, Hickel R, Reichl FX. Eluted substances from unpolymerized and polymerized dental restorative materials and their Nernst partition coefficient. *Dent Mater*. 2010b;26:91-9.

Durner J, Walther UI, Zaspel J, Hickel R, Reichl FX. Metabolism of TEGDMA and HEMA in human cells. *Biomaterials*. 2010c;31:818-23.

Durner J, Debiak M, Burkle A, Hickel R, Reichl FX. Induction of DNA strand breaks by dental composite components compared to X-ray exposure in human gingival fibroblasts. *Arch Toxicol*. 2010d [Epub ahead of print].

Durner J, Stojanovic M, Urcan E, Spahl W, Haertel U, Hickel R, Reichl FX (2011) Effect of hydrogen peroxide on the three-dimensional polymer network in composites. *Dental Materials*, 27(6), 573-580

Franz-Xaver R, Jurgen D, Kai K, Matthias F, Norbert K, Markus S, et al. Synergistic effects of H₂O₂ with components of dental restorative materials on gluconeogenesis in rat kidney tubules. *Biomaterials*. 2003;24:1909-16.

Goon AT, Isaksson M, Zimerson E, Goh CL, Bruze M. Contact allergy to (meth)acrylates in the dental series in southern Sweden: simultaneous positive patch test reaction patterns and possible screening allergens. *Contact Dermatitis*. 2006;55:219-26.

Guidelines for diagnostic validity. Report on the Commission for Methods and Quality Assurance in Environmental Medicine *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2008;51:1353-6.

- Hamann CP, Rodgers PA, Sullivan KM. Occupational allergens in dentistry. *Curr Opin Allergy Clin Immunol.* 2004;4:403-9.
- Kanerva L. Cross-reactions of multifunctional methacrylates and acrylates. *Acta Odontol Scand.* 2001;59:320-9.
- Kleinsasser NH, Wallner BC, Harreus UA, Kleinjung T, Folwaczny M, Hickel R, et al. Genotoxicity and cytotoxicity of dental materials in human lymphocytes as assessed by the single cell microgel electrophoresis (comet) assay. *J Dent.* 2004;32:229-34.
- Lindstrom M, Alanko K, Keskinen H, Kanerva L. Dentist's occupational asthma, rhinoconjunctivitis, and allergic contact dermatitis from methacrylates. *Allergy.* 2002;57:543-5.
- Marquardt W, Seiss M, Hickel R, Reichl FX. Volatile methacrylates in dental practices. *J Adhes Dent.* 2009;11:101-7.
- Piirila P, Hodgson U, Estlander T, Keskinen H, Saalo A, Voutilainen R, et al. Occupational respiratory hypersensitivity in dental personnel. *Int Arch Occup Environ Health.* 2002;75:209-16.
- Przybilla B, Aberer W, Bircher AJ, Brehler R, Brockow K, Dickel H, et al. Allergological approach to drug hypersensitivity reactions. *J Dtsch Dermatol Ges.* 2008;6:240-3.
- Reichl FX, Durner J, Hickel R, Kunzelmann KH, Jewett A, Wang MY, et al. Distribution and excretion of TEGDMA in guinea pigs and mice. *J Dent Res.* 2001;80:1412-5.
- Reichl FX, Durner J, Hickel R, Spahl W, Kehe K, Walther U, et al. Uptake, clearance and metabolism of TEGDMA in guinea pigs. *Dent Mater.* 2002a;18:581-9.
- Reichl FX, Durner J, Manhart J, Spahl W, Gempel K, Kehe K, et al. Biological clearance of HEMA in guinea pigs. *Biomaterials.* 2002b;23:2135-41.
- Reichl F-X, Durner J, Hickel R, Spahl W, Kehe K, Walther U, et al. Uptake, clearance and metabolism of TEGDMA in guinea pigs. *Dent Mater.* 2002c;18:581-9.
- Reichl FX, Esters M, Simon S, Seiss M, Kehe K, Kleinsasser N, et al. Cell death effects of resin-based dental material compounds and mercurials in human gingival fibroblasts. *Arch Toxicol.* 2006;80:370-7.
- Reichl FX, Seiss M, Kleinsasser N, Kehe K, Kunzelmann KH, Thomas P, et al. Distribution and excretion of BisGMA in guinea pigs. *J Dent Res.* 2008a;87:378-80.
- Reichl FX, Seiss M, Marquardt W, Kleinsasser N, Schweickl H, Kehe K, et al. Toxicity potentiation by H₂O₂ with components of dental restorative materials on human oral cells. *Arch Toxicol.* 2008b;82:21-8.

Seiss M, Nitz S, Kleinsasser N, Buters JT, Behrendt H, Hickel R, et al. Identification of 2,3-epoxymethacrylic acid as an intermediate in the metabolism of dental materials in human liver microsomes. *Dent Mater.* 2007;23:9-16.

Schwengberg S, Bohlen H, Kleinsasser N, Kehe K, Seiss M, Walther UI, et al. In vitro embryotoxicity assessment with dental restorative materials. *J Dent.* 2005;33:49-55.

Urcan E, Scherthan H, Styllou M, Haertel U, Hickel R, Reichl FX. Induction of DNA double-strand breaks in primary gingival fibroblasts by exposure to dental resin composites. *Biomaterials.* 2010;31:2010-4.