

References

Effects of **carbon dioxide** lasers on **preventing caries**

A literature review

Authors: Dr Kenneth Luk, Ollie Yiru Yu, May Lei Mei, Chun Hung Chu, Irene Shuping Zhao, China; Prof. Norbert Gutknecht, Germany

laser – international magazine of laser dentistry 1-20

1. Rodrigues LKA, dos Santos MN, Pereira D, Assaf AV, Pardi V (2004) Carbon dioxide laser in dental caries prevention. *J Dent* 32(7): 531–540
2. Selwitz RH, Ismail AI, Pitts NB (2007) Dental caries. *Lancet* 369(9555):51–59
3. Zhao IS, Mei ML, Burrow MF, Lo ECM, Chu CH (2017) Prevention of secondary caries using silver diamine fluoride treatment and casein phosphopeptide-amorphous calcium phosphate modified glass-ionomer cement. *J Dent* 57:38–44
4. Yamamoto H, Ooya K (1974) Potential of yttrium-aluminum garnet laser in caries prevention. *J Oral Pathol Med* 3(1):7–15
5. Yamamoto H, Sato K (1980) Prevention of dental caries by acousto-optically Q-switched Nd: YAG laser irradiation. *J Dent Res* 59(2):137–137
6. Westerman GH, Hicks MJ, Flaitz CM, Blankenau RJ, Powell GL, Berg JH (1994) Argon laser irradiation in root surface caries: in vitro study examines laser's effects. *J Am Dental Assoc*(1939) 125(4):401–407
7. Featherstone J, Barrett-Vespone N, Fried D, Kantorowitz Z, Seka W (1998) CO₂ laser inhibition of artificial caries-like lesion progression in dental enamel. *J Dent Res* 77(6):1397–1403
8. Kantorowitz Z, Featherstone JD, Fried D (1998) Caries prevention by CO₂ laser treatment: dependency on the number of pulses used. *J Am Dent Assoc* 129(5):585–591
9. Nammour S, Nyssen-Behets C (1992) Increased resistance to artificial caries-like lesions in dentin treated with CO₂ laser. *Caries Res* 26(3):170–175
10. Patel C (1964) Selective excitation through vibrational energy transfer and optical maser action in N₂-CO₂. *Phys Rev Lett* 13(21):617–619
11. Gao X-L, Pan J-S, Hsu C-Y (2006) Laser-fluoride effect on root demineralization. *J Dent Res* 85(10):919–923
12. Hsu C-Y, Jordan T, Dederich D, Wefel J (2001) Laser-matrix fluoride effects on enamel demineralization. *J Dent Res* 80(9): 1797–1801
13. Esteves-Oliveira M, Zezell D, Ana P, Yekta S, Lampert F, Eduardo C (2011) Dentine caries inhibition through CO₂ laser (10.6 μm) irradiation and fluoride application, in vitro. *Arch Oral Biol* 56(6): 533–539
14. Vieira K, Steiner-Oliveira C, Soares L, Rodrigues L, Nobre-dos- Santos M (2015) In vitro evaluation of enamel demineralization after several overlapping CO₂ laser applications. *Lasers Med Sci* 30(2):901–907

15. Correa-Afonso AM, Ciconne-Nogueira JC, Pécora JD, Palma-Dibb RG (2012) In vitro assessment of laser efficiency for caries prevention in pits and fissures. *Microsc Res Tech* 75(2):245–252
16. Hsu C-Y, Jordan T, Dederich D, Wefel J (2000) Effects of lowenergy CO₂ laser irradiation and the organic matrix on inhibition of enamel demineralization. *J Dent Res* 79(9):1725–1730
17. Esteves-Oliveira M, Zezell D, Meister J, Franzen R, Stanzel S, Lampert F, Eduardo C, Apel C (2009) CO₂ laser (10.6 μm) parameters for caries prevention in dental enamel. *Caries Res* 43(4):261–268
18. Souza-Gabriel A, Colucci V, Turssi C, Serra M, Corona S (2010) Microhardness and SEM after CO₂ laser irradiation or fluoride treatment in human and bovine enamel. *Microsc Res Tech* 73(11): 1030–1035
19. Klein AL, Rodrigues LK, Eduardo CP, Nobre dos Santos M, Cury JA (2005) Caries inhibition around composite restorations by pulsed carbon dioxide laser application. *Eur J Oral Sci* 113(3): 239–244
20. Steiner-Oliveira C, Rodrigues LK, Soares LE, Martin AA, Zezell DM, Nobre-Dos-Santos M (2006) Chemical, morphological and thermal effects of 10.6-μm CO₂ laser on the inhibition of enamel demineralization. *Dent Mater J* 25(3):455–462
21. de Melo JB, Hanashiro FS, Steagall W, Turbino ML, Nobre-dos-Santos M, Youssef MN, de Souza-Zaroni WC (2014) Effect of CO₂ laser on root caries inhibition around composite restorations: an in vitro study. *Lasers Med Sci* 29(2):525–535
22. de Souza-Zaroni W, Freitas A, Hanashiro F, Steiner-Oliveira C, Nobre-dos-Santos M, Youssef M (2010) Caries resistance of lased human root surface with 10.6 μm CO₂ laser-thermal, morphological, and microhardness analysis. *Laser Phys* 20 (2):537–543
23. Hsu J, Fox J, Wang Z, Powell G, Otsuka M, Higuchi W (1998) Combined effects of laser irradiation/solution fluoride ion on enamel demineralization. *J Clin Laser Med Surg* 16(2):93–105
24. Mirhashemi AH, Hakimi S, Akhoundi MSA, Chiniforush N (2016) Prevention of enamel adjacent to bracket demineralization following carbon dioxide laser radiation and titanium tetra fluoride solution treatment: an in vitro study. *J Lasers Med Sci* 7(3):192–196
25. Tepper S, Zehnder M, Pajarola G, Schmidlin P (2004) Increased fluoride uptake and acid resistance by CO₂ laser-irradiation through topically applied fluoride on human enamel in vitro. *J Dent* 32(8): 635–641
26. Esteves-Oliveira M, El-Sayed KF, Dörfer C, Schwendicke F (2017) Impact of combined CO₂ laser irradiation and fluoride on enamel and dentin biofilm-induced mineral loss. *Clin Oral Investig* 21(4): 1243–1250
27. Seino PY, Freitas PM, Marques MM, de Souza Almeida FC, Botta SB, Moreira MSNA (2015) Influence of CO₂ (10.6 μm) and Nd:YAG laser irradiation on the prevention of enamel caries around orthodontic brackets. *Lasers Med Sci* 30(2):611–616
28. Tagliaferro E, Rodrigues L, Dos Santos MN, Soares L, Martin A (2007) Combined effects of carbon dioxide laser and fluoride on demineralized primary enamel: an in vitro study. *Caries Res* 41(1): 74–76
29. Mahmoudzadeh M, Rezaei-Soufi L, Farhadian N, Jamalian SF, Akbarzadeh M, Momeni M, Basamtabar M (2018) Effect of CO₂ laser and fluoride varnish application on microhardness of enamel surface around orthodontic brackets. *J Lasers Med Sci* 9(1):43–49. <https://doi.org/10.15171/jlms.2018.10>
30. Falagas ME, Pitsouni EI, Malietzis GA, Pappas G (2008) Comparison of PubMed, Scopus, Web of Science, and Google Scholar: strengths and weaknesses. *FASEB J* 22(2):338–342. <https://doi.org/10.1096/fj.07-9492LSF>

31. Luk K, Zhao IS, Gutknecht N, Chu CH (2018) Use of carbon dioxide lasers in dentistry. *Lasers Dent Sci* 9:1–9. <https://doi.org/10.1007/s41547-018-0047-y>
32. Hossain M, Nakamura Y, Kimura Y, Ito M, Yamada Y, Matsumoto K (1999) Acquired acid resistance of dental hard tissues by CO₂ laser irradiation. *J Clin Laser Med Surg* 17(5):223–226. <https://doi.org/10.1089/clm.1999.17.223>
33. Chiang YC, Lee BS, Wang YL, Cheng YA, Chen YL, Shiau JS, Wang DM, Lin CP (2008) Microstructural changes of enamel, dentin-enamel junction, and dentin induced by irradiating outer enamel surfaces with CO₂ laser. *Lasers Med Sci* 23(1):41–48. <https://doi.org/10.1007/s10103-007-0453-y>
34. Sato K (1983) Relation between acid dissolution and histological alteration of heated tooth enamel. *Caries Res* 17(6):490. <https://doi.org/10.1159/000260708>
35. Behnan SM, Arruda AO, Gonzalez-Cabezas C, Sohn W, Peters MC (2010) In-vitro evaluation of various treatments to prevent demineralization next to orthodontic brackets. *Am J Orthod Dentofac Orthop* 138(6):712.e1–712.e7. <https://doi.org/10.1016/j.ajodo.2010.05.014>
36. Benson PE, Shah AA, Millett DT, Dyer F, Parkin N, Vine RS (2005) Fluorides, orthodontics and demineralization: a systematic review. *J Orthod* 32(2):102–114. <https://doi.org/10.1179/146531205225021033>
37. Delbem ACB, Cury JA (2002) Effect of application time of APF and NaF gels on microhardness and fluoride uptake of in vitro enamel caries. *Am J Dent* 15(3):169–172
38. Sh P, Raghu R, Shetty A, Gautham P, Reddy S, Srinivasan R (2013) Effect of organic versus inorganic fluoride on enamel microhardness: an in vitro study. *J Conserv Dent* 16(3):203–207. <https://doi.org/10.4103/0972-0707.111314>