

Ausgabe: KN 3-2020, S. 10ff.

Thema: Paradigmenwechsel in der KFO-Behandlung

Autoren: Mehdi Roein-Peikar, DDS, MSc, PhD, Luca Sfogliano, DDS, Hillel Well, DDS, MSD, Jacob Stucki, Joseph Mullen und Hessam Rahimi

Literatur

1. McLaughlin RP, Bennett J. Evolution of treatment mechanics and contemporary appliance design in orthodontics: A 40-year perspective McLaughlin, Richard P. et al. *American Journal of Orthodontics and Dentofacial Orthopedics*, Volume 147, Issue 6, 654–662.
2. Kusy RP. Orthodontic biomaterials: from the past to the present. *Angle Orthod.* 2002 Dec;72(6):501-12.
3. Burstone, Charles J. Variable-modulus orthodontics. *American Journal of Orthodontics*, Volume 80 , Issue 1 , 1–16.
4. Andrews, LF. Straight wire the concept and appliance. LA Wells, San Diego, California; 1989.
5. Alexander, RG. The varisimplex discipline. Part 1. Concept and appliance design. *J Clin Orthop.* 1983; 17: 380–392.
6. Roth, RH. Roth straight wire appliance philosophy. “A” Company, Inc., San Diego, California; 1979
7. McLaughlin, R.P. and Bennett, J. The transition from standard edgewise to preadjusted appliance systems. *J Clin Orthod.* 1989; 23: 142–153.
8. Tweed, C.H. Clinical orthodontics. C. V. Mosby, St Louis; 1966.
9. Begg, P.R. and Kesling, P. Orthodontic theory and technique. 3rd ed. W. B. Saunders, Philadelphia; 1977.
10. Ricketts, RM. Bioprogressive therapy as an answer to orthodontic needs. Part I. *AM J orthod.* 1976;70: 241–267.
11. Kazancı F, Aydoğan C, Alkan Ö. Patients' and parents' concerns and decisions about orthodontic treatment. *The Korean Journal of Orthodontics.* 2016;46(1):20.
12. Tuncer C, Canigur Bavbek N, Balos Tuncer B, Ayhan Bani A, Çelik B. How Do Patients and Parents Decide for Orthodontic Treatment—Effects of Malocclusion, Personal Expectations, Education and Media. *Journal of Clinical Pediatric Dentistry.* 2015;39(4):392-399.
13. . Buttke T, Proffit W. Referring Adult Patients for Orthodontic Treatment. *The Journal of the American Dental Association.* 1999;130(1):73-79.
14. Rosvall M, Fields H, Ziuchkovski J, Rosenstiel S, Johnston W. Attractiveness, acceptability, and value of orthodontic appliances. *American Journal of Orthodontics and Dentofacial Orthopedics.* 2009;135(3):276-277.
15. Kinya Fujita. New orthodontic treatment with lingual bracket mushroom arch wire appliance. *American Journal of Orthodontics and Dentofacial Orthopedics.* December 1979: 657-675

16. William Randol Womack, Jae H. Ahn, Zahra Ammari, Anamaria Castillo. A new approach to correction of crowding, *American Journal of Orthodontics and Dentofacial Orthopedics* Volume 122, Number 3.
17. Boyd RL. Esthetic orthodontic treatment using the invisalign appliance for moderate to complex malocclusions. *Journal of Dental Education*. 2008;72(8):948-67.
18. Santoro, Margherita et al. Pseudoelasticity and thermoelasticity of nickel-titanium alloys: A clinically oriented review. Part I: Temperature transitional ranges *American Journal of Orthodontics and Dentofacial Orthopedics*, Volume 119, Issue 6, 587–593.
19. Santoro, Margherita et al. Pseudoelasticity and thermoelasticity of nickel-titanium alloys: A clinically oriented review. Part II: Deactivation forces. *American Journal of Orthodontics and Dentofacial Orthopedics*, Volume 119, Issue 6, 594–60.

