

Kieferorthopädie: Klasse II Anomalie. Die vierte Dimension.

Dr. med. dent. Tom Verhofstadt

Literatur:

1. Baccetti T, Franchi L, Ratner LT, McNamara JA Jr. Treatment timing for Twin-Block therapy. *Am J Orthod. dentofac. Orthop.* 2000;118:159-178.
2. Baccetti T, Franchi L., en McNamara Jr. JA. An Improved Version of the cervical vertebral Maturation method for the assessment of mandibular Growth. *Angle Orthodontist* 2002;72,4;316-323.
- 3 Baccetti T, Franchi L, McNamara JA Jr. The cervical vertebral maturation (CVM) method. *Semin Orthod* 2005;11:3:119–129.
- 4.Baccetti T. Malocclusions de classe II: bien choisir le moment du traitement pour optimiser l'effet orthopédique des appareils fonctionnels. *Orthod. Fr.* 2010;81:279-286.
5. Caldas M, Ambrosano GMB, Neto FH. Computer-assisted analysis of cervical vertebral bone age using cephalometric radiographs in Brazilian subjects. *Braz oral res.* 2010;24;1;
6. Franchi L, Baccetti T, McNamara Jr JA. Mandibular growth as related to cervical vertebral maturation and body height. *Am J Orthod. Dentofacial Orthop.* 2000;118;335-340.
7. Franchi L, Baccetti T, De Toffol L, Polimeni A, Cozza P. Phases of the dentition for the assessment of skeletal maturity: A diagnostic performance study.. *Am J Orthod Dentofacial Orthop* 2008; 133:395-400.
8. Lamparski D. *Skeletal Age assessment Utilizing Cervical Vertebrae.* Pittsburgh; University of Pittsburgh: 1972
9. Lavergne J, Gasson N. Operational definitions of mandibular morphogenetic and positional rotations. *Scand. J. Dent. Res.* 1977;85:185-192.
- 10.O'Brien K, Wright J, Conboy F, Sanjie Y, Mandall N, Chadwick S, et. al. Effectiveness of treatment for Class II malocclusion with Herbst or twin-block appliances: a randomized, controlled trial.*Am. J. of Orthod. Dentofacial Orthop* 2003;124:128-137.
11. O'Brien K, Wright J, Conboy F, Sanjil Y, Mandall N, Chadwick S, et al. Effectiveness of early orthodontic treatment with twin-block appliance: a multicenter, randomized, controlled trial. Part-1: dental and skeletal effects. *Am J Orthod Dentofacial Orthop.* 2003;124:234–243.
- 12.O'Reilly M, Yanniello GJ. Mandibular growth changes and maturation of cervical vertebrae-a longitudinal cephalometric study. *Angle Orthod* 1988;58:179–184.
- 13.Pancherz H, Szyska M. Analyse der Halswirbelkörper statt der Handknochen zur Bestimmung der skelettalen und somatischen Reife. *Inf Orthod Kieferorthop.* 2000;32:51-61.
14. Proffit WR, Fields HW, Sarver DM. 4ed ed. St. Louis Elsevier Mosby; 2007.
15. Ruf S, Pancherz H. Temporomandibular joint growth adaptation in Herbst treatment: a prospective magnetic resonance imaging and cephalometric roentgenographic study. *Eur J of Orthod.* 1998; 20:375-388
16. Toth LR, McNamara JA Jr. Treatment effects produced by the twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample. *Am J Orthod Dentofacial Orthop.* 1999;116:597–609