

## LITERATUR

**Ausgabe:** Implantologie Journal 4/20

**Thema:** Effizienter Workflow für eine Seitenzahnkrone

**Autor:** Dr. med. dent. Hanno Huss, M.Sc.

---

1. Joda T, Zarone F, Ferrari M. The complete digital workflow in fixed prosthodontics: a systematic review. *BMC oral health* 2017;17:124.
2. Pan S, Guo D, Zhou Y, Jung RE, Hämmerle CHF, Mühlemann S. Time efficiency and quality of outcomes in a model-free digital workflow using digital impression immediately after implant placement: A double-blind self-controlled clinical trial. *Clinical Oral Implants Research* 2019;30:617-626.
3. Joda T, Ferrari M, Bragger U. Monolithic implant-supported lithium disilicate (LS2) crowns in a complete digital workflow: A prospective clinical trial with a 2-year follow-up. *Clin Implant Dent Relat Res* 2017;19:505-511.
4. Fortes JH, de Oliveira-Santos C, Matsumoto W, da Motta RJG, Tirapelli C. Influence of 2D vs 3D imaging and professional experience on dental implant treatment planning. *Clinical Oral Investigations* 2019;23:929-936.
5. Spiegelberg FE, Buhl C. Vierdimensional rückwärts geplant. Temporäre Implantatbrücke mit digital erstellter Weichgewebemaske. *J Dent Educ* 2011:612-620.
6. Wismeijer D, Joda T, Flugge T, Fokas G, Tahmaseb A, Bechelli D, et al. Group 5 ITI Consensus Report: Digital technologies. *Clin Oral Implants Res* 2018;29 Suppl 16:436-442.
7. Bornstein MM, Al-Nawas B, Kuchler U, Tahmaseb A. Consensus Statements and Recommended Clinical Procedures Regarding Contemporary Surgical and Radiographic Techniques in Implant Dentistry. *Int J Oral Maxillofac Implants* 2014;29:78-82.
8. Joda T, Marquardt P. Computerbasierter Workflow in der Implantatchirurgie. *Dtsch Zahnärztl Z* 2013;68:218-227.
9. Vietor K. Intraoperativer Implantatscan. Möglichkeiten und Grenzen digitaler Positionsbestimmung im Rahmen der Implantationssitzung. *Zeitschrift für Zahnärztliche Implantologie* 2018;34:212-219.

10. Joda T, Bragger U. Time-Efficiency Analysis Comparing Digital and Conventional Workflows for Implant Crowns: A Prospective Clinical Crossover Trial. *Int J Oral Maxillofac Implants* 2015;30:1047-1053.
11. Joda T, Bragger U. Time-efficiency analysis of the treatment with monolithic implant crowns in a digital workflow: a randomized controlled trial. *Clin Oral Implants Res* 2016;27:1401-1406.
12. Wismeijer D, Mans R, van Genuchten M, Reijers HA. Patients' preferences when comparing analogue implant impressions using a polyether impression material versus digital impressions (Intraoral Scan) of dental implants. *Clin Oral Implants Res* 2014;25:1113-1118.
13. Spiegelberg F, Fawzy AR. Wege nach Lüdenscheid. Hybride und virtuelle Workflows in der Implantologie. *ZZI* 2019;35:310-319.
14. Atieh MA, Tawse-Smith A, Alsabeeha NHM, Ma S, Duncan WJ. The One Abutment-One Time Protocol: A Systematic Review and Meta-Analysis. *J Periodontol* 2017;88:1173-1185.
15. Garber DA, Belser UC. Restoration-driven implant placement with restoration-generated site development. *Compend Contin Educ Dent* 1995;16:796, 798-802, 804.
16. Kirsch A, Ackermann K-L, Neuendorff G, Nagel R. Neue Wege in der Implantatprothetik. Der klinische Einsatz des Camlog-Systems. *Teamwork Journal of Multidisciplinary Collaboration in Prosthodontics* 2000;3:8-39.