

LITERATUR

Ausgabe: Oralchirurgie Journal 2/20

Thema: Chirurgische Freilegung palatinal verlagerter Eckzähne – Eine multidisziplinäre Behandlung

Autoren: Prof. Dr. med. dent. Nezar Watted, Prof. Dr. med. dent. Abu-Hussein Mohamad, Prof. Dr. med. Dr. med. dent. Peter Proff, Prof. Dr. med. dent. Borbély Péter, Dr. med. dent. Obeida Awadi, Dr. med. Dr. med. dent. Ali Watted

1. Becker, A.: The Orthodontic Treatment of Impacted Teeth. Martin Dunitz, London 1998.
2. Becker, A., Shpack, N., Shteyer, A.: Attachment bonding to impacted teeth at the time of surgical exposure. Eur J Orthod 18, 457-463 (1996).
3. Bishara, S.: Impacted maxillary canines: A review. Am J Orthod Dentofac Orthop 101, 159-171 (1992).
4. Bishara, S.E., Kommer, D.D., McNeil, M.H., Montagano, L.N., Oesterle, L.J., Youngquist, H.W.: Management of impacted canines. Am J Orthod 69, 371-387 (1976).
5. Carey, C.W.: Linear arch dimension and tooth size. Am J Orthod 35, 762-769 (1949).
6. Dewel, B.F.: The upper cuspid. Its development and impaction. Angle Orthod 19, 79-90 (1949).
7. Diedrich, P.: Die kieferorthopädische Einordnung retinierter Zähne. In: Ketterl, W. (Hrsg.): Deutscher Zahnärzte Kalender 1986. Hanser, München 1986.
8. Ericson, S., Kurol, J.: Radiographic assessment of maxillary canine eruption in children with clinical signs of eruption disturbance. Eur J Orthod 8, 133-140 (1986).
9. Ericson, S., Kurol, J.: CT diagnosis of ectopically erupting maxillary canines – a case report. Eur J Orthod 10, 115-120 (1988).
10. Freisfeld, M., Schüller, H.: Anwendungsmöglichkeiten der Computertomographie in der Kieferorthopädie. Prakt Kieferorthop 6, 169-182 (1992).
11. Gabka, J., Kaspar, E.: Statistische Übersicht über retinierte Zähne. Fortschr Kieferorthop 36, 331-339 (1975).
12. Howes, A.E.: Case analysis and treatment planning based upon the relationship of the tooth material to its supporting bone. Am J Orthod 33, 499 (1947).
13. Hulsey, C.M.: An esthetic evaluation of lip-teeth-relationships present in the smile. Am J Orthod 57, 132-144 (1970).

14. Jackson, D.: Lip position and incisor relationship. *Br Dent J* 112, 147-159 (1962).
15. Kohavi, D., Becker, A., Zilberman, Y.: Surgical exposure, orthodontic movement and final tooth position as factors in periodontal breakdown of treated palatally impacted canines. *Am J Orthod* 85, 72-77 (1984).
16. Kokich, V.G.: Esthetics and anterior tooth position: An orthodontic perspective. Part I: Crown length. *J Esthet Dent* 5, 19-23 (1993).
17. Kokich, V.G.: Esthetics and anterior tooth position: An orthodontic perspective. Part II: Vertical position. *J Esthet Dent* 5, 174-178 (1993).
18. Kokich, V.G., Napper, D., Shapiro, P.: Gingival contour and clinical crown length: Their effect on the esthetic appearance of maxillary anterior teeth. *Am J Orthod* 86, 89-94 (1984).
19. Kornhauser, S., Abed, Y., Harar, D., Becker, A.: The resolution of palatally-impacted canines using palato-occlusal force from a buccal auxiliary. *Am J Orthod Dentofac Orthop* 110, 528-534 (1995).
20. Levin, E.I.: Dental esthetics and the golden proportion. *J Prosthet Dent* 40, 244-252 (1978).
21. Moyers, R.F.: Handbook of Orthodontics. 3. ed. Year Book Medical Publishers, Chicago 1973, pp 526-529.
22. Peck, S., Peck, L., Kataja, M.: The gingival smile line. *Angle Orthod* 62, 91-100 (1992).
23. Pichard, J.: Gingivectomy, gingivoplasty, and osseous surgery. *J Periodontol* 32, 257-262 (1961).
24. Tjan, A.H., Miller, G.D.: Some esthetic factors in a smile. *J Prosthet Dent* 51, 24-28 (1984).
25. Trauner, R., Byloff-Clar, H., Stepantschitz, E.: Die Vererbung und Entwicklung der Zahn- und Kieferstellungsanomalien. *Fortschr Kieferorthop* 22, 1-71 (1961).
26. Wagner, L.: Zur Einordnung verlagerter Eckzähne. *Prakt Kieferorthop* 5, 29-36 (1991).
27. Watted, N., Teuscher, T., Reinhart, E.: Einordnung verlagerter Eckzähne im Oberkiefer. Teil 1: Palatinal verlagerte Eckzähne. *Kieferorthop* 13, 19-34 (1999).
28. Watted, N., Teuscher, T., Reinhart, E.: Einordnung verlagerter Eckzähne im Oberkiefer. Teil 2: Buccal verlagerte Eckzähne. *Kieferorthop* 13, 103-114 (1999).
29. Watted N, Witt E: Behandlungskonzept zur kontrollierten Einstellung palatinal verlagerter Oberkiefer Eckzähne. *Kieferorthop* 18, 93-103, 2004.
30. Watted N., Abu-Hussein M., Awadi O., Watted M., Watted A.: Clinical study of impacted maxillary canine in the Arab population in Israel. *International Journal of Public Health Research* 2: 64-70, 2014
31. Watted N., Abu-Hussein M.: Prevalence of impacted canines in Arab Population in Israel. *International Journal of Public Health Research* 6: 71-77, 2014
32. Watted N., Proff P., Reiser V., Shlomi B., Abu-Hussein M., Shamir D: CBCT; In Clinical Orthodontic Practice: *IOSR Journal of Dental and Medical Sciences* 2:102-115, 2015

33. Watted N., Abu-Hussein M., Awadi O., Borbély P: Titanium Button With Chain by Watted For Orthodontic Traction of Impacted Maxillary Canines. 2: 116-127, 2015