

Ausgabe: Endodontie Journal 2/2020

Thema: Erstversorgung eines dentalen Traumas

Autorinnen: Dr. Anna-Louisa Holzner, Dr. Eva Maier

Literatur

- 1 Cvek M, Cleaton-Jones PE, Austin JC, Andreasen JO. Pulp reactions to exposure after experimental crown fractures or grinding in adult monkeys. J Endod 1982; 8: 391-397.
- 2 Wang G, Wang C, Qin M. Pulp prognosis following conservative pulp treatment in teeth with complicated crown fractures – A retrospective study. Dent Traumatol 2017; 33: 255-260.
- 3 Silva AF, Tarquinio SB, Demarco FF et al. The influence of haemostatic agents on healing of healthy human dental pulp tissue capped with calcium hydroxide. Int Endod J 2006; 30: 309-316.
- 4 Cohenca N, Paranjpe A, Berg J. Vital pulp therapy. Dent Clin North Am 2013; 57: 59-73.
- 5 Fong CD, Davis MJ. Partial pulpotomy for immature permanent teeth, its present and future. Pediatr Dent 2020; 24: 29-32.
- 6 Mente J, Hufnagel S, Leo M. Treatment outcome of mineral trioxide aggregate or calcium hydroxide direct pulp capping: long-term results. J Endod 2014; 40: 1746-1751.
- 7 Diangelis AJ, Andreasen JO, Ebeleseder KA, Kenny DJ, Trope M, Sigurdsson A, Andersson L, Bourguignon C, Flores MT, Hicks ML, Lenzi AR, Malmgren B, Moule AJ, Pohl Y, Tsukiboshi M: International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 1. Fractures and luxations of permanent teeth. Dent Traumatol. 2012 Feb;28(1):2-12.
- 8 Dammaschke, T, Galler, K, Krastl G: Aktuelle Empfehlungen zur Vitalerhaltung der Pulpa. Endodontie 2019;28(3):275–286.
- 9 Weiger R, Krastl G: Endodontische Spätfolgen nach Zahntrauma: Update 2019. Die Quintessenz 70 (9): 1012-1019.