

Ausgabe: cosmetic dentistry 3/2020

Thema: Full-Mouth"-Rehabilitation im funktionsgestörten Erosions- und Abrasionsgebiss, Teil 1

Autoren: Prof. Dr. Markus Greve, M.Sc., MDS, PhD, Dr. Wolfgang Seuser, Dr. Dennis Pogodin, Dr. Sven Egger, M.Sc., M.Sc.

Literatur

- 1 Gomez, F.M., Giralte, M.T., Sainz, B., Arrue, A., Prieto, M. and Garcia, V. P. (1999). A possible attenuation of stress-induced increases in striatal dopamine metabolism by the expression of non-functional masticatory activity in the rat. *Eur. J. Oral Sci.* 107: 461-467.
- 2 Tanaka, T., Yoshida, M., Yokoo, H., Tomita, M. and Tanaka, M. (1998). Expression of aggression attenuates both stress-induced gastric ulcer formation and increases in noradrenaline release in the rat amygdala assessed by intracerebral microdialysis. *Pharmacol. Biochem. Behav.* 59: 27-31.
- 3 Kanuko, M., Yuyama, N. and Hori, N. (2002) Inhibitory effects of biting on stress-induced Fos expressions in the rat brain. *Kanagawa Shigaku (in Japanese), Brain Res.* (Submitted).
- 4 Hori, N., Yuyama, N., Tamura, K. (2004). Biting suppresses stress-induced expression of corticotropin-releasing factor (CRF) in the rat hypothalamus. *J Dent Res.* 83: 124-128, 2004.
- 5 Onozuka, M., Sato, S. et al. (2008) Bruxism and Stress Relief; *Novel Trends in Brain Science.*
- 6 Saruta, J., Tsukinoki, K., Sasaguri, K., Ishii, H., Yasuda, M., Osamura, Y.R., Watanabe, Y., Sato, S., *Cells Tissues Organs* (2005); 180 (4): 237-244.
- 7 Morinushi, T.; Masaumoto, Y.; Kawasaki, H.; Takigawa, M. (2000): Effect of electroencephalogram (EEG) of chewing flavoured gum. *Psychiatry and Clinical Neuroscience*, 54 (6) 645.
- 8 Areso, M.P., Giralte, M.T., Sainz, B., Prieto, M., Garcia, V.P. and Gomez, F.M. (1999). Occlusal disharmonies modulate central catecholaminergic activity in the rat. *J. Dent. Res.* 78:1204-1213.
- 9 Otsuka, T., Sato, S. et al (2009) Effects of mandibular deviation on brain activation during clenching: an fMRI study. *J Cran Mand Prac*, Vol.27, No.2
- 10 Slavicek, R. (2002). The function of stress management. In: *The Masticatory Organ - Function and Dysfunction*, Slavicek, R. (Ed), Klosterneuburg, Gamma Medizinisch-wissenschaftliche Fortbildungs-AG, pp. 281-291.
- 11 C.Ganss, J.Klimek, K.Giese: Dental erosion in children and adolescents- a cross-sectional and longitudinal investigation using study models *Community Dent Oral Epidemiol* 2001; 29: 264-71.
- 12 A.-K.Johansson. Dental Erosion and its Growing Importance in Clinical Practice: From Past to Present; *Int.Journal of Dentistry* Vol.2012.

- 13 Lobbezoo F, Ahlber F, Glaros AG, Kato T, Koyano K, Lavigne GJ, De Leeuw R, Manfredini D, Svensson P, Winocour E. Bruxism defined and graded: an international consensus. *Journal of Oral Rehabilitation*. 2013; 40:2-4.
- 14 Lussi A. Erosionen. *Schweiz Monatsschrift Zahnmed*. Vol 115. 10/2005.
- 15 Slavicek R. The masticatory organ. Gamma Medical-Scientific Education, Inc. 2002.
- 16 Jörgens M. Ästhetisch – funktionelle Veneers bei habituellen Dysfunktionen? *Dental Tribune, German Edition*, Nr. 6/2009, 8. Mai 2009.
- 17 Abudo J. Safety of increasing vertical dimension of occlusion: a systematic review. *Quintessence Int* 2012;43:369-380.
- 18 Guess PC et al. Prospective clinical split-mouth study of pressed and CAD/CAM all-ceramic partial-coverage restorations: 7-year results. *Int. J Prosthodont* 2013;26:21-25
- 19 F. Vailati, U.C. Belser, Full-Mouth Adhesive Rehabilitation of a Severely Eroded Dentition: The Three-Step Technique. Part 1.; *the european journal of esthetic dentistry* Volume 3 Number 1 Spring 2008.
- 20 D. Edelhoff, CAD/CAM – gefertigte Table Tops korrigieren die Bisslage; *zm* 104, Nr.8 A, 16.4.2014, (882)
- 21 Greven M, Otsuka T, Zutz L, Weber B, Elger C, Sato S. The amount of TMJ displacement correlates with brain activity. *Cranio*. 2011;29(4):291–6.
- 22 Tamaki K, Hori N, Fujiwara M, Yoshino T, Toyoda M, Sato S. A pilot study on masticatory muscle activities during grinding movements in occlusion with different guiding areas on working side. *Bull Kanagawa Dental Coll*. 2001;29:26–27.
- 23 Pittschieler E, Wolz S, von Rolbeck H, Medlitsch A. Maxillo-mandibular relationship. Information from orthodontic and craniofacial orthopedics (German). 2012;44(4):260–75.
- 24 Plato G, Kopp S. The jaw and chronic pain syndromes. *Manual Medicine (German)*. 1999;37:143–151.
- 25 Sugimoto K, Yoshimi H, Sasaguri K, Sato S. Occlusion factors influencing the magnitude of sleep bruxism activity. *Cranio*. 2011;29(2):127–37.
- 26 Park BK, Tokiwa O, Takezawa Y, Takahashi Y, Sasaguri K, Sato S. Relationship of tooth grinding pattern during sleep bruxism and temporomandibular joint status. *Cranio*. 2008;26(1):8–15.
- 27 Tokiwa O, Park BK, Takezawa Y, Takahashi Y, Sasaguri K, Sato S. Relationship of tooth grinding pattern during sleep bruxism and dental status. *Cranio*. 2008;26(4):287–93.
- 28 Fushima K, Kitamura Y, Mita H, Sato S, Suzuki Y, Kim YH. Significance of the cant of the posterior occlusal plane in Class II division 1 malocclusions. *Eur J Orthod*. 1996;18(1):27–40.

- 29 Carlsson GE. Some dogmas related to prosthodontics, temporomandibular disorders and occlusion. *Acta Odont Scand.* 2010;68(6):313–22.
- 30 Akören AC, Karaaçaçlıoğlu L. Comparison of the electromyographic activity of individuals with canine guidance and group function occlusion. *J Oral Rehabil.* 1995;22(1):73–7.
- 31 Yoshiaka A, Shoji K, Raul M. Influence of changing the location of anterior guidance teeth on the movements of the condyles during unilateral clenching. *Dent Jpn.* 1999;35:48–52.
- 32 Okano N, Baba K, Akishige S, Ohya T. The influence of altered occlusal guidance on condylar displacement. *J Oral Rehabil.* 2002;29(11):1091–8.
- 33 Santos J, Blackman RB, Nelson SJ. Vectorial analysis of the static equilibrium of forces generated in the mandible in centric occlusion, group function, and balanced occlusion relationships. *J Prosthet Dent.* 1991;65(4):557–67.
- 34 Kahn J, Tallents RH, Katzberg RW, Moss ME, Murphy WC. Association between dental occlusal variables and intraarticular temporomandibular joint disorders: Horizontal and vertical overlap. *J Prosthet Dent.* 1998;79(6):658–62.
- 35 Rodrigues AF, Fraga MR, Vitral RWF. Computed tomography evaluation of the temporomandibular joint in Class II Division 1 and Class III malocclusion patients: Condylar symmetry and condyle- fossa relationship. *Am J Orthod Dentofac Orthop.* 2009;136:199– 206.
- 36 Weinberg LA. The etiology, diagnosis, and treatment of TMJ dysfunction-pain syndrome. Part I: Etiology. *J Prosthet Dent.* 1979;42(6):654–64.
- 37 Weinberg LA, Lager LA. Clinical report on the etiology and diagnosis of TMJ dysfunction-pain syndrome. *J Prosthet Dent.* 1980;44(6):642–53.
- 38 Weinberg LA. The role of stress, occlusion, and condyle position in TMJ dysfunction-pain. *J Prosthet Dent.* 1983;49(4):532–45.
- 39 Celić R, Jerolimov V, Pandurić J. A study of the influence of occlusal factors and parafunctional habits on the prevalence of signs and symptoms of TMD. *Int J Prosthodont.* 2002;15(1):43–8.
- 40 Crawford SD. Condylar axis position as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. *Angle Orthod.* 1999;69(2):103–14.
- 41 Bonilla-Aragon H, Tallents RH, Katzberg RW, Kyrkanides S, Moss ME. Condyle position as a predictor of temporomandibular joint internal derangement. *J Prosthet Dent.* 1999;82(2):205–8.
- 42 Randow K, Carlsson K, Edlund J, Oberg T. The effect of an occlusal interference on the masticatory system. An experimental investigation. *Odontol Rev.* 1976;27(4):245–56.
- 43 Areso MP, Giralt MT, Sainz B, Prieto M, Garcia-Vallejo P, Gomez FM. Occlusal disharmonies modulate central catecholaminergic activity in the rat. *J Dent Res.* 1999;78(6):1204–13.

- 44 Onozuka M, Fujita M, Watanabe K, Hirano Y, Niwa M, Nishiyama K, Saito S. Mapping brain region activity during chewing: a functional magnetic resonance imaging study. *J Dent Res.* 2002;81(11):743–6.
- 45 Onozuka M, Fujita M, Watanabe K, Hirano Y, Niwa M, Nishiyama K, et al. Age-related changes in brain regional activity during chewing: a functional magnetic resonance imaging study. *J Dent Res.* 2003;82(8):657–60.
- 46 Budtz-Jørgensen E. Occlusal dysfunction and stress. An experimental study in macaque monkeys. *J Oral Rehabil.* 1981;8(1):1–9.
- 47 Kubo KY, Yamada Y, Iinuma M, Iwaku F, Tamura Y, Watanabe K, et al. Occlusal disharmony induces spatial memory impairment and hippocampal neuron degeneration via stress in SAMP8 mice. *Neurosci Lett.* 2007;414(2):188–91.
- 48 Yoshihara T, Matsumoto Y, Ogura T. Occlusal disharmony affects plasma corticosterone and hypothalamic noradrenaline release in rats. *J Dent Res.* 2001;80(12):2089–92.
- 49 Kirveskari P, Le Bell Y, Salonen M, Forssell H, Grans L. Effect of elimination of occlusal interferences on signs and symptoms of craniomandibular disorder in young adults. *J Oral Rehab.* 1989;16(1):21–6.
- 50 Kirveskari P, Jamsä T. Health risk from occlusal interferences in females. *Eur J Orthod.* 2009;31(5):490–5.
- 51 Le Bell Y. Are occlusal treatments still possible and appropriate methods in clinical dentistry? *J Craniomand Func.* 2014;6(4):317–32.
- 52 Jankelson R. Neuromuscular dental diagnosis and treatment. Ishiyaku Euroamerica. 1990.
- 53 McHorris WH. Focus on anterior guidance. *J Gnatol.* 1989;8:3–13.
- 54 Shimazaki T, Otsuka T, Akimoto S, Kubo KY, Sato S, Sasaguri K. Comparison of brain activation via tooth stimulation. *J Dent Res.* 2012;91(8):759–63.
- 55 Slavicek R. Functional determinants of the masticatory system. *Dentistry (German).* 1985; 29(10):663–4.
- 56 Levy JH. Teeth as Sensory Organs. *VISTAS – Dawson.* 2009; 2(3).
- 57 Levy JH, Robertson N, Lilly DJ, Petrisor D, Dong WK. Possible role of intradental afferents in the mechanoreception of tooth contacts in humans. *J Dent Res.* 2002;81(A):3199.
- 58 Levy JH, Lilly DJ, Dong WK. Low-frequency vibration thresholds of human maxillary central incisors. *Dent Res.* 2003;82 (spec iss A):1110.
- 59 Robertson LT, Levy JH, Petrisor D, Lilly DJ, Dong WK. Vibration perception thresholds of human maxillary and mandibular central incisors. *Arch Oral Biol.* 2003;48(4):309–16.
- 60 Petrisor D, Levy JH, Robertson LT. Tactile thresholds of human maxillary and mandibular incisors. *J Dent Res.* 2002;81(spec iss A):3200.

- 61 Enkling N, Nicolay C, Bayer S, Mericske-Stern R, Utz KH. Investigating interocclusal perception in tactile teeth sensibility using symmetric and asymmetric analysis. *Clin Oral Investig*. 2010;14(6):683–90.
- 62 Takei J, Akimoto S, Sato S. Occlusal guidance and occlusal planes at different ages and different occlusion groups follow the sequential occlusion concept. *Bull Kanagawa Dent Coll*. 2009;29:26–27.
- 63 Fukoe H, Basili C, Slavicek R, Sato S, Akimoto S. Three-dimensional analyses of the mandible and the occlusal architecture of mandibular dentition. *J Stomat Occ Med*. 2012;5(3):119–29.
- 64 Costa HN, Slavicek R, Sato S. A computerized tomography study of the morphological interrelationship between the temporal bones and the craniofacial complex. *J Anat*. 2012;220(6):544–54.
- 65 Cooper BC. temporomandibular disorders: a position paper of the international college of cranio-mandibular orthopedics (ICCMO). *Cranio*. 2011;29(3):237–44.
- 66 Cairns B, List T, Michelotti A, Ohrbach R, Svensson P. JOR-CORE recommendations on rehabilitation of temporomandibular disorders. *J Oral Rehabil*. 2010;37(6):481–9.
- 67 Schindler HJ, Hugger A, Kordaß B, Türp J. Splint therapy for temporomandibular disorders: basic principles. *J Craniomand Func*. 2014;6(3):207–30.
- 68 Ahlers MO, Bernhardt O, Jakstat HA, Kordaß B, Türp JC, Schindler HJ, et al. Motion analysis of the mandible: guidelines for standardized analysis of computer-assisted recording of condylar movements. *Int J Comput Dent*. 2015;18(3):201–23.
- 69 Marpaung CM, Kalaykova SI, Lobbezoo F, Naeije M. Validity of functional diagnostic examination for temporomandibular joint disc displacement with reduction. *J Oral Rehabil*. 2014;41(4):243–9.
- 70 Kirveskari P, Jamsa T, Alanen P. Occlusal adjustment and the incidence of demand for temporomandibular disorder treatment. *J Prosthet Dent*. 1998;79(4):433–8.