

## LITERATUR

**Ausgabe:** Jahrbuch Implantologie 2020

**Thema:** Autologes Blutkonzentrat zur Unterstützung der Regeneration – Platelet Rich Fibrin (PRF)

**Autor:** Prof. Dr. Dr. Dr. Shahram Ghanaati, Dr. Sarah Al-Maawi

- 
- [1] C. H. Hämerle and T. Karring, “Guided bone regeneration at oral implant sites.,” *Periodontol. 2000*, vol. 17, pp. 151–75, Jun. 1998.
  - [2] D. A. Atwood, “Reduction of residual ridges: a major oral disease entity.,” *J. Prosthet. Dent.*, vol. 26, no. 3, pp. 266–79, Sep. 1971.
  - [3] S. Ghanaati *et al.*, “Advanced Platelet-Rich Fibrin: A New Concept for Cell-Based Tissue Engineering by Means of Inflammatory Cells,” *J. Oral Implantol.*, vol. 40, no. 6, pp. 679–689, 2014.
  - [4] D. M. Dohan *et al.*, “Platelet-rich fibrin (PRF): A second-generation platelet concentrate. Part II: Platelet-related biologic features,” *Oral Surgery, Oral Med. Oral Pathol. Oral Radiol. Endodontology*, vol. 101, no. 3, pp. 45–50, 2006.
  - [5] E. Anitua, I. Andia, and M. Sanchez, “PRGF plasma rich growth factors,” *Dent. dialogue*, pp. 1–9, 2004.
  - [6] F. Perut *et al.*, “Preparation method and growth factor content of platelet concentrate influence the osteogenic differentiation of bone marrow stromal cells.,” *Cytotherapy*, vol. 15, no. 7, pp. 830–9, Jul. 2013.
  - [7] A. Kubesch *et al.*, “Pre-clinical in vivo evaluation of Platelet-rich fibrin (PRF) scaffolds: G-force reduction in advanced platelet-rich fibrin (A-PRF) scaffolds increases scaffold integration and vascularization: First pre-clinical in vivo evaluation,” p. acta biomaterialia, submitted.
  - [8] K. El Bagdadi *et al.*, “Reduction of relative centrifugal forces increases growth factor release within solid platelet-rich-fibrin (PRF)-based matrices: a proof of concept of LSCC (low speed centrifugation concept),” *Eur. J. Trauma Emerg. Surg.*, Mar. 2017.

- [9] J. Choukroun and S. Ghanaati, “Reduction of relative centrifugation force within injectable platelet-rich-fibrin (PRF) concentrates advances patients’ own inflammatory cells, platelets and growth factors: the first introduction to the low speed centrifugation concept,” *Eur. J. Trauma Emerg. Surg.*, vol. 44, no. 1, pp. 87–95, Feb. 2018.
- [10] S. Wend *et al.*, “Reduction of the relative centrifugal force influences cell number and growth factor release within injectable PRF-based matrices,” *J. Mater. Sci. Mater. Med.*, vol. 28, no. 12, p. 188, Dec. 2017.
- [11] A. Kubesch *et al.*, “A low-speed centrifugation concept leads to cell accumulation and vascularization of solid platelet-rich fibrin: an experimental study in vivo,” *Platelets*, 2018.
- [12] G. Gurtner, S. Werner, Y. Barrandon, and M. Longaker, “Wound repair and regeneration,” *Nature*, vol. 453, no. 7193, pp. 314–321, 2008.
- [13] S. Al-maawi, A. Orlowska, R. Sader, C. J. Kirkpatrick, and S. Ghanaati, “In vivo cellular reactions to different biomaterials — Physiological and pathological aspects and their consequences,” no. June, 2017.
- [14] A. T. Nurden, “Platelets, inflammation and tissue regeneration..,” *Thromb. Haemost.*, pp. S13-33, May 2011.
- [15] A. Sahni and C. W. Francis, “Vascular endothelial growth factor binds to fibrinogen and fibrin and stimulates endothelial cell proliferation,” *Blood*, vol. 96, pp. 3772–3778, 2000.
- [16] T. D. K. Herath, A. Larbi, S. H. Teoh, C. J. Kirkpatrick, and B. T. Goh, “Neutrophil-mediated enhancement of angiogenesis and osteogenesis in a novel triple cell co-culture model with endothelial cells and osteoblasts,” *J. Tissue Eng. Regen. Med.*, vol. 12, no. 2, pp. e1221–e1236, Feb. 2018.
- [17] S. Prokop, F. L. Heppner, H. H. Goebel, and W. Stenzel, “M2 polarized macrophages and giant cells contribute to myofibrosis in neuromuscular sarcoidosis.,” *Am. J. Pathol.*, vol. 178, no. 3, pp. 1279–86, Mar. 2011.
- [18] K. Ekström, O. Omar, C. Granéli, X. Wang, F. Vazirisani, and P. Thomsen, “Monocyte exosomes stimulate the osteogenic gene expression of mesenchymal stem cells.,” *PLoS One*, vol. 8, no. 9, p. e75227, 2013.

