

LITERATUR

Ausgabe: Jahrbuch Implantologie 2020

Thema: Patientenspezifische Knochenaugmentationen
Individualisierte CAD/CAM-Titanmesh

Autoren: Dr. med. Dr. med. dent. Eik Schiegnitz,
Priv.-Doz. Dr. med. Dr. med. dent. Keyvan Sagheb

- 1.Troeltzs M, Troeltzs M, Kauffmann P, Gruber R, Brockmeyer P, Moser N, et al. Clinical efficacy of grafting materials in alveolar ridge augmentation: A systematic review. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2016;44(10):1618-29.
- 2.Artzi Z, Dayan D, Alpern Y, Nemcovsky CE. Vertical ridge augmentation using xenogenic material supported by a configured titanium mesh: clinicohistopathologic and histochemical study. The International journal of oral & maxillofacial implants. 2003;18(3):440-6.
- 3.Rocuzzo M, Savoini M, Dalmasso P, Ramieri G. Long-term outcomes of implants placed after vertical alveolar ridge augmentation in partially edentulous patients: a 10-year prospective clinical study. Clinical oral implants research. 2017;28(10):1204-10.
- 4.Canullo L, Malagnino VA. Vertical ridge augmentation around implants by e-PTFE titanium-reinforced membrane and bovine bone matrix: a 24- to 54-month study of 10 consecutive cases. The International journal of oral & maxillofacial implants. 2008;23(5):858-66.
- 5.Chiapasco M, Romeo E, Casentini P, Rimondini L. Alveolar distraction osteogenesis vs. vertical guided bone regeneration for the correction of vertically deficient edentulous ridges: a 1-3-year prospective study on humans. Clinical oral implants research. 2004;15(1):82-95.
- 6.Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: resorbable barriers supported by osseointegration plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. The International journal of oral & maxillofacial implants. 2007;22(3):373-82.
- 7.Milinkovic I, Cordaro L. Are there specific indications for the different alveolar bone augmentation procedures for implant placement? A systematic review. International journal of oral and maxillofacial surgery. 2014;43(5):606-25.
- 8.Urban IAs, Montero E, Monje A, Sanz-Sanchez I. Effectiveness of vertical ridge augmentation interventions. A systematic review and meta-analysis. Journal of clinical periodontology. 2019.

- 9.Boyne PJ. Restoration of osseous defects in maxillofacial casualties. *Journal of the American Dental Association*. 1969;78(4):767-76.
- 10.Boyne PJ, Cole MD, Stringer D, Shafqat JP. A technique for osseous restoration of deficient edentulous maxillary ridges. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*. 1985;43(2):87-91.
- 11.Gongloff RK, Cole M, Whitlow W, Boyne PJ. Titanium mesh and particulate cancellous bone and marrow grafts to augment the maxillary alveolar ridge. *International journal of oral and maxillofacial surgery*. 1986;15(3):263-8.
- 12.von Arx T, Hardt N, Wallkamm B. The TIME technique: a new method for localized alveolar ridge augmentation prior to placement of dental implants. *The International journal of oral & maxillofacial implants*. 1996;11(3):387-94.
- 13.von Arx T, Kurt B. Implant placement and simultaneous peri-implant bone grafting using a micro titanium mesh for graft stabilization. *The International journal of periodontics & restorative dentistry*. 1998;18(2):117-27.
- 14.von Arx T, Kurt B. Implant placement and simultaneous ridge augmentation using autogenous bone and a micro titanium mesh: a prospective clinical study with 20 implants. *Clinical oral implants research*. 1999;10(1):24-33.
- 15.Ciocca L, Ragazzini S, Fantini M, Corinaldesi G, Scotti R. Work flow for the prosthetic rehabilitation of atrophic patients with a minimal-intervention CAD/CAM approach. *The Journal of prosthetic dentistry*. 2015;114(1):22-6.
- 16.Sumida T, Otawa N, Kamata YU, Kamakura S, Mtsushita T, Kitagaki H, et al. Custom-made titanium devices as membranes for bone augmentation in implant treatment: Clinical application and the comparison with conventional titanium mesh. *Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery*. 2015;43(10):2183-8.
- 17.Sagheb K, Schiegnitz E, Moergel M, Walter C, Al-Nawas B, Wagner W. Clinical outcome of alveolar ridge augmentation with individualized CAD-CAM-produced titanium mesh. *Int J Implant Dent*. 2017;3(1):36.
- 18.Seiler M, Peetz M, Hartmann A, Witkowski R. Individualized CAD/CAM-produced titanium scaffolds for alveolar bone augmentation: A retrospective analysis of dehiscence events in relation to demographic and surgical parameters. *J Oral Science Rehabilitation*. 2018;4(1):38-46.