

LITERATUR

Ausgabe: ZWP Spezial 7+8/20

Thema: Periimplantäre Weichgewebsvermehrung um ZrO₂-Implantate
Fünf-Jahres-Follow-up

Autoren: Prof. Dr. Dr. Heinz Kniha, Priv.-Doz. Dr. Kristian Kniha

1. Kniha K, Schlegel KA, Kniha H, Modabber A, Hölzle F, Kniha K. Evaluation of peri-implant bone levels and soft tissue dimensions around zirconia implants-a three-year follow-up study. *Int J Oral Maxillofac Surg.* 2018 Apr;47(4):492-498. doi: 10.1016/j.ijom.2017.10.013. Epub 2017 Nov 7.
2. Becker J, John G, Becker K, Mainusch S, Diedrichs G, Schwarz F. Clinical performance of two-piece zirconia implants in the posterior mandible and maxilla: a prospective cohort study over 2 years. *Clinical oral implants research.* 2017;28(1):29-35.
3. Bormann KH, Gellrich NC, Kniha H, Dard M, Wieland M, Gahlert M, et al. Biomechanical evaluation of a microstructured zirconia implant by a removal torque comparison with a standard Ti-SLA implant. *Clinical Oral Implants Research.* 2012;23(10):1210-6.
4. Gahlert M, Roehling S, Sprecher CM, Kniha H, Milz S, Bormann K. In vivo performance of zirconia and titanium implants: a histomorphometric study in mini pig maxillae. *Clinical oral implants research.* 2012;23(3):281-6.
5. Gahlert M, Roehling S, Wieland M, Sprecher CM, Kniha H, Milz S. Osseointegration of zirconia and titanium dental implants: a histological and histomorphometrical study in the maxilla of pigs. *Clinical oral implants research.* 2009;20(11):1247-53.
6. Gahlert M, Rohling S, Wieland M, Eichhorn S, Kuchenhoff H, Kniha H. A comparison study of the osseointegration of zirconia and titanium dental implants. A biomechanical evaluation in the maxilla of pigs. *Clin Implant Dent Relat Res.* 2010;12(4):297-305.
7. Small PN, Tarnow DP. Gingival recession around implants: a 1-year longitudinal prospective study. *Int J Oral Maxillofac Implants* 2000;15:527-32.]
8. Apse P, Zarb GA, Schmitt A, Lewis DW. The longitudinal effectiveness of osseointegrated dental implants. The Toronto Study: peri-implant mucosal response. *Int J Periodontics Restorative Dent* 1991;11:94-111.

9. Bengazi F, Wennstrom JL, Lekholm U. Recession of the soft tissue margin at oral implants. A 2-year longitudinal prospective study. *Clin Oral Implants Res* 1996;7:303-10.
10. Kniha K, Schlegel KA, Kniha H, Modabber A, Neukam F, Kniha K. Papilla-Crown Height Dimensions around Zirconium Dioxide Implants in the Esthetic Area: A 3-Year Follow-Up Study. *J Prosthodont* 2019;28:e694-e698.
11. Kniha K, Möhlhenrich SC, Lautner N, Kniha H, Foldenauer AC, Hölzle F, Modabber A. Influence of horizontal dimensions around single gap and adjacent zirconia implants on the papilla - a cross-sectional survey. *Eur J Oral Implantol*. 2017;10(4):443-451.
12. Kniha K, Modabber A, Kniha H, Möhlhenrich SC, Hölzle F, Milz S. Dimensions of hard and soft tissue around adjacent, compared with single-tooth, zirconia implants. *Br J Oral Maxillofac Surg*. 2018 Jan;56(1):43-47. doi: 10.1016/j.bjoms.2017.11.005. Epub 2017 Nov 24.
13. Kniha K, Schlegel KA, Kniha H, Modabber A, Hölzle F, Kniha K. Evaluation of peri-implant bone levels and soft tissue dimensions around zirconia implants-a three-year follow-up study. *Int J Oral Maxillofac Surg*. 2018 Apr;47(4):492-498. doi: 10.1016/j.ijom.2017.10.013. Epub 2017 Nov 7.
14. Kniha K, Milz S, Kniha H, Ayoub N, Hölzle F, Modabber A. Peri-implant Crestal Bone Changes Around Zirconia Implants in Periodontally Healthy and Compromised Patients. *Int J Oral Maxillofac Implants*. 2018 January/February;33(1):217–222. doi: 10.11607/jomi.5598. Epub 2017 Oct 13.
15. Kniha K, Gahlert M, Hicklin S, Brägger U, Kniha H, Milz S. Evaluation of Hard and Soft Tissue Dimensions Around Zirconium Oxide Implant-Supported Crowns: A 1-Year Retrospective Study. *J Periodontol*. 2016 May;87(5):511-8. doi: 10.1902/jop.2015.150441. Epub 2015 Dec 14.
16. Pecanov-Schröder A: Interview mit Dr. Kristian Kniha. *Keramikimplantate für ein Plus an Ästhetik und Weichgewebe*. *Implantologie Journal* 2019;12:68-72.
17. Tarnow DP, Magner AW, Fletcher P (1992) The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla *J Periodontol* 63:995-6.
18. Choquet V, Hermans M, Adriaenssens P, Daelemans P, Tarnow DP, Malevez C (2001) Clinical and radiographic evaluation of the papilla level adjacent to single-tooth dental implants. A retrospective study in the maxillary anterior region, *J Periodontol* 72:1364-71.
19. Tarnow DP, Cho SC, Wallace SS (2000) The effect of inter-implant distance on the height of inter-implant bone crest *J Periodontol* 71:546-9
20. Chu S. J., Tarnow D. P., Tan J. H., Stappert C. F.: Papilla proportions in the maxillary anterior dentition. *The International journal of periodontics & restorative dentistry* 2009, 29(4):385-393.

21. Nakamura K, Kanno T, Milleding P, Ortengren U.: Zirconia as a dental implant abutment material: a systematic review. *Int J Prosthodont.* 2010 Jul-Aug;23(4):299-309.
22. Scarano A., Piattelli M., Caputi S., Favero G. A., Piattelli A.: Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study. *Journal of periodontology* 2004, 75(2):292-296.
23. Clever K, Schlegel KA, Kniha H, Conrads G, Rink L, Modabber A, Hölzle F, Kniha K. Experimental peri-implant mucositis around titanium and zirconia implants in comparison to a natural tooth: part 1-host-derived immunological parameters. *Int J Oral Maxillofac Surg.* 2019 Apr;48(4):554-559. doi: 10.1016/j.ijom.2018.10.018. Epub 2018 Nov 5.
24. Clever K, Schlegel KA, Kniha H, Conrads G, Rink L, Modabber A, Hölzle F, Kniha K. Experimental peri-implant mucositis around titanium and zirconia implants in comparison to a natural tooth: part 2-clinical and microbiological parameters. *Int J Oral Maxillofac Surg.* 2019 Apr;48(4):560-565. doi: 10.1016/j.ijom.2018.10.017. Epub 2018 Nov 2.