

Ausgabe: ZWP 10/20

Thema: SDI: Desensitizer jetzt auch in Flaschen

Autor: SDI Germany GmbH

Literatur

1 Knight GM, McIntyre JM, Craig G, Zilm PS, Gully N.; Inability to form a biofilm of *Streptococcus mutans* on silver fluoride-and potassium iodide-treated demineralized dentin. *Quintessence international* (Berlin, Germany: 1985) 2009;40:155.

2 Knight GM.; The Pharmacological management of dentine to protect against plaque microorganism degradation. PhD Thesis University of Adelaide 2008.

3 Knight GM, McIntyre JM, Craig G, Zilm PS, Gully NJ.; Differences between normal and demineralized dentine pre-treated with silver fluoride and potassium iodide after an in vitro challenge by *Streptococcus mutans*. *Australian Dental Journal* 2007;52:16–21.

4 Knight GM, McIntyre J, Craig G.; Ion uptake into demineralized dentine from glass ionomer cement following pre-treatment with silver fluoride and potassium iodide. *Australian Dental Journal* 2006;51 :23 7 24l

5 Bendit Judy, RDH,BS, Another Arrow in the Quiver to Defeat Decay, ADA, US 2016.

6 Knight GM, McIntyre JM.; The effect of silver fluoride and potassium iodide on the bond strength of auto cure glass ionomer cement to dentine. *Australian Dental Journal* 2006;51:42–45.