

**Ausgabe:** Jahrbuch Endodontie 2021  
**Thema:** Maximale Kontrolle in der Kurve  
**Autor:** Dr. Antonis Chaniotis

---

## Literatur

- 1 Schilder H (1974) Cleaning and shaping the root canal. *Dental Clinics of North America* 18: 269-96.
- 2 Peters OA (2004) Current challenges and concepts in the preparation of root canal systems: A review. *Journal of Endodontics* 30: 559-67.
- 3 Hülsmann M, Peters O, Dummer P (2005) Mechanical preparation of root canals: shaping goals, techniques and means. *Endodontic Topics* 10: 30-76.
- 4 Nagy CD, Szabó J, Szabó J (1995) A mathematically based classification of root canal curvatures on natural human teeth. *Journal of Endodontics* 21: 557-60.
- 5 Schäfer E, Diez C, Hoppe W, Tepel J (2002) Roentgenographic investigation of frequency and degree of canal curvatures in human permanent teeth. *Journal of Endodontics* 28: 211-6.
- 6 Schneider SW (1971) A comparison of canal preparations in straight and curved root canals. *Oral Surg Oral Med Oral Pathology* 32: 271-5.
- 7 Pruett JP, Clement DJ, Carnes DL Jr (1997) Cyclic fatigue testing of nickel-titanium endodontic instruments. *Journal of Endodontics* 23: 77-85.
- 8 Günday M, Sazak H, Garip Y (2005) A comparative study of three different root canal curvature measurement techniques and measuring the canal access angle in curved canals. *Journal of Endodontics* 31: 796-8.
- 9 Estrela C, Bueno MR, Sousa-Neto MD, Pécora JD (2008) Method for determination of root curvature radius using cone-beam computed tomography images. *Brazilian Dental Journal* 19: 114-8.
- 10 American Association of Endodontists (2012) *Glossary of Endodontic Terms: Eighth edition.*
- 11 Plotino G, Grande N, Mazza C, Petrovic S, Gambarini G, Testarelli L (2010) Influence of size and taper of artificial canals on the trajectory of NiTi rotary instruments in cyclic fatigue studies. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109: e60-e66.
- 12 Elayouti A, Dima E, Judenhofer MS, Löst C, Pichler BJ (2011) Increased apical enlargement contributes to excessive dentin removal in curved root canals: a stepwise microcomputed tomography study.
- 13 Roane JB, Sabala CL, Duncanson MG Jr (1985) The 'balanced force' concept for instrumentation of curved canals. *Journal of Endodontics* 11: 203-11.
- 14 Boutsoukias C, Gogos C, Verhaagen B, Versluis M, Kastrinakis E, Van der Sluis LW (2010) The effect of apical preparation size on irrigant flow in root canals evaluated using an unsteady Computational Fluid Dynamics model. *International Endodontic Journal* 43: 874-81.
- 15 Baumann MA (2004) Nickel-titanium: options and challenges. *Dental Clinics of North America* 48: 55-67.

16 Walia H, Brantley WA, Gerstein H. An initial investigation of the bending and torsional properties of nitinol root canal files. *J Endodon* 1988;14:346-51.

17 Shen Y, Qian W, Abtin H, Gao Y, Haapasalo M (2011) Fatigue testing of controlled memory wire nickeltitanium rotary instruments. *Journal of Endodontics* 37: 97-1001.

18 Wang GZ (2007) Effect of martensite transformation on fracture behavior of shape memory alloy NiTi in a notched specimen. *International Journal of Fracture* 146: 93-104.

19 Pirani C, Iacono F, Generali L, Sassatelli P, Nucci L, Lusvarghi M, Gandolfi G, Prati C (2015) HyFlex EDM: superficial features, metallurgical analysis and fatigue resistance of innovative electro discharge machined NiTi rotary instruments. *International Endodontic Journal* [Epub ahead of print].

20 Pedulla E, Lo Savio F, Boninelli S, Plotino G, Grande N, La Rosa G, Rapisarda E (2015) Torsional and cyclic fatigue resistance of a new Nickel-Titanium Instrument Manufactured by electrical Discharge Machining. *Journal of Endodontics* 42(1): 156-9.

21 Iacono F et al. (2016) Structural analysis of Hyflex EDM instruments. *International Endodontic Journal*.

22 ColteneEndo. (2019) File sequence step by step card. Available at: <https://www.coltene.com/products/endodontics/rotary-files/hyflex-rotary-files/hyflexTM-edm-niti-files/>

23 Chaniotis A, Filippatos C (2017) Root Canal treatment of a dilacerated mandibular premolar using a novel instrumentation approach. A case report. *International Endodontic Journal* 50: 202-11.