

LITERATUR

Ausgabe: Oralchirurgie Journal 4/20

Thema: Kombinierte kieferorthopädisch-chirurgische Therapie
Korrektur der Klasse II-Dysgnathien

Autoren: Prof. Dr. med. dent. Nezar Watted, Prof. Dr. med. dent. Abu-Hussein
Mohamad, Prof. Dr. Emad A. Hussein, Prof. Dr. med. Dr. med. dent.
Peter Prof. Dr. med. Dr. med. dent. Ali Watted

1. Helm S, Siersbaek-Nielsen S, Skieller V, Björk A. Skelatal maturation of the hand in relation to maximum puberal growth in body height, Tandlaegebladet. (Danish Dental Journal) 1971; 75: 1223-1234.
2. Bass NM. Dento-facial orthopaedics in der correction of the skeletal II malocclusion. Br J Orthod 1982; 9: 3-8.
3. McNamara JA Jr, McDougall PD, Dierks JM. Arch with development in Class II patients treated with extraoral force and functional jaw orthodontics. Am J Orthodont 1966, 52: 353-359.
4. Petrovic AG, Stutzmann J. Reaktionsfähigkeit des tierischen und menschlichen Kondylenknorpels auf Zell- und Molekularebene im Lichte einer kybernetischen Auffassung des faszialen Wachstums. Fortschr Kieferorthop 1988, 49: 405-425.
5. Stutzmann J, Petrovic A. Durch Bionator verursachtes zusätzliches Längenwachstum des Unterkiefers beim Kind. Stellungnahme zur Wirkungsweise von funktionskieferorthopädischen Geräten. Fortschr Kieferorthop 1987, 48: 556-558.
6. Watted N, Witt E. NMR study of TNJ changes following functional orthopaedic treatment using the "Würzburg approach", European Orthodontic Society (EOS) 74 th Congress, 1998.
7. Watted N. Behandlung von Klasse II-Dysgnathien- Funktionskieferorthopädisch Therapie unter besonderer Berücksichtigung der dentofazialen Ästhetik, Kieferorthop 1999, 13: 193-208.
8. Witt E. Behandlungskonzepte. In Miethke RR, Drescher D (Hrsg). Kleines Lehrbuch der Angel-Klasse II,1 unter besonderer Berücksichtigung der Behandlung. Quintessenz, Berlin 1996.
9. Gianelly A A. A Strategy for Nonextraction Class II Treatment. Prespectives on Class II Treatment. Seminar in Orthod 1998, 4:, 26-32.
10. Gianelly A A, Bendnar J, Dietz VS.: Japanese NiTi coils used to muve molars distally. Am J Orthod Dentofac Orthop 1991, 99: 564-566.
11. Witt E. Extraktion im Rahmen der Kieferorthopädie. In Schmuth, G.: Kieferorthopädie II, Praxis der Zahnheilkunde. Urban u. Schwarzenberg München. 1988, 107-149.
12. Canut J. Eine Analyse der dentofazialen Ästhetik. 1996.
13. Watted N, Teuscher T, Wieber, M. Die Analyse des vertikalen Gesichtaufbaus als Planungsorientierung in der orthognathen Chirurgie. Kieferorthop im Druck, 1999.

14. Schwarz AM. Die Röntgendiagnostik. Urban & Schwarzenberg, Wien, 1958.
15. Arnett GW, Bergmann RT: Facial keys to orthodontic diagnosis and treatment planning - Part I. Am J Orthod Dentofac Orthop 1993, 103: 299-312.
16. Arnett GW, Bergmann RT. Facial keys to orthodontic diagnosis and treatment planning- Part II. Am J Orthod Dentofac Orthop 1993, 103:395-411.
17. Bell WH, Scheidemann GB. Correction of vertical maxillary deficiency: Stability and soft tissue changes. J. Oral Surg 1981, 39: 666.
18. Burstone GJ. The integumental profile. Am J Orthod 1958, 44: 1-25.
19. Burstone GJ. Lip posture and its significance in treatment planning. Am J Orthod 1967, 53: 262-84.
20. Farkas LG. Anthropometry of the head and face in medicine. New York: Elsevier Nor Holland Inc., 1981.
21. Farkas LG, Kolar JC. Anthropometry and art in the aesthetics of women's face. Clin Plast Surg 1987, 14: 599-615.
22. Legan HL, Burstone GJ. Soft tissue cephalometric analysis for orthognathic surgery. J Oral Surg 1980, 38: 744-51.
23. Albino JE, Tedesco LA. The role of perception in treatment of impaired facial appearance. In: Alley, T. R. (ed.): Social and applied aspects of perceiving faces. Erlbaum, Hillsdale, NJ. 1988, 217-238.
24. Kiyak HA, Hohl T, West RA. Psychologie changes in orthognathic surgery patients: a 24-month follow-up, J Oral Maxillofac Surg 1984, 42: 506-512.
25. Albino JE, Tedesco LA. Esthetic need for orthodontic treatment. In: Melsen, B. (ed.): Current controversies in orthodontics. Quintessence Publ, Chicago: 1994, 11-24.
26. Alley TR, Hildebrandt, KA. Determinants and consequences of facial aesthetics. In: Alley, T.R. (ed.): Social and applied aspects of perceiving faces. Erlbaum, Hillsdale, NJ: 1988, 101-140.
27. Giddon DB. Orthodontic applications of psychological and perceptual studies of facial esthetics. Semin Orthod 1995, 1: 82-93.
28. Dryland-Vig KWL, Ellis III E. Diagnosis and treatment planning for the surgical-orthodontic Patient. Cli Plast Surg 1989, 16: 645-658.
29. Proffit WR, White RP. Surgical-Orthodontic Treatment, Mosby Year Book, Inc., St. Louis, Missouri, 1991.
30. Flanary CM, Barnwell GM, Alexander JM. Patient perceptions of orthognathic surgery, Am J Orthod 1985, 88: 137-145.
31. Jacobson A. The influence of children's dentofacial appearance on their social attractiveness as judged by peers and lay adults, Am J Orthod 1981, 79: 399-415.
32. Kiyak HA, Hohl T, West RA. Psychologie changes in orthognathic surgery patients: a 24-month follow-up, J Oral Maxillofac Surg 1984, 42: 506-512.
33. Berscheid E, Gangestad S. The social psychological implications of facial physical attractiveness, Clin Plast Surg 1982, 9: 289-296.
34. Scott O, Kijak HA: Treatment expectation versus outcomes among orthodontic surgery patients. Int J Adult Orthod Orthognath Surg 1991, 6: 247-255.
35. Witt E. Möglichkeiten und Grenzen der kieferorthopädischen Behandlung Erwachsener. Fortschr Kieferorthop 1991, 52: 1-7.
36. Forssell H, Finne K, Forssell K, Panula K, Blinnikka L. Expectations and perceptions regarding treatment: a prospective study of patients undergoing orthognathic surgery. Int J Adult Orthodont Orthognath Surg 1998, 13: 107-113.

37. Obwegeser H. The indication for surgical correction of mandibular deformity by sagittal splitting technique. *Br J Surg* 1963, 50: 157-168.
38. Opdebeeck H, Bell WH. The short face syndrome. *Am J Orthod* 1978, 73: 499-511.
39. Bell WH, Proffitt WB, White RP. Surgical correction of dentofacial deformities. Saunders, Philadelphia 1980, S. 115-123.
40. Bell WH, Scheidemann GB. Correction of vertical maxillary deficiency: Stability and soft tissue changes. *J Oral Surg* 1981, 39: 666-671.
41. Lecointre F. Normalisation chirurgicale du sourire dans les faces courtes. *Orthod Fr* 1997, 68: 207-213.
42. Vig KD, Ellis E. Diagnosis and treatment planning for the surgical-orthodontic patient. *Clin Plast Surg* 1989, 16: 645-658.
43. Watted N, Bill J. Untergesichtsverlängerung bei der Klasse-II-Dysgnathien: Neues von der kieferorthopädisch-kieferchirurgischen Therapie. *Ästh Zahnmed* 1999, 4: 292-300.
44. Lecointre F. Use of a modified Le Fort I osteotomy in the surgical correction of the short face syndrome. *Plast Reconstr Surg* 1997, 100: 1500-1505.
45. Watted N, Bill J, Peters Ch. Therapiekonzept zur kombinierten kieferorthopädisch-kieferchirurgischen Behandlung von Klasse-II-Dysgnathien mit Short-face-Syndrom. *Mund Kiefer GesichtsChir* 2000, 4: 118-124.
46. Watted N, Witt E, Bill J. A therapeutic concept for the combined orthodontic surgical correction of Angle class II deformities with Short Face Syndrome: Surgical lengthening of the lower face. *Clin Orthod Res* 2000, 3: 78-93.
47. Celenza FV. The centric position. replacement and character. *J Prosthet Dent* 1973, 30, 591-598.
48. Celenza FV, Nasedkin JN. Occlusion: State of the Art. Quintessence Publishing Co Inc, Chicago 1978.
49. Celenza FV. Physiologie und Pathologie der Kondylenposition. *Internationales Journal für Parodontologie und restaurative Zahnheilkunde* 1985, 2, 39-51.
50. Watted N, Bill J, Witt, E. Therapy Concept for the Combined Orthodontic-Surgical Treatment of Angle Class II Deformities with Short Face Syndrome New Aspects for Surgical Lengthening of the Lower Face. *Clin Orthod Res*. 2000, 3 78-93.
51. Williamsone EH, Caves SA, Edenfield RJ, Morse PK. Cephalometric analysis: comparisons between maximum intercuspation and centric relation, *Am J Orthod* 1978, 74: 672-677.
52. Williamsone EH, Steinke RM, Morse PK, Swit TR. Centric relation: a comparison of muscle-determined position and operator guidance, *Am J Orthod* 1980, 77: 133-145.
53. Watted N, Teuscher T, Wieber, M. Vertikaler Gesichtsaufbau und Planung kieferorthopädisch-kieferchirurgischer Kombinationsbehandlungen unter besonderer Berücksichtigung der dentofazialen Aesthetik. *Kieferorthopädie* 2000,16: 29-44.
54. Obwegeser H, Trauner R. Zur Operationstechnik bei der Progenie und anderen Unterkieferanomalien. *Dtsch Zahn Mund Kieferheilk* 1955, 23: H 1 und 2.
55. Obwegeser H. The surgical correction of mandibular prognathisms and retrognathia with consideration of genioplasty. *J Oral Surg* 1957,10: 687.
56. Obwegeser H. The indication for surgical correction of mandibular deformity by sagittal splitting technique. *Br J Surg* 1963, 1: 157.

57. Luhr HG. Skelettverlagernde Operationen zur Harmonisierung des Gesichtsprofils –Probleme der stabilen Fixation von Osteotomiesegmenten. In : G. Pfeifer: Die Ästhetik von Form und Funktion in der plastischen und Wiederherstellungs-Chirurgie. Springer, Berlin, 1985, S. 87-92.
58. Lindorf HH. Funktionsstabile Tandem-Verschraubung der sagittalen Ramusosteotomie –Operationsthenik, neue Instrumente und Erfahrungen. Dtsch Z Mund Kiefer Gesichtschir 1984, 8: 367-373.
59. Lindorf HH. Sagittal ramus osteotomy with tandem screw fixation –technique and results. J Maxillofac Surg 1986, 14: 311-316.
60. Burstone GJ. The integumental profile. Am J Orthod 1958, 44: 1-25.
61. Burstone GJ. Lip posture and its significance in treatment planning. Am J Orthod 1967, 53: 262-84.
62. Legan HL, Burstone GJ. Soft tissue cephalometric analysis for orthognathic surgery. J Oral Surg 1980,38: 744-51.
63. Watted N, Teuscher T, Peters, Ch. Die Kortikotomie- eine hilfreiche Maßnahme in der kieferorthopädischen Therapie. Informationen aus Orthodontie & Kieferorthopädie 1999, 31: 345-357.
64. Williamsone EH, Evans DL, Barton WA, Williams BH. The effect of bite plane use on terminal hinge axis location. Angle Orthod 1977, 47: 25-33.
65. Williamsone EH. JCO interview: Occlusion and TMJ dysfunction I. J Clin Orthod 1981, 15: 333-350.
66. Williamsone EH. JCO interview: Occlusion and TMJ dysfunction II. J Clin Orthod 1981, 15: 393-410.
67. Calangna L, Silverman S, Garfinkel L. Influence of neuromuscular conditioning on centric relation registrations. J Prosthet Dent 1973, 30: 598-604.
68. Carlson DS, Ellis E, Dechow PC. Adptation of the suprahyoid muscle complex to mandibular advancement surgery. Am J Orthod 1987, 92: 134-143.
69. Ellis E, Hinton RJ. Histologic examination of the temporomandibular joint after mandibular advancement with and without rigid fixation: An experimental investigation in adult Maccaca mulatta. J Oral Maxillofac Syrg; 1991, 49: 1316-1328.
70. Ellis E. Condylar Positioning Devices for Orthodontic Surgery: Are They Necessary. J Oral Maxillofac Syrg, 52: 536-552, 1994.
71. Reynolds ST, Ellis E, Carlson DS. Adaption of the suprahyoid muscle complex to larger mandibular advancement. J Oral Maxillofac Surg 1988, 46: 1077-1085.
72. Watted N, Abu-Hussein M, Bill J, Proff P. Therapeutic Concept by “Watted” for the Surgical Lengthening of the Lower Face by Short Face Syndrome Open Journal of Stomatology, 2015, 5, 127-141.
73. Watted N, Abu-Hussein M, Watted A, Bill J, Proff P, Schlomi, B. Änderung der skelettalen Strukturen zur Harmonisierung der Weichteilstrukturen im Gesicht. Oralchirurgie Journal 2015, 12: 41-48.
74. Watted N, Abu-Hussein M, Bill J, Proff P. Harmonisation of the Dento-Facial Complex A Result Of Combination A Orthodontic and Orthognathic Surgical Therapy IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) 2015, 14, 2: 128-139.

75. Luther F, Morris DO, Karnezi K. Orthodontic treatment following orthognathic surgery: how long does it take and why? A retrospective study. *Journal of Oral and Maxillofacial Surgery*. 2007, 65:1969-1976.
76. Liou EJ, Chen PH, Wang YC, Yu CC, Huang CS, Chen YR. Surgery-first accelerated orthognathic surgery: postoperative rapid orthodontic tooth movement. *Journal of Oral and Maxillofacial Surgery*. 2011, 69: 781-785.